

TEM | Yalgoo Update - Regional Exploration

Key Points

- Substantial 1,000km² landholding in an overlooked highly prospective polymetallic belt
- 2022 drilling intercepted strong peripheral mineralisation including copper and rare earths
- Q3 upcoming exploration:
 - Large scale geophysics survey planned
 - Multiple field campaigns including geochem and pre drill planning
- Planning and approvals for drilling 4km Remorse base metal target (Q4) in progress

Summary

Tempest Minerals Ltd (TEM) is pleased to update the market on the latest exploration update for the Yalgoo region projects. Previous drilling has highlighted the ongoing prospectivity for these project areas including for copper, gold and rare earths. Further analysis is in process as well as planning for multiple exploration fronts including surface geochemistry, regional geophysics and drilling.

Managing Director Don Smith said of the upcoming exploration plans *"The Tempest team is excited to build upon our hard work to date. The high quality data we generated in our work to date has laid the foundational understanding for us to reprioritise new and existing targets for focused exploration campaigns."*

Yalgoo Region

Background

Yalgoo Portfolio is a major part of Tempest Minerals' exploration and project development efforts.

The Yalgoo holdings are referred to as four different 'project areas' – namely: Messenger, Meleya, War West, Euro which denote different geological domains. However, through tenement consolidation, these areas have become an almost contiguous holding and there is considerable geological overlap.

The Yalgoo Mineral Belt encompasses a rough area of 4,000km² with Tempest holding a footprint of more than 1,000km² which equates to more than a quarter of the active exploration leases regionally.

Tempest considers the region to be highly prospective and has been exploring the region for several years with multiple zones of mineralisation discovered in previously unrecognised, fertile geological terrains.

This is in line with industry trends where exploration opportunities in new areas and discoveries 'under cover' are becoming the norm.



Figure 01: Yalgoo Holdings With Regional Economic Context

Project Summary

Messenger

The Messenger project hosts an area of just over 170km² and a continuous strike of almost 50km bordering the world-class EMR Golden Grove base and precious metal mine and other local gold operations including: Gnows Nest and the historic Messengers Patch mining area (**up to 10 oz/t gold**).

The Messenger Project holds strong potential for discovery. Previous drilling in the area intersected high-grade veins including exceptional intersections such as **2 metres @ 228.92 g/t gold from 10m including 1m @ 451 g/t gold**¹.

A shallow maiden drilling program in 2021 by Tempest intercepted thick zones of anomalous gold within mineralised quartz and strongly hydrothermally altered zones of up to 17m thickness. These are believed to be similar to the mineralisation historically mined at very high grades at the surface² and remain open in all directions.



Figure 02: Drilling at Messenger

A newer proposed model of the geology at the Messenger Project features a more prospective outlook based on the mapping, drilling and other geology work done by Tempest. This includes extensive underexplored volcanics, greenstones and associated quartz lodes prospective for gold, nickel and critically, a raft of the much sought after Golden Grove stratigraphy prospective for base and precious metals.




Figure 03: Messenger Project with simplified geology and nearby mines

War West

The War West project - first identified in 2018 by Tempest as an Intrusive Related Gold (IRG) system - hosts large multi-kilometre scale geochemical indicator anomalies across a modest 55km² land holding. Highly successful gold prospecting and artisanal mining has occurred in this area for several decades.

One of the numerous targets regionally known as "Wee Lode" was discovered when a company mapping team in 2019 discovered outcropping gold-bearing quartz veins. This was followed up eagerly by drilling in 2020 which proved the IRG concept by intersecting shallow high grade gold of **1m @ 5gpt gold from 7m** and broad low grade disseminated gold mineralisation zones throughout the surrounding lateritic country rock. The mineralized zone still remains open at depth and along strike.

The mentioned drilling program also uncovered shallow (less than 10 metres from surface) greenstones³ slightly to the east of which were previously thought to be hundreds of metres or kilometres at depth - below the overlying Walganna granitic intrusion. This has opened hundreds of square kilometres of new exploration ground in the region for Tempest and dozens of exploration targets. This revelation was also influential in the pioneering understanding of the Meleya project and the significant opportunity which is present throughout the Yalgoo Belt.



Figure 04: Geological Mapping at WarWest

Meleya

Regional data analysis and fieldwork conducted by Tempest at the adjoining War West Project highlighted inconsistencies in state mapping which became the Meleya Project. The broader extent of the project is historically inaccurately mapped geology. Prior to Tempest work, the majority of the current project had never had any lease, nor been explored.




Figure 05: Simplified geological map of Meleya and War West Projects

Early fieldwork identified kilometres of outcropping greenstones in regions where barren granite were previously mapped in state datasets. This resulted in the prospectivity of Meleya drastically increasing and a wide-spaced soil and auger geochem sampling program completed ⁴. This gave background data with respect to the underlying geology and prospectivity ⁵.

A large number of exploration and drill targets demonstrated potential for Gold and VMS (Volcanogenic Massive Sulphide) related mineralisation in 2021. Following the subsequent results, an EIS grant was attained to drill two initial stratigraphic holes at 709m and 1,020m depth across a portion of the exposed greenstones at the “**Orion**” target in early 2022. ⁶

Drilling at Orion proved unequivocally the presence of the new Yalgoo Greenstone Belt sequence and critically that it was strongly mineralised ^{7, 8}. The presence of a strong likeness in the stratigraphy that hosts other major deposits in the region as well as the interaction of an expansive mineralised environment suggests peripheral proximity to a fertile source.

The geological profile also demonstrated that the Walganna Suite intrusion is underlain by greenstones to the West of Orion which further reinforces the previous interpretations and prospectivity of the project drawn from early mapping and the drilling at War West.

Later in 2022, a number of other targeted drill programs were completed along the Meleya Belt ⁹.

A single diamond hole of (427m) at the “**Master**” target uncovered widespread alteration and fertile geology and subsequent assays demonstrated shallow elevated gold with associated Tellurium and Arsenic at the location of a significant regional structure.

A diamond hole (637m) at the “**Clover**” target demonstrated continuity of the geology and broad mineralisation style similar to that witnessed in the “**Orion**” target ¹⁰. These targets were followed up with a shallow blanket of Aircore (AC) and Reverse Cycle (RC) drillholes designed at a wide spaced 500m x 500m regional grid size to delineate lithogeochemical alteration patterns to extend known surface anomalies to shallow depth.

Analysis of the geochemistry, lithology and mineralogy pinpointed several new polymetallic targets of interest. The extension of copper and zinc zones at Clover (**163m @ 149ppm Cu + 101ppm Zn and 71m @ 186ppm Cu, 152ppm Zn**) and along the most southern edge of the drill program shows the wide spread mineralisation potential. Approvals and data analysis are underway to follow up on many of these encouraging results.

Alongside this, Tempest increased the Project’s lease holding to over 560km² by expanding over the eastern and south eastern expanses of the Yalgoo Greenstone belt and Warriedar Fold Belt. This eastern part of the Meleya Project is similarly, almost unexplored with historically only a small, shallow test RAB drilling program conducted 20 years ago. The nearest effectual drill hole is at least >2.5km away from this prospective environment identified by Tempest.

In late 2022, in conjunction with aforementioned drilling, a large-scale surface geochemistry program was conducted in one of these new target areas.



Figure 06: Fieldwork in progress at Meleya

TEM recently announced a substantial anomaly known as the Remorse Target comprising three distinct zones: :

- a substantial Copper-Zinc zone ¹¹
 - 4km continuous strike **Cu-Zn** and base metals anomaly reaching soil grades of up to **635ppm Cu** and **182ppm Zn**
- with adjacent Nickel and Rare Earth anomalies ¹²
 - Strong, tightly clustered **Ni** anomaly maxing out at **925ppm** with a staggered 1.2 and 1km strike
 - **REE** anomaly already spanning a 2km diameter open to the north and east, of which is predicted to continue beyond the sampled area, which produced high grade samples of **929ppm Ce** and **457ppm La**.
- These are among the most coherent surface anomalies the team have seen in their careers and are reminiscent of VMS deposits elsewhere in Australia. This further highlights the prospectivity of the TEM Yalgoo holdings.




Figure 07: Geochemical anomaly at Remorse

Many targets in the region are at the intersection of large regional structures. Remodelling of aeromagnetic surveys have additionally illustrated smaller offshooting “feeder” structures that align with some of the highest Cu-Zn results .

Tempest’s most recent land acquisition includes an area along these prospective structures and has potential to extend the Cu-Zn Remorse anomaly along strike and for new zones in their own right. Furthermore, the leases continue along and parallel to a high grade gold bearing structure that falls within <300m of RC holes recently drilled by *Warriedar Resources* (WA8) at the Baron Rothschild project with results of up to **11m @ 3.39g/t Au** ¹³ .

More regionally the Meleya Project is prospective for many critical commodities including copper such as found at the neighbouring Golden Grove or Reids Ridge copper mines. Copper is a globally significant critical metal with predicted diminishing resources and deficit by 2031 ¹⁴ .

Euro

The southernmost exploration package in the Yalgoo region is the Euro Project which Tempest owns 100% for a combined total of 165km² granted tenure with a number of applications totalling more than 150km² in addition. The Project is situated within the Southern Yalgoo Greenstone Belt and is nestled between 3 major mines Karara (Iron), Mt Mulgine (Gold/Tungsten) and Rothsay (Gold/Copper) which share the same host geology¹⁵.

Some areas were explored for gold and iron ore in the 1990s and early 2000s, whereby legacy drilling identified extensive gold mineralisation but was not further pursued due to depressed metal prices at the time. Despite the highly prospective historic drilling and proximity to multiple mines, much of the project remains largely unexplored. Tempest conducted a number of reconnaissance mapping projects in 2021-2022, which continue to isolate numerous iron-rich formations prospective for gold, tungsten and iron ore¹⁶. Additionally historical literature suggests this prime multicommodity hotspot may be prospective for outcropping lithium pegmatites primarily supported by lithium mica (Lepidolite) mineralogy¹⁷.



Figure 08: Drilling at the Euro Project

Later in 2022, Tempest conducted a diamond drill program to take advantage of extensions to the historic intercepts confirming the project's polymetallic prospectivity with **gold grades of up to 6.9g/t Au**, extensive

mineralisation supported by **silver and arsenic, copper-zinc rich base metal anomalism**, and multiple high-grade iron intersections (up to **38.6% Fe**)^{18, 19}.




Figure 09: Simplified geology map of the Euro Project

Exploration FY 2023-24

The opportunity for discoveries within the TEM Yalgoo Regional holdings is highlighted in this announcement. TEM has since its inception, had sustainability and methodical and risk weighted exploration as core tenets²⁰.

As such, TEM has been assessing numerous targets within the portfolio and formulating upcoming exploration plans for FY 2023-24.

The work conducted in FY 2022-23 has resulted in the regional geological understanding being substantially increased and has positioned Tempest strongly at its Yalgoo project to continue works towards discovery.

As highlighted in the Project section, TEM is at a pivotal point across the Yalgoo region, with advanced targets having been drilled and continuing to be assessed as well as a strong pipeline of additional new targets. Further efforts are being made towards delineation of the targets uncovered from the Meleya shallow drilling program, the synergy of deep penetrating geophysics targets will enable the assessment of their potential for discovery enabling a coordinated target pipeline.

A number of drilling programs are in planning or progression such as those at Remorse as well as numerous field work programs including regional geophysics.

Q3

- Regional geophysics survey and reassessment of existing targets based on results
- Extend geochemical survey across new tenements at Meleya
- Progress approvals and detailed planning for drilling at Remorse target
- Progression of Budapest target at Euro with view to drilling

Q4

- Continued reassessment of targets already drilled with view to further work
- Assess with view to drilling targets at WarWest
- Detailed mapping at southern Euro tenements
- Geochem program and remodel of geology at Messenger with view to drilling
- Drilling at Remorse Target

Project	Target	2023 Q3	2023 Q4	2024 Q1	2024 Q2
Regional	Region	AEM	BoxScan Data Analysis ²¹		
Messenger	Multiple		Mapping/ Geochem	DataAnalysis	Potential Drilling
WarWest	Multiple		DataAnalysis	Potential Drilling	
Meleya	Remorse	Mapping/ Geochem/ DataAnalysis	Potential Drilling		
	Sanitarium		DataAnalysis		
	Fire/Ice			Mapping/ Geochem	DataAnalysis
	New Leases	Mapping/ Geochem/	DataAnalysis		
Euro	Calais		DataAnalysis	Potential Drilling	
	Budapest	Geochem/ DataAnalysis		Potential Drilling	
	Kiev		Mapping/ Geochem	DataAnalysis	Potential Drilling

The Board of the Company has authorised the release of this announcement to the market.

About TEM

Tempest Minerals Ltd is an Australian based mineral exploration company with a diversified portfolio of projects in Western Australia considered highly prospective for precious, base and energy metals. The Company has an experienced board and management team with a history of exploration, operational and corporate success.

Tempest leverages the team's energy, technical and commercial acumen to execute the Company's mission - to maximise shareholder value through focussed, data-driven, risk-weighted exploration and development of our assets.

Investor Information

 investorhub.tempestminerals.com

TEM welcomes direct engagement and encourages shareholders and interested parties to visit the TEM Investor hub which provides additional background information, videos and a forum for stakeholders to communicate with each other and with the company.

Contact

For more information, please contact:

Don Smith

Managing Director

 Level 2, Suite 9
389 Oxford Street
Mt Hawthorn,
Western Australia
6016

 +61 892000435

 [Website](#)

 [LinkedIn](#)

 [Youtube](#)

 [Instagram](#)

 [Twitter](#)

 [Facebook](#)

Forward-looking statements

This document may contain certain forward-looking statements. Such statements are only predictions, based on certain assumptions and involve known and unknown risks, uncertainties and other factors, many of which are beyond the company's control. Actual events or results may differ materially from the events or results expected or implied in any forward-looking statement. The inclusion of such statements should not be regarded as a representation, warranty or prediction with respect to the accuracy of the underlying assumptions or that any forward-looking statements will be or are likely to be fulfilled. Tempest undertakes no obligation to update any forward-looking statement to reflect events or circumstances after the date of this document (subject to securities exchange disclosure requirements). The information in this document does not take into account the objectives, financial situation or particular needs of any person or organisation. Nothing contained in this document constitutes investment, legal, tax or other advice.

Competent Person Statement

The information in this announcement that relates to Exploration Results and general project comments is based on information compiled by Don Smith who is the Managing Director of Tempest Minerals Ltd. Don is a Member of AusIMM, AIG and GSA and has sufficient experience relevant to the style of mineralisation under consideration and to the activities undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Don consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

Appendix A: References

1. TEM ASX Announcement dated 21 January 2021 "Messenger Exploration Update - High-grade drill targets"
2. TEM ASX Announcement dated 26 May 2021 "Exploration Update - Broad Gold Mineralisation Intercepted at Messenger"
3. TEM ASX Announcement dated 15 January 2021 "Exploration Update - Further gold intersected at Warriedar"
4. LI3 ASX Announcement dated 18 August 2020 "Meleya Zone Targets Identified From New Geophysical Data"
5. Smith R.E. & Perdrix J.L. (1983) "Pisolitic Laterite Geochemistry in the Golden Grove Massive Sulphide District, Western Australia"
6. TEM ASX Announcement dated 18 November 2021 "Meleya Exploration Update - EIS Co-funding Grant"
7. TEM ASX Announcement dated 28 March 2022 "Meleya Update - Significant Discovery At Orion Target"
8. TEM ASX Announcement dated 4 April 2022 "Meleya Update - Further mineralisation drilled at the Orion discovery"
9. TEM ASX Announcement dated 14 December 2022 "Meleya Update - Completion Of 2022 Drilling"
10. TEM ASX Announcement dated 14 February 2023 "Meleya Update - Critical Metals In Regional Drilling Program"
11. TEM ASX Announcement dated 15 March 2023 "Meleya Update - 4km copper anomaly at Remorse Target"
12. TEM ASX Announcement dated 19 April 2023 "Meleya Update - Geochem anomaly extended with Nickel and Rare Earths"
13. WA8 ASX Announcement dated 28 April 2023 "Drilling at Rothschild delivers substantial high-grade gold extension"
14. Crooks S., et.al. (2023) "Bridging the copper supply gap"
15. TEM ASX Announcement dated 29 June 2021 "Multiple New Targets at the Euro Project"
16. TEM ASX Announcement dated 8 July 2021 "Iron rich formations identified at the Euro Project"
17. TEM ASX Announcement dated 10 March 2022 "Euro Update - Lithium Potential Identified"
18. TEM ASX Announcement dated 23 May 2022 "Euro Update - Encouraging Gold And Polymetallic Results Confirm Potential"
19. TEM ASX Announcement dated 28 July 2021 "Additional Iron Targets At Euro"
20. Tempest Minerals Website (<https://tempestminerals.com/company/>)
21. Geotek Website <https://www.geotek.co.uk/products/boxscan/> (accessed 01 June 2023)

Appendix B: JORC Table 1

Diamond Drilling

Section 1 Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	- Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. - Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. - Aspects of the determination of mineralisation that are Material to the Public Report. - In cases where 'industry standard' work has been done this would be relatively simple (eg reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.	- Diamond Drilling was used to obtain samples for geological logging and assaying. - The Drillhole was undertaken to test geochemical and geophysical anomalies as well as understanding the stratigraphy to enable further target testing. - Drill core was measured, oriented and marked up in the field before being transported to the company's core processing facilities in Perth for sampling. Oriented core was placed in an orientation rack with a line drawn along the core. This also ensured representativeness of samples when cutting.
Drilling techniques	Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	- A Sandvik 1200 Multipurpose truck mounted drill rig was used to drill Diamond core in HQ through the regolith, oriented HQ until the fresh rock contact and oriented NQ2 till the end of hole. - All HQ and NQ diamond drill core were orientated using a Reflex ACT III Orientation Tool.
Drill sample recovery	- Method of recording and assessing core and chip sample recoveries and results assessed. - Measures taken to maximise sample recovery and ensure representative nature of the samples. - Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	- Core measured using standard measuring tape. Length of core is then compared to the recorded interval drilled from core blocks placed in trays at end of runs. - All care taken to obtain 100% core recovery (HQ & NQ); core trays photographed wet and dry. - No relationship between sample recovery and grade is known at this stage: more drilling is required to establish if there is any sample bias. - Core recoveries were excellent and usually 98-100%. Rare core loss was present only in fracture zones.

Logging	• Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. • Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. • The total length and percentage of the relevant intersections logged.	• Diamond drilling - All HQ/NQ drill core is photographed, core recovery calculated; core marked up along the orientation line, and logged by experienced geologists familiar with the style of deposit and stratigraphy. • The percentage of visible sulphide and the style of mineralisation (pyrrhotite, pyrite, chalcopyrite, bornite etc) is estimated for each significant geological unit. • Specific gravity (S.G.) will be collected for representative samples of each rock type. • Geological logging is both qualitative and quantitative. Lithology, alteration, mineralisation, veins and structural data is captured digitally and stored securely in the Tempest Minerals database. • Geotek BoxScan was used to scan at frequently spaced points along both holes, this unit "Geotek BoxScan combines Olympus Vanta M pXRF, ASD TerraSpec VNIR/SWIR, LIDAR, ultra high resolution linescan photography and magnetic susceptibility to provide automated, consistent, geotechnical, geochemical and mineralogical data in an integrated, non-biased format."
Sub-sampling techniques and sample preparation	• If core, whether cut or sawn and whether quarter, half or all core taken. • If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. • For all sample types, the nature, quality and appropriateness of the sample preparation technique. • Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. • Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. • Whether sample sizes are appropriate to the grain size of the material being sampled.	• Representative samples were taken from WARDH00074 and WARDH00075. Core within the HQ and NQ zones was sampled as half core. An industry standard Corewise Automatic Core Saw was used to cut all diamond samples. • There has been no statistical work to verify data quality at this stage. • It is unknown whether the sample sizes are appropriate to the grain size of the material being sampled.
Quality of assay data and laboratory tests	• The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. • For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. • Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.	• Field and laboratory duplicate, certified reference sampling and blank standards were used regularly, inserted at a frequency of 1 in 20 samples alternating throughout the sampling process to ensure quality and appropriateness of the assay technique(s).

Verification of sampling and assaying	- The verification of significant intersections by either independent or alternative company personnel. - The use of twinned holes. - Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. - Discuss any adjustment to assay data.	- As the assays are from an initial drilling campaign, independent referee laboratory analyses or twinned holes are not yet applicable. - Geological logging was completed using in-house logging data systems. All data entry is carried out by qualified personnel. Standard data entry is used on site, and is backed up directly to a cloud-based database.
Location of data points	- Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. - Specification of the grid system used. - Quality and adequacy of topographic control.	- Drill hole locations collected by handheld GPS ($\pm 3\text{m}$ horizontal, up to 12m vertical error - however error was consistently below 4m. - Grid: Datum WGS84 UTM Zone 50S - Down hole surveys have been carried out by DDH1 Drilling using a Reflex Multi Shot Survey Camera, and core orientation using Reflex ACT III Orientation Tool.
Data spacing and distribution	- Data spacing for reporting of Exploration Results. - Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. - Whether sample compositing has been applied.	- Not relevant to the current drilling. - Drill holes were placed based on geological targeting and were spaced according to the geology of each target. - Sampling was undertaken through all potential mineralisation zones and structural zones with contacts determined by geological contacts or sulphide density. Sampling usually at 1m intervals. All sample lengths were not taken less than 0.3m or greater than 1.2m. - No compositing applied
Orientation of data in relation to geological structure	- Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. - If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	- The understanding of the structure and geology intersected in drilling is in progress and accurate true widths cannot be assumed at this time. - At present it is not believed that the drilling orientation has introduced any sampling bias.
Sample security	The measures taken to ensure sample security.	Core was collected onsite and moved on scheduled weekly or fortnightly collections to a processing facility in Perth was cut and transported directly to the laboratory in Perth by Tempest or contract personnel.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	No audits have been completed at this time

Section 2 Reporting of Exploration Results

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	- Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. - The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	- All drillhole information quoted is from (what is now) E5902375. This lease is owned 100% by Warrigal Mining Pty Ltd which is a subsidiary of Tempest Minerals Ltd. - No overriding interests are present to the Company's knowledge. - Tempest acknowledges the traditional custodians of the land.. - The project is on managed land and has been approved by DBCA and DMIRS under Program of works
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	N/A
Geology	Deposit type, geological setting and style of mineralisation.	- In 2020, wide-spaced mapping and surface sampling was conducted over the greater Meleya Project area which identified the presence of multiple gold and base metal anomalies . Further mapping of the project identified large scale outcrops of metamorphosed supracrustal mafic and felsic 'greenstone' units wrapped around a shallow intermediate intrusion known as the Walganna Suite. Additional whole rock geochemistry studies along the interpreted strike of the target zone confirmed the likely presence of the Golden Grove formation and the strong prospectivity of the project . This was followed up with reprocessing of geophysics (magnetic) datasets which assisted the field mapping to identify the presence of numerous large scale structures considered to be highly favourable for feeder zones for mineralisation. Ongoing field and interpretive work also identified the presence of multiple coincident geophysical and geochemical anomalies including both the Master and the 'Clover' targets. - Although appearing in different parts of the terrain both targets show coincidental geophysical (magnetic high and magnetic low) and geochemical (multi-elemental) anomalies. Both drill programs (Diamond Core) were completed to test the geology and understand the nature of any mineralisation present. - Drilling has indicated several mineralisation styles and events as inferred in this announcement.

Drill hole Information	- A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: - easting and northing of the drill hole collar - elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar - dip and azimuth of the hole - down hole length and interception depth - hole length. - If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	Drillhole information included included in Appendix C
Data aggregation methods	- In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. - Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. - The assumptions used for any reporting of metal equivalent values should be clearly stated.	- No aggregation has been used to the Company's knowledge, all results are percussion quoted in metres where simple averaging is utilised. - No metal equivalents have been used.
Relationship between mineralisation widths and intercept lengths	- These relationships are particularly important in the reporting of Exploration Results. - If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. - If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').	The geometry of the geology is not clearly defined at this stage of exploration. Much of Tempest's current drilling program is designed to provide regional stratigraphic and structural understanding to further assist in vectoring mineralising events.
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	See appended figure(s)
Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	Due to the greenfields nature there is no local historic drilling to report on.
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	The extensive records of legacy geological, geophysical and geochemical work performed by previous explorers is impractical to list in this format but is accessible publicly on the Western Australian State Government 'WAMEX' system.

Further work

- *The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling).*
- *Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.*
- The planned program consisted of an initial diamond drill hole to test the interpreted geophysical and geochemical anomalies and provide stratigraphic controls on the new geological province. Detailed observations have been taken of the core and will be used for future exploration programs.
- Exploration programs planned going forward include
 - Detailed geological interpretations and modelling
 - Downhole Electromagnetics
 - Airborne and ground based EPR geophysical surveys
 - RAB or Aircore drilling
 - RC Drilling
 - Further survey mapping and geochemical sampling

Appendix C: Drilling

Drill Collar

SITE_ID	EAST	NORTH	LEVEL	DEPTH	HOLE_TYPE
WARDH00074	526045	6794097	271	427.34	DDH
WARDH00075	523160	6797750	268	637.1	DDH

Drill Survey

Site ID	Downhole depth (m)	Dip (°)	Azimuth (°)
WARDH00074	0.00	-69.97	45.22
WARDH00074	12.00	-69.42	44.06
WARDH00074	24.00	-69.52	43.49
WARDH00074	36.00	-69.40	43.95
WARDH00074	48.00	-69.32	44.44
WARDH00074	81.00	-69.00	43.97
WARDH00074	111.00	-68.61	43.78
WARDH00074	141.00	-68.32	43.51
WARDH00074	171.00	-67.88	44.04
WARDH00074	201.00	-67.39	43.86
WARDH00074	231.00	-67.16	45.76
WARDH00074	261.00	-66.45	43.78
WARDH00074	291.00	-66.00	44.48
WARDH00074	321.00	-65.66	44.95
WARDH00074	351.00	-65.23	45.15
WARDH00074	381.00	-64.42	44.46
WARDH00074	417.00	-63.87	44.60
WARDH00075	0.00	-70.00	270.05
WARDH00075	30.00	-70.16	268.19
WARDH00075	60.00	-70.47	267.04
WARDH00075	90.00	-70.12	265.06
WARDH00075	120.00	-69.93	266.84
WARDH00075	150.00	-69.75	267.95
WARDH00075	180.00	-69.61	267.48
WARDH00075	210.00	-69.37	268.02
WARDH00075	240.00	-69.21	268.08
WARDH00075	270.00	-69.13	268.54
WARDH00075	300.00	-68.80	268.67
WARDH00075	330.00	-68.45	268.61
WARDH00075	360.00	-68.89	268.12
WARDH00075	390.00	-68.61	268.90
WARDH00075	420.00	-68.37	270.18
WARDH00075	450.00	-67.89	269.17
WARDH00075	480.00	-67.21	269.35
WARDH00075	510.00	-67.52	268.74
WARDH00075	540.00	-67.86	268.38
WARDH00075	570.00	-65.60	267.72
WARDH00075	600.00	-65.22	269.33
WARDH00075	630.00	-64.96	268.92

Drill Assay

Site ID	depth from	depth to	length	Au ppm	Ag ppm	As ppm	Bi ppm	Ce ppm	Cu ppm	Fe %	La ppm	Li ppm	Mo ppm	Ni ppm	Pb ppm	S %	Sb ppm	Te ppm	W ppm	Zn ppm	REE Yt Sc Nb
WARDH00074 0	1.2	1.2	1.2	0.002	0.09	11	0.12	20.7	15	1.49	11.2	9.4	1.39	17.9	8.2	0.33	0.37	0.07	1.4	25	46.1
WARDH00074 1.2	2.37	1.17	1.17	0.001	0.56	2.7	0.03	5.88	5.2	0.4	3.3	4.4	0.79	5	2.5	0.05	0.27	0.06	2.2	7	14.08
WARDH00074 2.37	3.2	0.83	0.83	0.001	1.39	16.1	0.23	45.8	25.3	3.31	24.5	20.5	3.02	40.8	23.8	0.03	0.69	0.09	3.6	48	97.1
WARDH00074 3.8	4	0.2	0.01	0.001	0.15	28.9	0.31	18.85	41.2	5.1	8.4	31.9	2.76	79.2	38.6	0.03	1.39	0.07	2	81	62.35
WARDH00074 4.1	4.7	0.6	0.01	0.001	0.99	13	0.23	50.4	29.7	3.48	28.5	21.2	3.39	41.9	41.9	0.08	0.5	0.07	2.6	75	112.6
WARDH00074 5.1	6	0.9	0.01	0.001	4.3	5.2	0.19	43.8	26.8	2.9	23.5	13.1	4	30.7	36.4	0.06	0.4	0.05	7.1	37	91
WARDH00074 6	6.5	0.5	0.003	0.003	1.75	5.7	0.22	56.9	35.8	3.5	31.6	17	2.44	35.6	41.8	0.06	0.39	0.07	3.7	52	117.8
WARDH00074 6.5	7	0.5	0.002	0.002	0.65	4	0.28	61	32.6	3.81	34.1	18.6	1.56	37.5	29.4	0.07	0.39	0.06	2.3	64	127.6
WARDH00074 7	7.82	0.82	0.003	0.003	1.29	6.5	0.25	55.8	27.2	3.83	30.9	16.9	2.42	37.1	28	0.08	0.45	0.05	3	45	116.5
WARDH00074 7.82	8.32	0.5	0.002	0.002	0.67	10.3	0.32	42.7	53.9	5.28	19.6	25	4.65	73.2	52.2	0.09	1.19	0.05	2.6	93	102.8
WARDH00074 8.32	9	0.68	0.001	0.001	0.23	8	0.3	46.4	44.1	4.75	22.5	22.8	3.66	58.2	38.9	0.08	0.87	0.07	2.2	67	105.4
WARDH00074 9	10	1	0.003	0.003	0.12	10	0.31	38.9	52.3	5.65	17.3	27.4	4.77	79.3	54.9	0.11	1.18	0.1	2	66	97.8
WARDH00074 10	10.4	0.4	0.002	0.002	0.04	9.6	0.33	55.4	44.5	5.33	28.9	22.3	4.34	65.1	52.5	0.11	1.07	0.07	1.7	66	124.8
WARDH00074 10.6	11.57	0.97	0.006	0.006	0.52	7.3	0.28	41	33.4	3.84	22	17.2	3.06	42.7	39	0.09	0.7	0.05	3	61	93
WARDH00074 11.57	12.5	0.93	0.001	0.001	0.15	4.1	0.26	41.5	31.3	3.68	23.2	16.3	1.6	50.6	24.4	0.07	0.46	0.05	2	34	92.1
WARDH00074 12.5	13.4	0.9	0.001	0.001	0.09	4.5	0.37	41.4	30.3	3.71	25.2	21.5	2.28	40.6	28.8	0.08	0.48	0.06	4.1	26	93.6
WARDH00074 13.9	14.5	0.6	0.003	0.003	0.76	3.1	1.5	5.49	19.6	3.47	7	65.3	3.87	27.9	35.2	0.03	0.24	0.06	2.5	22	33.89
WARDH00074 14.8	15.5	0.7	0.001	0.001	0.48	0.5	1.73	5.26	12.8	0.72	7.3	56	1.19	19.7	8.4	0.03	0.14	0.05	2.6	17	32.96
WARDH00074 15.5	16.04	0.54	0.001	0.001	0.17	0.3	1.8	5.41	10.8	0.77	8.8	45.3	1.32	15.3	9	0.02	0.12	0.05	2.6	15	34.21
WARDH00074 16.04	16.92	0.88	0.003	0.003	0.77	0.2	0.89	3.74	8.7	0.58	6.9	34.6	1.18	10.3	5.6	0.02	0.09	0.05	3.4	11	23.14
WARDH00074 16.92	17.5	0.58	0.009	0.009	0.4	0.9	1.14	3.76	7.1	0.92	6.9	26.5	1.67	8	6.9	0.02	0.11	0.05	1.8	9	23.56
WARDH00074 17.5	18.36	0.86	0.001	0.001	0.37	0.6	0.59	1.39	5.4	0.8	1.8	17	1.02	7.2	5.7	0.03	0.06	0.05	1.1	6	17.89
WARDH00074 18.36	19	0.64	0.003	0.003	0.29	0.5	0.47	0.71	5.9	0.65	0.8	17.6	0.78	8.8	4.9	0.04	0.06	0.05	1	6	15.21
WARDH00074 19	20	1	0.002	0.002	0.45	0.2	0.27	0.52	7.6	1.06	0.5	20.4	1.12	14.7	4.7	0.05	0.06	0.05	3.8	12	13.82
WARDH00074 20	21	1	0.002	0.002	0.19	0.2	0.26	0.56	5.9	0.77	0.5	18.2	0.72	19.8	4.5	0.05	0.06	0.05	0.7	10	12.76
WARDH00074 21	22	1	0.003	0.003	0.53	0.5	0.15	0.57	4	0.49	0.5	10.6	0.82	13.1	4.9	0.04	0.05	0.05	1.1	10	14.17
WARDH00074 22	22.5	0.5	0.003	0.003	0.66	0.3	0.19	0.63	4	0.58	0.5	11	0.96	11.6	5.3	0.05	0.08	0.05	1.3	8	14.73
WARDH00074 22.5	23.5	1	0.003	0.003	0.68	0.2	0.1	0.56	4.3	0.48	0.5	8.1	1.15	11.2	4.7	0.04	0.06	0.05	2.4	9	13.16
WARDH00074 23.5	24.3	0.8	0.005	0.005	0.65	0.2	0.55	0.85	4.6	0.76	0.5	8.9	1.08	12.8	4.8	0.06	0.08	0.05	1.3	6	11.75
WARDH00074 24.3	25.38	1.08	0.003	0.003	0.67	0.2	2.73	0.63	4.1	0.53	0.5	6.3	0.99	5	3.5	0.04	0.05	0.05	1.2	6	9.23
WARDH00074 25.38	25.68	0.3	0.001	0.001	0.54	0.3	3.01	1.03	10.4	0.68	0.5	6.9	1.62	4	6.2	0.04	0.1	0.05	1.4	6	11.93
WARDH00074 25.68	26	0.32	0.002	0.002	0.67	0.2	1.76	0.95	4.6	0.78	0.5	4.7	1.5	2.9	9	0.07	0.1	0.05	1.4	5	15.45
WARDH00074 26	26.75	0.75	0.001	0.001	0.46	0.2	1.26	1.23	4.5	0.82	0.5	6.6	1.28	2.5	11.2	0.06	0.07	0.05	1.4	3	20.03
WARDH00074 26.75	27.05	0.3	0.002	0.002	0.8	0.2	0.43	2.45	5	0.57	0.6	6.2	1.22	5	3.9	0.07	0.12	0.05	2.2	15	14.25
WARDH00074 27.05	28	0.95	0.001	0.001	0.56	0.2	0.21	1.82	4.4	0.62	0.5	5.9	1.16	5.2	3.9	0.06	0.11	0.05	1.3	6	13.22
WARDH00074 28	29	1	0.001	0.001	0.65	0.2	0.11	1.75	5.9	0.6	0.5	5.2	0.92	4.1	4.9	0.05	0.08	0.05	2.2	5	13.25
WARDH00074 29	30	1	0.002	0.002	0.37	0.2	0.04	19.75	6.5	0.86	9.3	4.3	0.75	2.9	7	0.05	0.07	0.05	0.8	5	44.45
WARDH00074 30	31	1	0.002	0.002	0.27	0.2	0.04	24.6	6.9	0.81	11.8	3.6	0.74	2.4	8.2	0.05	0.05	0.05	0.5	4	59.4
WARDH00074			0.002	0.002	1.09	0.2	0.05	36.7	19.6	0.61	20	5.5	1.09	5.3	8.3	0.06	0.06	0.05	2	6	84.8
WARDH00074 31	32	1	0.002	0.002	0.6	0.5	0.24	63.2	16.8	0.7	39.2	8.2	1.04	6	22.2	0.06	0.06	0.05	1	6	128.5
WARDH00074 32	32.7	0.7	0.002	0.002	0.69	0.2	0.1	94.2	16.6	0.38	65.5	7.3	1.28	4.2	54.6	0.05	0.05	0.05	1.1	19	184.7
WARDH00074 32.7	33.5	0.8	0.001	0.001	1.13	0.2	0.1	127	33.1	0.24	91.5	7.1	1.18	4.5	68	0.06	0.05	0.05	1.5	5	242.6
WARDH00074 33.5	34.61	1.11	0.002	0.002	1.08	0.2	0.36	124.5	27.3	0.44	95.5	5.4	2.35	4.1	81.4	0.06	0.05	0.05	2.7	6	256.3
WARDH00074 34.61	35.3	0.69	0.002	0.002	0.07	0.2	0.09	68	12.4	2.4	38.5	29.6	0.93	8.6	16	0.01	0.05	0.05	0.3	50	126.1
WARDH00074 49.24	49.9	0.66	0.005	0.005	0.1	0.2	0.06	59.3	18.4	2.68	32.7	29.3	1.91	12.5	14.6	0.01	0.24	0.05	0.3	61	112.4
WARDH00074 49.9	51	1.1	0.006	0.006	0.08	0.2	0.02	61.7	12.4	2.77	34.5	36	0.98	11.1	13	0.01	0.09	0.05	0.2	56	117.7
WARDH00074 51	51.5	0.5	0.003	0.003	0.12	0.2	0.08	70.1	27.8	3.27	38.7	45.7	1.18	11.6	14.1	0.01	0.05	0.05	1	72	137.1
WARDH00074			0.003	0.003	0.45	0.2	0.31	125	29.9	0.37	77.1	7.1	1.82	4.2	37.8	0.07	0.1	0.05	0.6	2	235.8
WARDH00074 51.5	52.21	0.71	0.002	0.002	0.39	0.2	0.35	134	22.1	0.24	83.9	6.2	1.54	3.3	42.5	0.08	0.09	0.05	0.4	2	253
WARDH00074 35.3	36	0.7	0.002	0.002	0.6	0.3	0.28	120	9.2	0.38	70.8	5.5	2.41	2.8	25.4	0.07	0.07	0.05	1.5	3	243.5
WARDH00074 36	36.3	0.3	0.001	0.001	0.92	0.2	0.32	179.5	20	0.66	134	5.6	1.55	2.5	52.3	0.05	0.05	0.05	1.7	3	348.9
WARDH00074 36.3	37	0.7	0.001	0.001	0.59	0.2	0.31	208	16	0.4	149	5.2	1.26	2.3	28.3	0.06	0.05	0.05	0.6	5	387.3
WARDH00074 37	38.15	1.15	0.004	0.004	0.24	0.2	0.28	141	61.6	1.45	96	16	1.36	7.1	20.5	0.07	0.05	0.05	0.4	39	272.8
WARDH00074 38.15	39.17	1.02	0.003	0.003	0.41	0.2	0.04	69.9	90.6	2.53	34.4	22.7	1.08	11.5	12.6	0.05	0.05	0.05	1.5	71	128.7
WARDH00074 39.17	40	0.83	0.004	0.004	0.35	0.2	0.08	134.5	83	2.74	76.5	26.7	1.01	11.2	17	0.06	0.05	0.05	0.6	92	253.4
WARDH00074 40	41	1	0.003	0.003	0.58	0.4	0.05	138	63.2	2.61	65.4	21.3	1.98	9.6	13.2	0.06	0.05	0.05	1.1	92	241.6
WARDH00074 41	42	1	0.003	0.003	0.91	0.8	0.04	89.2	62.6	3	41.8	16.6	4.76	9.9	10.4	0.06	0.05	0.05	1.9	62	161.8
WARDH00074 42	42.47	0.47	0.001	0.001	0.43	0.3	0.03	93.7	37.2	2.38	50.5	16.4	1.64	7.7	12	0.02	0.05	0.05	1.5	47	174.3
WARDH00074 42.47	43.02	0.55	0.002	0.002	0.57	0.4	0.08	66.9	37.3	3.36	34.4	23.8	2.81	15.7	10.4	0.02	0.05	0.05	1.5	65	129.4

Site ID	depth from	depth to	length	Au ppm	Ag ppm	As ppm	Bi ppm	Ce ppm	Cu ppm	Fe %	La ppm	Li ppm	Mo ppm	Ni ppm	Pb ppm	S %	Sb ppm	Te ppm	W ppm	Zn ppm	REE Yt Sc Nb
WARDH00074	43.02	43.92	0.9	0.001	0.24	1	0.35	171.5	45.9	4.92	80	30.2	4.1	9	16.3	0.02	0.06	0.06	2.4	87	334.4
WARDH00074	43.92	44.33	0.41	0.001	0.17	0.2	0.1	77.6	21	3.67	38.4	37.8	1.57	20.3	9.3	0.01	0.05	0.05	0.7	76	155.9
WARDH00074	44.33	45	0.67	0.001	0.11	0.2	0.11	98.5	61.5	6.01	47.5	40.5	3.03	9.4	14.2	0.02	0.05	0.05	0.3	103	243.5
WARDH00074	45	45.5	0.5	0.001	0.09	0.2	0.19	63	24.1	4	32.2	33.7	1.96	13.2	12.9	0.02	0.05	0.05	0.7	70	142.6
WARDH00074	45.5	46.28	0.78	0.001	0.17	0.2	0.08	51.2	51.6	7.32	25.6	31.3	3.89	37.4	10.6	0.02	0.05	0.05	1	102	128.9
WARDH00074	46.28	47	0.72	0.008	0.13	0.2	0.1	42.5	69.8	8.03	20.4	37.4	3.64	48.9	11	0.02	0.05	0.05	0.4	102	113.3
WARDH00074	47	47.83	0.83	0.002	0.19	0.2	0.21	38.7	35.6	3.64	21.4	39.3	1.42	25.4	10.6	0.02	0.05	0.05	0.4	80	82.1
WARDH00074	47.83	48.55	0.72	0.002	0.18	0.2	0.06	47.4	19.4	1.65	27.2	16.9	1.12	6.4	16.3	0.01	0.05	0.05	1.3	38	94.8
WARDH00074	48.55	49.24	0.69	0.005	0.08	0.4	9.52	111.5	37.6	4.57	60.2	61.5	3.18	13	17.4	0.02	0.06	0.13	1.3	90	230.2
WARDH00074	52.21	52.51	0.3	0.001	0.05	0.2	0.11	60.9	10.4	2.57	32.4	32.4	1.09	10.5	16.4	0.01	0.05	0.05	0.3	58	114.4
WARDH00074	52.51	53	0.49	0.001	0.06	0.4	0.03	55.6	12.4	2.84	32.1	33	0.85	11.7	11	0.01	0.05	0.05	0.1	63	112.5
WARDH00074	53	53.5	0.5	0.001	0.06	0.2	0.03	54.9	13.2	2.86	32.2	43.9	1.07	15	11	0.01	0.05	0.05	1.4	69	107.4
WARDH00074	53.5	54	0.5	0.001	0.06	0.2	0.1	56.7	12.6	3.05	31.9	42.9	1.28	13.2	11.1	0.01	0.05	0.05	0.2	64	108.1
WARDH00074	54	54.5	0.5	0.001	0.11	0.2	0.05	65.9	15.7	2.71	36.9	27.9	1.26	10.4	11.2	0.01	0.05	0.05	0.3	56	122.6
WARDH00074	54.5	55	0.5	0.001	0.07	0.2	0.04	65.7	13.2	3.16	37.8	45.1	1.16	14.5	11.8	0.01	0.05	0.05	0.2	69	125.5
WARDH00074	55	55.3	0.3	0.002	0.28	0.2	0.05	52.6	34.7	3.14	30.4	40.1	1.89	17.3	12.2	0.01	0.05	0.05	1.3	86	109
WARDH00074	55.3	55.78	0.48	0.001	0.25	0.2	0.12	57.8	30.1	2.89	34	41	1.5	16.4	12.4	0.01	0.05	0.05	0.8	80	117.3
WARDH00074	55.78	56.77	0.99	0.001	0.16	0.6	0.06	58.2	43.2	3.68	31.4	51.1	1.66	13.7	15	0.01	0.05	0.05	0.7	88	123.4
WARDH00074	56.77	57.44	0.67	0.001	0.06	0.2	0.07	39.5	23.1	3.48	21.9	36.8	1.22	13.2	12.9	0.02	0.05	0.05	0.3	77	88.2
WARDH00074	57.44	58	0.56	0.001	0.02	0.3	0.02	63.1	6	2.34	36.9	30.6	1.24	5.8	15.7	0.01	0.05	0.05	0.5	50	119.3
WARDH00074	58	59	1	0.005	0.04	0.2	0.27	42.6	29.3	3.12	24.1	12.2	1.58	7.8	16	0.31	0.05	0.05	0.8	36	92.3
WARDH00074	59	59.62	0.62	0.002	0.08	0.3	0.1	55.8	26.9	4.64	28.6	63.6	0.73	11.2	12.9	0.08	0.05	0.05	0.6	79	129.7
WARDH00074	59.62	60.75	1.13	0.001	0.1	0.2	0.05	74	19.4	3.36	38.2	42.5	0.81	8.2	13.1	0.02	0.05	0.05	0.6	58	145.7
WARDH00074	60.75	61.05	0.3	0.002	0.05	0.2	0.19	61.3	6.4	2.53	33	41.8	6.35	8.4	11.4	0.12	0.05	0.05	0.7	51	112.8
WARDH00074	61.05	62	0.95	0.001	0.05	0.2	0.02	56.9	3.1	2.36	31.2	37.2	0.33	7.3	12.4	0.01	0.05	0.05	0.3	46	104.9
WARDH00074	62	63	1	0.001	0.04	0.2	0.08	96.3	12.2	2.61	51.5	45.1	0.34	8.7	13.3	0.24	0.05	0.05	0.3	52	166.6
WARDH00074	63	63.91	0.91	0.001	0.02	0.2	0.03	71.6	3.2	2.21	43.6	39.8	0.37	10.7	17.6	0.02	0.05	0.05	0.2	51	131.5
WARDH00074	63.91	64.5	0.59	0.001	0.01	0.2	0.04	54.5	2.2	2	31.3	34	0.41	7.6	16.2	0.01	0.05	0.05	0.6	43	99.8
WARDH00074	64.5	65	0.5	0.001	0.04	0.2	0.21	67.4	19.2	2.52	39.6	39	0.96	6.1	14	0.29	0.05	0.05	0.2	49	126.6
WARDH00074	65	65.81	0.81	0.037	0.26	26.9	9.65	57.1	14.4	7.95	33.2	35.2	6.67	12.8	21.6	3.17	0.07	1.82	6.8	50	111.2
WARDH00074	65.81	66.5	0.69	0.005	0.09	3.6	1.18	54.4	33.4	10.5	26.2	79.8	3.43	28.2	17	0.6	0.09	0.11	6.1	199	140.9
WARDH00074	66.5	67	0.5	0.012	0.01	0.8	0.18	45.2	61.5	10.5	22.1	117.5	1.78	17	13.1	0.01	0.09	0.05	2.7	161	127.3
WARDH00074	67	67.6	0.6	0.008	0.08	2.3	0.79	46.3	45.5	9.48	21.7	149.5	1.93	6.9	11.4	0.38	0.08	0.12	11.9	123	123.2
WARDH00074	67.6	68.4	0.8	0.005	0.18	4.1	0.97	61.7	40.5	7.44	31.1	99	1.16	25.8	11	0.58	0.08	0.18	8	105	142
WARDH00074	68.4	69.06	0.66	0.028	0.15	1.4	0.54	30.3	22.6	5.43	16.7	59.3	1.25	18.8	11	0.02	0.13	0.06	4.1	84	82.9
WARDH00074	69.06	69.4	0.34	0.003	0.07	0.3	0.22	91.7	31.3	5.47	51	77	0.34	8.4	12.7	0.13	0.06	0.05	1	88	192.4
WARDH00074	69.4	69.91	0.51	0.003	0.04	0.2	0.09	44.3	17.6	4.56	22.7	53.9	0.53	6.8	12.1	0.03	0.07	0.05	1.3	74	118.9
WARDH00074	69.91	70.6	0.69	0.001	0.01	0.4	0.07	72.5	10.3	3.38	38.1	37.9	0.28	4.4	14.8	0.05	0.05	0.05	0.3	61	139.5
WARDH00074	70.6	71.2	0.6	0.001	0.03	0.3	0.06	48.1	10	1.8	26.5	20.8	0.91	2.8	17.6	0.06	0.05	0.05	0.4	32	87.1
WARDH00074	71.2	71.94	0.74	0.002	0.06	0.2	0.04	63.7	75.4	3.07	37.5	53.4	0.24	5.7	12.6	0.1	0.05	0.05	0.2	62	128.7
WARDH00074	71.94	72.82	0.88	0.001	0.01	2.3	0.17	40.2	2.1	2.14	21.5	46.4	0.17	5	9.1	0.33	0.07	0.07	3.3	37	88.8
WARDH00074	72.82	73.15	0.33	0.001	0.03	0.2	0.32	76.7	37.2	5.61	35.7	84.3	1.05	5.1	12.8	0.15	0.06	0.05	0.4	99	182.7
WARDH00074	73.15	74	0.85	0.001	0.02	0.3	0.33	58.4	36.3	3.93	29.2	67.7	0.89	5.3	14.1	0.23	0.1	0.05	0.4	72	137.6
WARDH00074	74	74.8	0.8	0.001	0.05	0.2	0.05	59.1	21.5	3.95	33.4	62.4	0.59	5.8	13.1	0.03	0.08	0.05	0.3	69	124.2
WARDH00074	74.8	75.2	0.4	0.001	0.1	0.2	0.14	69	13.4	3.05	41.7	26.8	0.36	7.4	8.4	0.06	0.07	0.05	1.6	48	138.1
WARDH00074	75.2	75.78	0.58	0.003	0.29	0.5	0.41	53	15.5	3.86	28.2	36.9	0.82	12.2	11	0.45	0.06	0.05	1.2	65	121.6
WARDH00074	75.78	76.62	0.84	0.001	0.09	0.5	60.2	55.3	31.4	4.98	27.3	87	4.09	10.6	28.2	1.15	0.12	0.25	1.2	83	137.3
WARDH00074	76.62	77.6	0.98	0.001	0.09	0.2	0.23	69.9	18.5	2.49	38.8	42.1	0.57	7.6	12.7	0.12	0.05	0.11	0.4	48	146.7
WARDH00074	77.6	78.4	0.8	0.001	0.01	1.4	0.14	48.7	9.2	2.84	26.3	43.2	0.27	5.8	12.9	0.14	0.05	0.06	0.6	51	108.4
WARDH00074	78.4	78.9	0.5	0.003	0.06	1.6	0.37	68	29.4	3.39	34	53.8	0.63	6.4	10.5	0.44	0.06	0.05	1.4	60	147.1
WARDH00074	78.9	79.33	0.43	0.001	0.01	0.2	0.75	43.7	11.2	3.16	24.3	58.3	0.32	8.8	13.4	0.03	0.05	0.05	0.4	65	98.2
WARDH00074	79.33	80	0.67	0.001	0.02	0.2	0.13	50.9	14.4	3.38	27.9	53.2	0.44	11	14.4	0.02	0.17	0.05	0.5	68	117.2
WARDH00074	80	80.5	0.5	0.002	0.05	0.6	0.14	62.5	28.9	4.3	29.6	78.4	0.48	9.1	12.6	0.15	0.08	0.05	0.5	81	158.5
WARDH00074	80.5	81.08	0.58	0.002	0.01	0.2	0.15	31.5	5.6	1.34	15.9	19.6	0.28	2.6	16.3	0.12	0.07	0.05	1.1	20	85.3
WARDH00074	81.08	81.55	0.47	0.002	0.02	0.2	0.31	54.5	7.2	3.11	30.9	46.5	0.28	9	13.2	0.22	0.06	0.05	0.4	64	124.3
WARDH00074	81.55	82	0.45	0.001	0.01	0.2	0.05	25.7	2.1	1.4	14.2	22.1	0.14	1.8	12.2	0.04	0.05	0.05	0.2	37	50.8
WARDH00074	82	116	0.66	0.001	0.01	0.2	0.05	31.9	2.5	1.67	18.1	27.2	0.24	4.2	10.6	0.06	0.05	0.05	0.5	46	62.6
WARDH00074	116	116.73	0.73	0.001	0.01	0.2	0.02	28	2.9	1.48	15.8	29.6	0.12	1.8	10.6	0.01	0.05	0.05	0.1	37	53.7
WARDH00074	116.73	117.5	0.77	0.001	0.01	0.2	0.04	40.6	3	1.48	23	19.6	0.25	1.8	14.5	0.04	0.05	0.05	0.2	33	74.4
WARDH00074	117.5	118	0.5	0.001	0.01	0.2	0.03	24.8	3.9	1.66	13.4	21.8	0.14	1.8	14	0.01	0.05	0.05	0.1	3	

Site ID	depth from	depth to	length	Au ppm	Ag ppm	As ppm	Bi ppm	Ce ppm	Cu ppm	Fe %	La ppm	Li ppm	Mo ppm	Ni ppm	Pb ppm	S %	Sb ppm	Te ppm	W ppm	Zn ppm	REE Yt Sc Nb
WARDH00074	119.87	120.28	0.41	0.001	0.04	0.4	0.04	55.6	39.2	5.35	28	54.9	0.32	31.4	7.8	0.09	0.05	0.05	0.1	76	127.2
WARDH00074	120.28	121	0.72	0.001	0.04	0.3	0.07	50.2	48	5.95	26.5	61	0.37	44.9	8.4	0.11	0.05	0.05	0.1	85	119.2
WARDH00074	121	121.8	0.8	0.001	0.07	0.2	0.19	46.1	41.6	4.94	26	61.8	3.04	38.7	9.2	0.26	0.05	0.05	0.4	70	108.9
WARDH00074	121.8	122.6	0.8	0.001	0.05	0.2	0.03	49.9	48.6	6.54	26.1	52.1	0.26	51.9	6.8	0.1	0.05	0.05	0.1	82	120.4
WARDH00074	122.6	123.2	0.6	0.001	0.06	0.2	0.02	51.2	44.7	6.86	25.3	49.8	0.26	26.2	7	0.1	0.05	0.05	0.1	93	125.8
WARDH00074	123.2	123.84	0.64	0.001	0.04	0.2	0.01	128	10.8	4.03	62.7	54.5	0.31	7.3	9.7	0.03	0.05	0.05	0.2	80	237.4
WARDH00074	123.84	124.6	0.76	0.001	0.09	1.3	0.54	52.5	18.5	3.8	27.3	92.3	0.8	59.9	12.3	0.05	0.05	0.05	0.2	73	109.7
WARDH00074	124.6	125.2	0.6	0.001	0.03	0.2	0.06	105.5	10.2	3.18	57	51.9	4.52	9.2	11.6	0.04	0.05	0.05	0.2	61	192.4
WARDH00074	125.2	126	0.8	0.001	0.05	0.5	0.04	67.9	35.4	5.34	37.6	52.7	0.38	21.7	9.8	0.08	0.05	0.05	0.1	79	143.5
WARDH00074	126	126.5	0.5	0.001	0.06	0.2	0.03	46.9	44.5	6.62	23.8	50.5	0.33	32.5	7.1	0.11	0.05	0.05	0.2	91	126.3
WARDH00074	126.5	127.28	0.78	0.001	0.04	0.7	0.02	67.9	9	3.23	40.9	49.9	0.25	9.3	10.6	0.03	0.05	0.05	0.1	53	129
WARDH00074	127.28	128.41	1.13	0.001	0.06	0.2	0.03	60.6	41.7	6.27	31.5	54.1	0.3	24.1	7.9	0.09	0.05	0.05	0.1	91	142.8
WARDH00074	128.41	129	0.59	0.001	0.04	0.9	0.02	27.1	24.9	3.8	14.6	38.4	0.2	10.2	11.4	0.05	0.05	0.05	0.1	58	67.6
WARDH00074	129	129.6	0.6	0.001	0.06	0.2	0.08	52.3	48.9	6.17	27	52.3	0.68	23.3	8.3	0.12	0.05	0.05	0.1	91	130.1
WARDH00074	129.6	130.4	0.8	0.001	0.05	0.2	0.05	51.2	35.5	4.95	26.8	53.3	0.51	17.6	9.6	0.08	0.05	0.05	0.1	80	122.8
WARDH00074	130.4	131	0.6	0.001	0.07	0.2	0.04	49.9	42.4	6.27	25.6	56.4	0.88	34.9	8	0.08	0.05	0.05	0.1	92	125.5
WARDH00074	131	131.8	0.8	0.001	0.05	0.2	0.03	52.9	38.4	5.32	28.5	49.9	0.54	25.7	8.4	0.06	0.05	0.05	0.1	77	129.1
WARDH00074	131.8	132.67	0.87	0.001	0.02	0.2	0.01	34.4	4.7	2.57	20	48.5	0.18	7.3	10.8	0.01	0.05	0.05	0.2	52	75
WARDH00074	132.67	133	0.33	0.001	0.02	0.4	0.01	33.8	2.8	2.18	19.5	43.7	0.2	5.5	10.8	0.02	0.05	0.05	0.1	45	71.4
WARDH00074	133	133.6	0.6	0.001	0.04	0.2	0.05	51.9	30.8	5.49	26.9	48	0.81	25.4	8.1	0.06	0.05	0.05	0.1	81	125.1
WARDH00074	133.6	134.4	0.8	0.001	0.05	0.2	0.01	64	38.8	6.53	33.6	51	0.29	31.5	6.3	0.09	0.05	0.05	0.1	89	149
WARDH00074	134.4	135.2	0.8	0.001	0.07	0.2	0.02	60.7	37.3	6.74	31.1	50.6	0.25	20.3	6.3	0.08	0.05	0.05	0.1	92	148.9
WARDH00074	135.2	136	0.8	0.001	0.05	0.2	0.02	63.8	42.2	6.92	32.9	49.2	1.26	22.2	6.1	0.08	0.05	0.05	0.1	91	155.7
WARDH00074	136	136.8	0.8	0.001	0.06	0.8	0.02	62.1	49	7.39	31.1	48.3	0.54	18	6.2	0.1	0.05	0.05	0.1	96	154.8
WARDH00074	136.8	137.6	0.8	0.001	0.05	0.2	0.04	70.2	32.8	5.89	38	52.3	0.44	18.2	8.2	0.06	0.05	0.05	0.1	93	159.2
WARDH00074	137.6	138	0.4	0.001	0.04	0.2	0.13	73.3	39.9	6.22	39.7	57.6	1.1	24	10.2	0.07	0.05	0.05	0.1	109	173.3
WARDH00074	138	138.69	0.69	0.001	0.04	0.2	0.02	26.1	15.4	1.74	14.2	31.2	0.39	5.1	19	0.03	0.05	0.05	0.1	35	56.9
WARDH00074	138.69	139.3	0.61	0.001	0.07	0.2	0.01	56.8	27.6	2.82	32.7	50.1	0.34	13.6	16.9	0.05	0.05	0.05	0.1	56	118.5
WARDH00074	139.3	140.1	0.8	0.001	0.02	0.2	0.01	29.8	6.9	1.7	16.8	36.5	0.2	5.7	15.3	0.02	0.05	0.05	0.1	36	63.3
WARDH00074	140.1	141	0.9	0.001	0.03	0.8	0.03	62.6	19.6	2.44	34.8	62.7	0.15	5.7	17	0.06	0.05	0.05	0.1	61	124.6
WARDH00074	194	194.8	0.8	0.001	0.04	0.2	0.05	40.6	12.5	1.06	23.5	18.2	0.18	2.5	20.2	0.07	0.05	0.05	0.2	26	83.5
WARDH00074	194.8	195.6	0.8	0.001	0.03	0.7	0.03	14.15	4.4	0.45	6.9	3.5	0.39	1.2	40.1	0.02	0.05	0.05	0.1	13	53.45
WARDH00074	195.6	196	0.4	0.001	0.08	0.2	0.13	18.6	29.3	1.24	9.5	19.4	0.45	8.6	26.7	0.19	0.05	0.05	0.3	26	61.7
WARDH00074	196	196.39	0.39	0.001	0.06	0.2	2.05	25.9	53.2	8.93	11.2	209	2.99	143	16	0.63	0.05	0.05	0.5	192	90.4
WARDH00074	196.39	197	0.61	0.001	0.03	0.2	0.15	26.4	23.9	8.72	11.4	80	7.64	155.5	9.2	0.03	0.05	0.05	0.3	136	88
WARDH00074	197	197.6	0.6	0.001	0.14	0.2	0.09	28.1	5.7	8.24	13.5	64.4	2.84	181	7.9	0.01	0.08	0.05	0.3	130	87.6
WARDH00074	197.6	198.15	0.55	0.001	0.06	0.2	0.05	90.4	34.7	4.08	47.6	52.5	0.33	6.1	13.5	0.06	0.05	0.05	0.2	69	180.1
WARDH00074	198.15	199	0.85	0.001	0.41	0.2	1.4	118	58.7	4.61	62.4	67.8	2.81	4.8	11.8	0.75	0.06	0.21	2.6	77	233.4
WARDH00074	199	199.8	0.8	0.001	0.09	0.2	0.33	73.8	31.9	3.52	40.8	53.7	0.68	8.3	8	0.27	0.05	0.05	1.2	62	150.8
WARDH00074	199.8	200.6	0.8	0.001	0.04	0.2	0.45	76.4	23.8	4.06	38.1	58.5	1.19	9.1	12.5	0.06	0.05	0.09	0.6	73	163.1
WARDH00074	200.6	201.05	0.45	0.001	0.05	0.2	0.2	123.5	41.5	5.97	62.3	80	0.58	5.8	14.2	0.09	0.05	0.05	0.4	112	264.3
WARDH00074	201.05	202	0.95	0.001	0.04	0.2	0.09	94.9	22.4	5.71	40	81.6	0.98	2.9	13.3	0.04	0.05	0.05	0.1	125	222.2
WARDH00074	202	202.3	0.3	0.001	0.05	0.2	0.07	79.3	42.9	5.08	33.2	75.6	0.92	2.5	14.5	0.07	0.05	0.05	0.2	98	190
WARDH00074	202.3	203	0.7	0.001	0.08	0.2	0.05	84.6	18.1	5	37.4	69.8	1.06	4.3	12.4	0.04	0.05	0.05	0.2	94	195.7
WARDH00074	203	203.8	0.8	0.001	0.11	0.2	0.06	113.5	34.3	5.69	53.5	70.3	0.95	2.8	11.7	0.05	0.05	0.05	0.2	106	249
WARDH00074	203.8	204.6	0.8	0.001	0.05	0.2	0.21	98.9	16.4	5.78	43.5	74.9	1.12	3.3	12	0.07	0.05	0.05	0.3	106	221
WARDH00074	204.6	205.4	0.8	0.001	0.03	0.2	0.09	120	20.4	5.91	55.3	75.6	0.76	3.3	11.7	0.08	0.05	0.05	0.2	110	263.5
WARDH00074	205.4	206.2	0.8	0.001	0.05	0.2	0.11	89.5	27.8	5.74	36.8	75	0.82	3.5	9.7	0.07	0.05	0.05	0.4	105	205.1
WARDH00074	206.2	207	0.8	0.001	0.06	0.2	1.17	112	40	5.77	50.8	70.1	0.65	2.6	12.8	0.26	0.05	0.39	0.6	105	252.1
WARDH00074	207	207.8	0.8	0.001	0.06	0.2	0.31	109.5	32.1	6.26	47.6	68.6	0.63	2.3	9.9	0.14	0.05	0.11	0.6	109	246.6
WARDH00074	207.8	208.5	0.7	0.001	0.05	0.5	0.1	123	24.3	6.74	51.9	82.1	1.58	2.6	8.7	0.06	0.05	0.05	1	125	271.4
WARDH00074	208.5	209	0.5	0.001	0.05	0.5	0.06	94.5	25.3	6.35	39.7	79.3	0.73	3.9	8	0.04	0.05	0.05	0.2	120	214.3
WARDH00074	209	209.5	0.5	0.001	0.07	0.2	0.07	105.5	38.4	6.77	42.1	74.4	0.93	2.6	7.8	0.07	0.05	0.05	0.2	126	235.4
WARDH00074	209.5	210	0.5	0.001	0.06	0.2	0.1	117.5	34.9	6.78	48.9	77.4	1.42	5.4	9.5	0.08	0.05	0.05	0.9	122	263
WARDH00074	210	210.23	0.23	0.001	0.07	0.2	0.18	108	40.7	5.89	47.6	95.2	3.72	9.8	7.7	0.18	0.05	0.05	5.2	111	231.3
WARDH00074	210.23	211	0.77	0.001	0.2	0.2	0.43	93.8	86.8	6.31	45.5	78.7	0.61	3.3	16.1	1.01	0.08	0.07	3.5	115	207.3
WARDH00074	211	211.6	0.6	0.001	0.09	0.7	0.17	85.6	35.3	6	41.3	86	0.95	6.1	12.5	0.22	0.05	0.05	1.8	113	188.6
WARDH00074	211.6	212.4	0.8	0.001	0.08	0.2	0.21	67.2	38.9	5.32	31.1	72.4	2.88	2.2	14.6	0.43	0.05	0.05	2.1	99	161.1
WARDH00074	212.4	213.2	0.8	0.001	0.14	0.2	0.29	102	71.2	6.43	46	74	2.91	2.8	11.6	0.63	0.05	0.08	1.6	122	230.4
WARDH00074	213.2	214	0.8	0.001	0.03	0.2	0.04	104	13.2	5.77	47.6	55.4	0.68								

Site ID	depth from	depth to	length	Au ppm	Ag ppm	As ppm	Bi ppm	Ce ppm	Cu ppm	Fe %	La ppm	Li ppm	Mo ppm	Ni ppm	Pb ppm	S %	Sb ppm	Te ppm	W ppm	Zn ppm	REE Yt Sc Nb
WARDH00074 235.15	236	0.85	0.001	0.02	1.1	0.02	0.02	33.4	2.1	1.5	18.5	32.6	0.23	3	12.8	0.01	0.05	0.05	0.3	33	62.4
WARDH00074 236	236.8	0.8	0.001	0.02	0.3	0.02	0.02	35.6	2.9	1.9	20	33.1	0.18	3.6	11.3	0.01	0.05	0.05	0.3	40	67.9
WARDH00074 236.8	237.6	0.8	0.001	0.01	0.6	0.01	0.01	43	2.1	1.67	24.8	31.6	0.19	3.1	13	0.01	0.05	0.05	2	36	78.8
WARDH00074 237.6	238.4	0.8	0.001	0.02	0.2	0.01	0.01	36	13.4	1.31	21.3	20	0.23	2	15.4	0.06	0.05	0.05	0.3	25	66.9
WARDH00074 238.4	239.2	0.8	0.001	0.02	0.2	0.02	0.02	52.1	2.5	1.69	29.8	27.9	0.24	2.4	19.4	0.02	0.05	0.05	0.1	32	97
WARDH00074 239.2	240	0.8	0.001	0.02	0.2	0.03	0.03	42.5	6.5	1.21	24	20.8	0.23	1.8	28.8	0.03	0.05	0.05	1.7	29	93.6
WARDH00074 240	241	1	0.001	0.01	0.3	0.02	0.02	48.4	2.4	1.6	27.7	22.4	0.2	2.5	20.8	0.04	0.05	0.05	0.2	39	97.1
WARDH00074 241	242.02	1.02	0.001	0.06	0.2	0.04	0.04	70.4	45.5	8.24	31.4	52	0.76	7.5	8.5	0.15	0.05	0.05	0.2	120	170
WARDH00074 242.02	242.8	0.78	0.001	0.08	0.6	0.05	0.05	58.1	52.3	9.46	25.2	42.3	1.15	40.5	9.2	0.18	0.05	0.05	0.6	121	145.7
WARDH00074 242.8	243.6	0.8	0.001	0.09	1.1	0.03	0.03	51	43.3	11.35	21.6	41.6	1.5	56	8.1	0.13	0.05	0.05	0.3	145	139.7
WARDH00074 243.6	244	0.4	0.001	0.12	0.8	0.12	0.12	53.4	68.5	11.4	22.1	54.8	1.16	62.7	7.6	0.19	0.05	0.05	0.1	147	141.1
WARDH00074 244	244.73	0.73	0.001	0.07	0.2	0.2	0.2	45.2	81.1	8.79	21.3	100.5	0.44	101.5	7.4	0.18	0.05	0.05	0.6	124	114.3
WARDH00074 244.73	245.26	0.53	0.001	0.08	0.2	0.05	0.05	48.6	116.5	11.8	21	71.6	0.77	148	4.8	0.27	0.05	0.05	0.2	135	126.8
WARDH00074 245.26	246	0.74	0.001	0.07	0.2	0.04	0.04	54.1	89.4	11.55	23.3	54.1	1.9	96.6	5	0.26	0.05	0.05	0.2	130	134.2
WARDH00074 246	246.8	0.8	0.001	0.08	0.2	0.07	0.07	47.9	87	11.25	20.2	56.5	0.37	91.6	5.6	0.3	0.05	0.05	0.5	127	122.5
WARDH00074 246.8	247.6	0.8	0.001	0.1	0.2	0.15	0.15	47.8	83.4	10.3	21.6	96.3	0.78	99.3	6.7	0.33	0.05	0.05	0.5	128	123.2
WARDH00074 247.6	248.4	0.8	0.001	0.16	0.4	0.24	0.24	60	81.8	9.13	27.6	118	0.45	68.7	8.8	0.58	0.05	0.18	0.4	135	154.4
WARDH00074 248.4	249	0.6	0.001	0.04	0.2	0.09	0.09	77.7	49.2	7.57	36.9	68.8	0.57	18.2	10.1	0.15	0.05	0.05	0.2	107	175.8
WARDH00074 249	249.8	0.8	0.001	0.04	0.2	0.05	0.05	69.5	38	6.83	30.2	70.8	0.9	10.9	11.1	0.11	0.05	0.05	0.2	105	184.2
WARDH00074 249.8	250.8	1	0.001	0.03	0.2	0.06	0.06	66.4	20.8	4.35	32.9	57.4	0.73	9.7	11.8	0.08	0.05	0.05	0.1	76	150.3
WARDH00074 250.8	251.6	0.8	0.001	0.04	0.2	0.04	0.04	58.1	9.5	3.57	29.1	66.3	0.36	4.4	14.1	0.05	0.05	0.05	0.3	70	124.5
WARDH00074 251.6	252.36	0.76	0.001	0.02	0.2	0.01	0.01	47.2	2.7	1.54	27	32.8	0.3	2.6	18.7	0.02	0.05	0.05	0.1	31	89.5
WARDH00074 252.36	253.5	1.14	0.001	0.06	0.2	0.14	0.14	60.6	24.2	5.11	31.2	72.2	0.6	14.2	11.5	0.08	0.06	0.05	0.1	88	141.3
WARDH00074 291	292	1	0.001	0.05	0.2	0.08	0.08	60.8	40.7	6	28.5	66.1	0.72	13.5	9.4	0.11	0.05	0.05	0.2	103	152.3
WARDH00074 292	293	1	0.001	0.04	0.2	0.05	0.05	49.8	24.1	3.2	26.3	51.2	0.4	6.5	9.3	0.07	0.05	0.05	0.2	65	103.9
WARDH00074 293	294	1	0.001	0.08	0.2	0.2	0.2	85.4	34.3	4.68	42.1	61.2	2.07	5.2	10.4	0.18	0.07	0.05	0.1	79	176.7
WARDH00074 294	295	1	0.001	0.07	0.2	0.44	0.44	55.5	81	9.7	30.3	44.9	1.21	10.3	8.3	0.28	0.06	0.05	0.1	112	127.8
WARDH00074 295	295.59	0.59	0.001	0.04	0.3	0.09	0.09	90.4	17.6	3.91	49.7	57	0.37	11.3	12.1	0.07	0.05	0.05	0.3	63	162.7
WARDH00074 295.59	296.7	1.11	0.001	0.04	0.2	0.06	0.06	69.7	16.2	2	39	22.8	0.42	3.4	16.4	0.04	0.06	0.05	0.1	28	117.5
WARDH00074 296.7	297.5	0.8	0.001	0.03	0.2	0.18	0.18	63	10	1.39	37.3	18.5	0.44	1.6	18.9	0.05	0.06	0.05	0.1	20	106.1
WARDH00074 297.5	298.03	0.53	0.001	0.04	0.2	0.04	0.04	46.1	12.5	3.09	24.3	28.3	0.44	3.2	14	0.03	0.13	0.05	0.6	41	81.1
WARDH00074 298.03	298.44	0.41	0.001	0.05	0.2	0.05	0.05	31.3	52.6	5.6	16.4	61.2	0.58	5.2	9.2	0.14	0.08	0.05	0.3	77	75.5
WARDH00074 299.4	300	0.6	0.001	0.05	0.2	0.05	0.05	34.4	36.4	5.83	17.6	63.3	0.6	6.9	9.2	0.13	0.05	0.05	0.1	75	93.7
WARDH00074 300	300.45	0.45	0.001	0.05	0.3	0.08	0.08	37.4	57.2	9.09	17.9	54.7	0.75	6.9	7.4	0.19	0.05	0.05	0.1	106	103.5
WARDH00074 300.45	301	0.55	0.001	0.03	0.4	0.02	0.02	124	5.9	1.83	72.5	37.7	0.59	2.2	16.7	0.02	0.05	0.05	0.4	34	208.7
WARDH00074 301	302	1	0.001	0.02	0.2	0.02	0.02	111.5	2.9	1.84	64.2	32	0.2	2.3	17.2	0.02	0.05	0.05	0.1	29	186.4
WARDH00074 302	303	1	0.001	0.03	0.3	0.03	0.03	81.1	7	2.25	44.6	38.8	0.34	4.5	12.7	0.02	0.05	0.05	0.1	37	135.9
WARDH00074 303	304	1	0.001	0.02	0.2	0.02	0.02	90.4	12.4	2.45	53.1	39.6	0.25	2	14.8	0.04	0.05	0.05	0.2	40	156.6
WARDH00074 304	304.35	0.35	0.001	0.04	0.2	0.02	0.02	195	4.2	1.66	114.5	26.6	0.61	4.3	25.7	0.01	0.27	0.05	0.4	41	323.9
WARDH00074 304.35	305.2	0.85	0.001	0.07	0.2	0.41	0.41	90.8	56.5	7.17	49.9	107.5	0.81	5.7	14.1	0.19	0.22	0.05	0.1	122	189
WARDH00074 305.2	306.3	1.1	0.001	0.05	0.2	0.04	0.04	55.3	16.7	3.82	30.1	81.1	0.34	4.9	13.8	0.05	0.06	0.05	0.1	76	110
WARDH00074 306.3	307.5	1.2	0.001	0.03	0.3	0.04	0.04	39.3	8.9	2.54	22.5	63.1	1	6.2	9.9	0.02	0.05	0.05	0.2	52	76.9
WARDH00074 307.5	308.5	1	0.001	0.02	0.3	0.01	0.01	93.3	1.8	1.5	53.5	22.7	0.55	1.9	22.1	0.01	0.05	0.05	0.1	25	160.3
WARDH00074 308.5	308.99	0.49	0.001	0.03	0.2	0.03	0.03	75.2	13.5	2.86	43.9	35.7	0.45	2.4	15.5	0.04	0.06	0.05	0.4	37	133.8
WARDH00074 308.99	310	1.01	0.001	0.08	0.7	0.07	0.07	59.4	55.9	7.25	33.6	66.7	0.91	8.6	10.6	0.14	0.06	0.05	0.3	100	136.5
WARDH00074 310	310.54	0.54	0.001	0.03	0.2	0.17	0.17	71.2	19.5	4.62	42.5	74.7	0.68	11.6	12.3	0.05	0.05	0.05	0.1	85	144.9
WARDH00074 310.54	311.11	0.57	0.001	0.02	0.2	0.05	0.05	14.15	10	1.22	7.9	13	0.41	2.8	19.9	0.11	0.06	0.05	0.7	17	44.15
WARDH00074 311.11	312	0.89	0.001	0.05	0.2	0.26	0.26	35.7	30.6	5.12	15.3	93.3	0.71	41	12.1	0.12	0.05	0.05	0.4	84	96.5
WARDH00074 312	313	1	0.001	0.07	0.2	0.18	0.18	47.6	35.9	4.6	24.3	76.9	0.98	36	11.3	0.29	0.07	0.05	0.2	76	108.3
WARDH00074 313	314	1	0.001	0.04	0.2	0.11	0.11	42.9	25.6	4.63	20.2	81.5	0.85	34.6	10.2	0.09	0.06	0.05	0.2	80	97.5
WARDH00074 314	315	1	0.001	0.05	0.2	0.08	0.08	55.1	34.8	3.42	28.5	50.6	0.57	16.6	11.4	0.07	0.05	0.05	0.2	55	115.2
WARDH00074 315	316	1	0.001	0.07	0.4	0.08	0.08	38	77.9	6.59	18.4	53.1	0.68	53.3	8.2	0.17	0.05	0.05	0.1	84	94
WARDH00074 316	317	1	0.001	0.06	0.2	0.09	0.09	34.6	81	8.1	18	46.9	0.71	61.2	7.3	0.16	0.05	0.05	0.2	106	95.7
WARDH00074 317	318	1	0.001	0.04	0.2	0.03	0.03	39.2	33.3	5.88	19	47.3	0.4	43.1	7.3	0.06	0.05	0.05	0.1	76	99.6
WARDH00074 318	319	1	0.001	0.05	0.2	0.06	0.06	48.4	59.3	6.07	27.8	51.7	0.42	43.2	9.1	0.11	0.05	0.05	0.1	77	114.5
WARDH00074 319	319.44	0.44	0.001	0.07	0.2	0.19	0.19	37.9	46.1	5.81	17.9	96.2	0.35	44.1	33.2	0.12	0.05	0.05	1.7	95	107.9
WARDH00074 319.44	320.32	0.88	0.001	0.36	0.5	2.68	2.68	12.7	19.8	1.29	5.4	15.4	4.98	6.6	32.8	0.44	0.05	0.1	1.1	17	54
WARDH00074 320.32	321	0.68	0.001	0.04	0.2	0.14	0.14	35.5	23.6	4.95	15.8	50.7	1.34	34.9	18.2	0.04	0.05	0.05	0.8	79	101.8
WARDH00074 321	321.8	0.8	0.001	0.03	0.2	0.04	0.04	38.1	30.4	5.04	1										

Site ID	depth from	depth to	length	Au ppm	Ag ppm	As ppm	Bi ppm	Ce ppm	Cu ppm	Fe %	La ppm	Li ppm	Mo ppm	Ni ppm	Pb ppm	S %	Sb ppm	Te ppm	W ppm	Zn ppm	REE Yt Sc Nb
WARDH00074 325.8	325.8	326.6	0.8	0.001	0.02	0.2	0.04	38.3	24.8	5.1	16.8	42.2	0.36	36.6	8.8	0.12	0.05	0.05	0.5	75	95.4
WARDH00074 326.6	326.6	327.2	0.6	0.001	0.03	0.5	0.02	45.6	32.2	5.3	21.3	41.1	0.41	38	11	0.04	0.05	0.05	0.3	74	107.7
WARDH00074 327.2	327.2	327.8	0.6	0.001	0.03	0.2	0.02	49.4	29.2	5.21	26.1	44.1	0.31	34.3	12	0.05	0.05	0.05	0.2	75	114.9
WARDH00074 327.8	327.8	328.6	0.8	0.001	0.01	0.2	0.03	6.83	7.2	0.93	3.8	9.7	0.28	1.7	20.1	0.04	0.05	0.05	0.6	12	14.23
WARDH00074 328.6	328.6	329.4	0.8	0.001	0.01	0.2	0.02	19.1	10.2	1	9.8	10.5	0.57	2.1	13.8	0.03	0.05	0.05	0.3	12	34.5
WARDH00074 329.4	329.4	330	0.6	0.001	0.03	0.6	0.17	34.3	60.2	7.7	16	72.4	0.69	3.2	7.2	0.15	0.09	0.05	0.5	113	94.4
WARDH00074 330	330	331	1	0.001	0.06	0.2	0.35	30	87.6	7.66	13.5	139	0.95	14.6	5.4	0.51	0.05	0.05	5.4	116	88.4
WARDH00074 331	331.85	331.85	0.85	0.001	0.09	0.5	0.82	27.4	163	9.92	12.7	134	3.69	51.9	6.9	0.5	0.05	0.05	3.4	141	91
WARDH00074 331.85	332.8	332.8	0.95	0.001	0.49	0.4	28.2	50	19.4	5.71	26.1	92.9	13.65	82.2	41.4	2.77	0.05	0.22	6.8	75	103.1
WARDH00074 331.85	332.8	332.8	0.95	0.001	0.33	1.1	22.5	43.1	18.2	4.91	22.7	90.2	10.8	87.9	29.2	2.33	0.05	0.15	6.6	72	86.2
WARDH00074 332.8	333.6	333.6	0.8	0.001	0.03	0.2	0.33	31.2	8.8	1.32	16.9	23.7	5.05	4.9	11	0.18	0.05	0.05	1.7	21	59.3
WARDH00074 333.6	334.4	334.4	0.8	0.001	0.02	0.2	0.25	40.9	23.6	1.97	22.8	18.3	0.59	3.4	17.8	0.08	0.05	0.05	0.4	28	74.4
WARDH00074 334.4	335	335	0.6	0.001	0.12	0.2	0.22	36.5	20.1	1.28	20.3	14.7	4.98	2.6	20.8	0.08	0.1	0.05	0.8	23	68.1
WARDH00074 335	336.03	336.03	1.03	0.001	0.02	0.2	0.02	63.2	6.1	1.12	31.7	11.9	0.59	1.8	35.6	0.01	0.05	0.05	0.2	25	113.4
WARDH00074 336.03	337	337	0.97	0.001	0.01	0.8	0.03	90.3	3.2	2.55	49.2	39.1	0.35	6.1	15.8	0.01	0.05	0.05	0.1	50	163.2
WARDH00074 364.5	365.1	365.1	0.6	0.001	0.1	0.8	0.11	31.9	70.8	3.37	16.5	45.7	0.32	17.9	9	0.36	0.05	0.06	0.5	60	70.5
WARDH00074 365.1	366	366	0.9	0.001	0.11	0.3	0.07	28.2	124.5	12.15	11.2	46	1.08	107.5	5.2	0.23	0.05	0.05	0.2	136	108.5
WARDH00074 366	366.5	366.5	0.5	0.002	0.05	0.2	0.05	65.1	63.4	7.83	33.2	71.6	3.48	58	9.5	0.12	0.05	0.05	0.2	104	154.9
WARDH00074 366.5	367.04	367.04	0.54	0.001	0.08	0.2	0.08	44.8	84.2	8.93	20.4	72.4	1.62	48.3	8.7	0.2	0.05	0.05	0.1	118	119.4
WARDH00074 367.04	368.03	368.03	0.99	0.002	0.05	0.2	0.07	21.4	24.6	2.02	9.7	15	0.32	8	42.3	0.07	0.05	0.05	0.1	37	68.9
WARDH00074 368.03	369	369	0.97	0.002	0.11	0.2	0.08	43.3	176.5	11.85	24.6	50.3	0.51	137.5	7.6	0.25	0.05	0.05	0.2	124	109.4
WARDH00074 369	369.8	369.8	0.8	0.001	0.03	0.5	0.02	70.1	2	2.95	42.1	64.6	0.24	11	7.6	0.01	0.05	0.05	0.2	66	130.5
WARDH00074 369.8	370.2	370.2	0.4	0.002	0.03	0.2	0.02	62.8	3.1	2.89	37.6	68.7	0.89	10.8	8	0.01	0.05	0.05	0.1	63	117.7
WARDH00074 370.2	370.47	370.47	0.27	0.002	0.02	0.2	0.03	60.5	3.1	3.35	35.2	61.3	0.54	12.8	8.7	0.01	0.05	0.05	0.1	65	119.1
WARDH00074 370.47	371	371	0.53	0.002	0.1	0.2	0.06	44	211	15.35	18.5	62.5	0.94	210	6.9	0.32	0.07	0.08	0.2	158	119.6
WARDH00074 371	371.8	371.8	0.8	0.002	0.11	0.2	0.04	37.1	69.5	7.44	14.5	42.7	0.78	30.1	9.1	0.14	0.05	0.05	0.3	93	102.5
WARDH00074 371.8	372.6	372.6	0.8	0.001	0.07	0.2	0.06	49.1	117.5	11.15	18.7	30.9	0.61	68.6	6.1	0.22	0.05	0.05	0.3	135	135.2
WARDH00074 372.6	373.4	373.4	0.8	0.001	0.07	0.2	0.06	32.4	88.3	9.47	12.2	75.7	0.5	102	6.6	0.17	0.05	0.05	0.1	123	96.8
WARDH00074 373.4	374.4	374.4	1	0.001	0.06	0.2	0.05	32.3	118.5	9.43	14.9	75.7	7.84	121.5	6.8	0.21	0.05	0.05	0.1	110	95.2
WARDH00074 374.4	375	375	0.6	0.001	0.06	0.2	0.06	43	139	11	23.2	72.8	4.23	134	6.3	0.23	0.05	0.05	0.2	123	113.4
WARDH00074 375	376.02	376.02	1.02	0.001	0.11	0.2	0.11	24.1	168.5	12.35	8.6	56.3	1.08	139	5.4	0.27	0.05	0.05	0.1	133	88
WARDH00074 376.02	376.8	376.8	0.78	0.002	0.04	0.2	0.07	98.7	50.3	5.82	54.6	62.8	2.17	56.4	9.5	0.08	0.05	0.05	0.1	84	205.2
WARDH00074 376.8	377.6	377.6	0.8	0.002	0.05	0.2	0.1	47.4	68.5	7.06	20.1	61.9	0.62	62.6	7.4	0.09	0.05	0.05	0.1	123	122.3
WARDH00074 377.6	378.4	378.4	0.8	0.003	0.06	0.2	0.08	52.1	28.9	4.71	24.4	48.6	1.7	33.7	8.9	0.04	0.05	0.05	0.1	84	114.3
WARDH00074 378.4	379	379	0.6	0.002	0.06	0.2	0.05	38.9	79.3	7.09	16.5	56	2.85	64.6	7.4	0.11	0.05	0.05	0.2	89	95.7
WARDH00074 379	379.57	379.57	0.57	0.001	0.09	0.2	0.05	45.2	41.2	5.27	18.2	77.8	0.57	37.9	8.1	0.05	0.05	0.05	0.1	113	102.9
WARDH00074 379.57	380.4	380.4	0.83	0.002	0.03	0.2	0.02	48.3	7.2	2.68	24.4	56.6	0.74	14.4	10.8	0.02	0.05	0.05	0.1	58	90.4
WARDH00074 380.4	381.2	381.2	0.8	0.001	0.06	0.2	0.1	38.4	31.1	3.61	16.2	45.4	0.46	24.9	10.2	0.06	0.05	0.05	0.2	61	82.1
WARDH00074 381.2	382	382	0.8	0.003	0.06	0.2	0.32	41.6	25.4	4.81	17.1	81.2	0.9	37.2	8.5	0.13	0.05	0.05	0.2	103	95
WARDH00074 382	382.8	382.8	0.8	0.001	0.06	0.2	0.09	41.9	35.5	5.23	16.6	69.5	2.94	38.8	7.8	0.04	0.05	0.05	0.1	78	100.9
WARDH00074 382.8	383.8	383.8	1	0.001	0.04	0.2	0.15	28.1	28.7	4.07	10.8	88.7	24.5	28	15	0.26	0.05	0.05	0.1	71	83.7
WARDH00074 383.8	384.6	384.6	0.8	0.003	0.06	0.4	0.05	38.5	37.2	4.6	18.3	73.3	0.79	33.1	10.7	0.07	0.05	0.05	0.1	67	97.2
WARDH00074 384.6	385.4	385.4	0.8	0.001	0.05	0.2	0.06	29.2	25.2	3.56	12.7	96.1	0.93	24.6	16	0.04	0.05	0.05	0.3	85	75.9
WARDH00074 385.4	386.2	386.2	0.8	0.001	0.04	0.4	0.08	39.1	33.8	5.11	18.2	72.5	1.42	35.9	8.8	0.05	0.05	0.05	0.1	79	101.3
WARDH00074 386.2	387.29	387.29	1.09	0.001	0.05	0.3	0.11	33.4	34.7	4.55	14	75.1	1.12	32.9	12.6	0.04	0.05	0.05	0.1	70	90.9
WARDH00074 387.29	388	388	0.71	0.001	0.04	0.3	0.04	24.3	8.3	1.25	12.6	34.8	1.32	3.2	11.2	0.03	0.05	0.05	0.1	35	44.5
WARDH00074 388	389	389	1	0.001	0.06	0.5	0.17	24	41.3	3.65	12.2	72.9	2.19	30.1	10.6	0.13	0.05	0.05	0.3	59	53
WARDH00074 389	390	390	1	0.002	0.08	0.2	0.06	30	104.5	11	13.8	53.5	0.58	56.6	9.3	0.26	0.05	0.05	0.2	122	97.9
WARDH00074 390	391	391	1	0.001	0.07	0.3	0.1	30	110.5	12.5	12.8	31.1	3.18	65	6.2	0.28	0.05	0.05	0.2	137	107.6
WARDH00074 391	392	392	1	0.001	0.06	0.2	0.03	39.4	36.9	4.61	21.7	33.7	0.71	18.5	10.2	0.1	0.05	0.05	0.2	64	87.4
WARDH00074 392	393	393	1	0.002	0.1	0.8	0.14	22.8	78.1	6.02	10.6	105.5	1.96	94.6	9.3	0.31	0.05	0.05	0.4	88	66.6
WARDH00074 393	394	394	1	0.001	0.03	0.4	0.05	24.7	5.7	1.33	13	42.5	0.48	2.7	11.3	0.02	0.05	0.05	0.1	38	47.3
WARDH00074 394	394.93	394.93	0.93	0.003	0.05	0.5	0.05	27.8	20.5	2.03	14.5	35.7	0.35	12.8	10.2	0.07	0.05	0.05	0.1	44	53.9
WARDH00074 394.93	395.8	395.8	0.87	0.003	0.1	0.2	0.17	49.4	95.6	10.55	24.5	45.2	0.51	79.6	8.8	0.21	0.05	0.05	0.2	128	135.9
WARDH00074 395.8	396.6	396.6	0.8	0.002	0.06	0.2	0.11	34.3	47.2	6.22	16.6	52.5	0.39	27.8	9.2	0.12	0.05	0.05	4.7	92	101.2
WARDH00074 396.6	397.4	397.4	0.8	0.001	0.06	0.7	0.19	30	49.9	4.39	14	59.7	0.82	40.3	19.6	0.32	0.05	0.06	0.4	62	95.2
WARDH00074 397.4	398.2	398.2	0.8	0.001	0.07	0.2	0.13	32.1	84.7	9.48	14.8	68.6	0.51	88	11	0.2	0.05	0.05	0.3	112	100.2
WARDH00074 398.2	399	399	0.8	0.002	0.07	0.2	0.26	42.8	88.7	11.3	19.6	70.1	0.63	62	7.5	0.27	0.05	0.05	0.2	133	128.7
WARDH00074 399	40																				

Site ID	depth from	depth to	length	Au ppm	Ag ppm	As ppm	Bi ppm	Ce ppm	Cu ppm	Fe %	La ppm	Li ppm	Mo ppm	Ni ppm	Pb ppm	S %	Sb ppm	Te ppm	W ppm	Zn ppm	REE Yt Sc Nb
WARDH00074	403.9	404.7	0.8	0.001	0.02	0.2	0.03	34	4.6	1.24	18.1	38.1	0.31	2.8	19.2	0.02	0.05	0.05	0.1	27	63.6
WARDH00074	404.7	405.5	0.8	0.001	0.05	0.3	0.06	44.1	31.4	2.58	23.2	68.4	0.5	3	16	0.04	0.05	0.05	0.2	63	97.2
WARDH00074	405.5	406	0.5	0.001	0.02	0.3	0.01	53.6	3.5	1.59	30.4	50.4	0.41	2.5	13.4	0.01	0.05	0.05	0.1	30	94.4
WARDH00074	406	406.51	0.51	0.001	0.04	0.2	0.02	58.7	22.3	1.49	33.1	39.8	0.57	3.1	15.8	0.02	0.05	0.05	0.1	33	103.7
WARDH00074	406.51	407	0.49	0.001	0.05	0.3	0.02	44.9	34	4.93	20.5	82.7	0.38	33.3	9.4	0.04	0.05	0.05	0.2	73	114.2
WARDH00074	407	408	1	0.001	0.04	0.2	0.1	35.9	34.1	4.5	15.9	94.9	1.7	30.2	11.2	0.04	0.05	0.05	2.6	81	91.8
WARDH00074	408	408.95	0.95	0.001	0.03	0.3	0.07	40.2	34.7	5	18.6	88.6	0.6	35.3	10.6	0.06	0.05	0.05	0.1	77	102.4
WARDH00074	408.95	409.54	0.59	0.001	0.03	0.2	0.04	23.8	17.7	1.04	11.8	19.1	0.87	4.9	16	0.09	0.07	0.05	0.1	19	48.1
WARDH00074	409.54	410.5	0.96	0.001	0.04	0.2	0.1	47.6	34.6	4.4	23.7	89	8.98	30.6	11.2	0.09	0.11	0.05	0.1	78	106.5
WARDH00074	410.5	411.56	1.06	0.001	0.05	0.2	0.05	43.6	41.6	5	21.2	78.8	0.46	34.2	9.6	0.04	0.05	0.05	0.2	76	105.9
WARDH00074	411.56	411.96	0.4	0.001	0.03	0.4	0.03	20.3	8.8	1.25	9.7	21.4	0.49	6.5	44.9	0.02	0.05	0.05	0.1	28	60.2
WARDH00074	411.96	412.5	0.54	0.001	0.05	0.2	0.04	42.2	36.6	4.82	20	80.1	0.74	34.1	11.2	0.04	0.05	0.05	0.1	72	103.5
WARDH00074	412.5	413.3	0.8	0.001	0.05	0.2	0.09	44.4	36.6	4.76	21.9	87.9	1.79	31	10	0.05	0.05	0.05	0.1	77	102.6
WARDH00074	413.3	414.1	0.8	0.001	0.03	0.2	0.04	49.3	23.3	1.89	24.8	57.3	0.33	10.2	15	0.04	0.05	0.05	0.2	42	91.9
WARDH00074	414.1	415.16	1.06	0.001	0.03	0.2	0.04	61	17.6	3.86	32.4	98.8	0.51	21.1	11.5	0.03	0.05	0.05	0.1	86	124.7
WARDH00074	415.16	416	0.84	0.001	0.03	0.3	0.04	43.5	40	2	22.2	40.2	0.5	7.5	31.7	0.08	0.05	0.05	0.2	51	94.9
WARDH00074	416	417	1	0.002	0.04	0.5	0.1	35	56.4	3.09	15.8	39.3	0.84	4.1	17.6	0.09	0.05	0.05	0.2	63	82.3
WARDH00074	417	417.74	0.74	0.001	0.02	0.2	0.02	31.4	2.8	1.27	16.4	30.4	0.65	1.8	18.1	0.01	0.05	0.05	0.3	25	56.7
WARDH00074	417.74	418.6	0.86	0.001	0.03	0.2	0.02	34.7	3.4	1.88	19.2	66.8	1.66	3.9	14	0.01	0.05	0.05	0.1	46	68.4
WARDH00074	418.6	419.57	0.97	0.001	0.04	0.2	0.02	45.6	2.2	1.88	25.6	71.2	0.4	4.2	12.3	0.01	0.05	0.05	0.1	49	86.3
WARDH00074	419.57	420.5	0.93	0.001	0.04	0.2	0.02	32.1	8.5	1.25	16.7	30.9	0.7	2.1	15.2	0.02	0.05	0.05	0.2	25	56.8
WARDH00074	420.5	421.31	0.81	0.001	0.02	0.2	0.03	43.6	9.2	1.86	23.8	40	0.51	9.3	17.6	0.03	0.05	0.05	0.4	37	84.3
WARDH00074	421.31	422.05	0.74	0.001	0.06	0.3	0.11	36.8	46.1	8.65	17.3	138	0.97	78.7	9.2	0.07	0.05	0.05	0.1	135	108.4
WARDH00074	422.05	423	0.95	0.001	0.02	0.4	0.02	41.7	8.4	1.36	22.4	25.1	0.74	2.8	15.9	0.04	0.05	0.05	0.1	29	73.5
WARDH00074	423	424	1	0.001	0.05	0.4	0.07	40.6	43.2	4.49	20.1	104	0.67	42.6	10.4	0.05	0.05	0.05	0.2	83	94.5
WARDH00074	424	425	1	0.001	0.08	0.4	0.14	62	124	6.3	29.3	88	80	20.2	10.2	0.36	0.05	0.05	0.2	99	158.9
WARDH00074	425	426	1	0.001	0.05	0.6	0.13	73.8	47.5	5.46	36.4	70.1	1.38	6	10.2	0.11	0.05	0.05	0.2	96	182.4
WARDH00074	426	426.3	0.3	0.001	0.09	0.8	0.47	62.7	134	5.63	28.6	68.2	0.94	6.9	13.1	0.55	0.05	0.05	0.3	97	155.4
WARDH00074	426.3	427.34	1.04	0.001	0.02	0.3	0.07	48.8	16.4	3.44	28.2	45.4	212	7.3	10.8	0.08	0.05	0.05	0.3	62	100.4

Site ID	depth from	depth to	length	Au ppm	Ag ppm	As ppm	Bi ppm	Ce ppm	Cu ppm	Fe %	La ppm	Li ppm	Mo ppm	Ni ppm	Pb ppm	S %	Sb ppm	Te ppm	W ppm	Zn ppm	REE Yt Sc Nb
WARDH00075	0	0.5	0.5	0.001	3.28	6.2	0.25	39.6	29.3	3.87	18.2	17.6	4.96	30.2	19.8	0.02	0.43	0.07	7.6	23	81.2
WARDH00075	0.5	1	0.5	0.001	2.39	7.1	0.24	40.8	26.2	4.32	18.1	20.3	4.34	34.7	21.9	0.02	0.42	0.07	7.1	24	83
WARDH00075	1	2.03	1.03	0.001	0.22	7	0.3	35.7	22.6	4.41	17.2	20.1	2.49	32.4	20.6	0.03	0.47	0.05	1.4	21	76.9
WARDH00075	2.03	3	0.97	0.001	0.22	3.2	0.18	50.1	27.9	2.8	26.3	24.2	1.3	57	18.1	0.02	0.32	0.05	1.3	25	103.7
WARDH00075	3	3.95	0.95	0.001	0.27	2.4	0.18	29.8	20.3	2.27	13.8	27.1	1.2	40.3	16	0.01	0.29	0.05	1.5	18	62.8
WARDH00075	3.95	5	1.05	0.001	0.34	3	0.17	26.7	13.3	2.36	10.6	21.2	1.45	23.3	15.1	0.01	0.23	0.05	10.6	12	51.3
WARDH00075	5	6	1	0.001	0.34	5.4	0.2	13.3	11.8	3.17	8.7	18	2.17	17.3	19.8	0.01	0.3	0.05	2.4	9	33.5
WARDH00075	6	6.7	0.7	0.001	0.32	2.4	0.13	7.73	9.2	1.98	4.9	13.4	1.26	14.2	12.2	0.01	0.21	0.05	2.6	8	22.03
WARDH00075				0.001	0.96	3.6	0.17	9.19	18.8	2.57	5.8	15.7	1.8	18.9	13.6	0.01	0.27	0.05	6.6	8	27.89
WARDH00075	6.7	7	0.3	0.001	1	2	0.15	9.15	13.8	1.78	6.1	14.3	2.09	17.9	11.5	0.01	0.18	0.05	7.5	9	28.65
WARDH00075	7	8	1	0.003	0.52	2.4	0.15	9.52	12.6	1.89	6.2	12.4	0.92	16.3	11.5	0.01	0.22	0.05	8.5	9	29.22
WARDH00075	8	9.2	1.2	0.002	0.26	4.6	0.2	7.48	9.2	2.31	4.9	11	1.53	12.4	12.3	0.01	0.32	0.05	3.5	5	23.88
WARDH00075	9.2	9.8	0.6	0.001	0.39	3.3	0.12	5.61	8.5	2.45	2.7	15.6	1.17	12.3	8.3	0.01	0.2	0.05	7.2	5	16.71
WARDH00075	9.8	10.8	1	0.001	0.35	4.2	0.11	3.53	6.1	1.98	2.2	12.2	1.16	8.8	7.2	0.01	0.18	0.05	3.1	2	12.33
WARDH00075	10.8	11.25	0.45	0.001	0.48	2.2	0.08	4.01	6.3	1.55	2.6	11.8	1.14	9.3	6.2	0.01	0.19	0.05	3.7	6	13.51
WARDH00075	11.25	12	0.75	0.001	0.75	2.1	0.12	4.07	6.1	1.54	2.6	15.2	1.54	11.8	7.7	0.01	0.18	0.05	2.1	3	15.77
WARDH00075	12	13.1	1.1	0.001	0.08	3.5	0.21	5.04	9.3	3.08	3.2	19	1.72	12	12	0.01	0.23	0.05	1	5	22.04
WARDH00075	13.1	14.22	1.12	0.001	0.45	2.9	0.3	13.85	10.6	4.13	5	16.4	2.85	14.3	16.6	0.01	0.19	0.05	1.4	3	32.65
WARDH00075	14.22	15	0.78	0.001	0.21	2.1	0.23	4.72	12.1	3.39	3.3	14	2.21	15.2	9.5	0.01	0.18	0.05	2.1	5	23.82
WARDH00075	15	16	1	0.001	0.09	2	0.23	4.95	19.4	4.2	3.2	12.5	2.12	17.2	8.8	0.01	0.19	0.05	0.9	5	25.45
WARDH00075	16	16.4	0.4	0.001	0.16	2.3	0.3	3.65	15	5.59	2.3	10	2.75	14.6	8.9	0.01	0.2	0.08	0.9	6	20.35
WARDH00075	16.4	17	0.6	0.001	0.45	3.4	0.38	4.21	24.7	8.08	2.5	8.7	3.9	15.4	10.4	0.02	0.25	0.07	1.1	7	23.01
WARDH00075	17	17.9	0.9	0.001	0.16	3.1	0.2	4.64	20.7	5.09	2.2	7.5	2.82	15.3	6.6	0.02	0.19	0.07	0.8	3	21.44
WARDH00075	17.9	19	1.1	0.032	0.23	3.4	0.18	3.37	29	5.13	2.6	7.7	2.78	19.6	7.9	0.05	0.17	0.08	1.4	4	23.67
WARDH00075	19	20	1	0.001	0.16	3.4	0.25	4.2	42.2	8.28	3.4	15.6	4.27	33.6	7.2	0.04	0.22	0.05	1.1	6	33.4
WARDH00075	20	20.76	0.76	0.001	0.14	1.3	0.34	2.44	29	3.09	2.2	34.8	5.1	40.1	5	0.06	0.22	0.05	1.2	4	27.14
WARDH00075	20.76	21.5	0.74	0.001	0.07	4.4	0.63	11.95	55.9	13.95	6.4	48.6	15.45	41.9	18.6	0.02	0.35	0.1	1	3	53.85
WARDH00075	21.5	22	0.5	0.001	0.21	2.2	0.35	12.85	64.6	10.75	7.2	59.6	12.35	48.2	17.6	0.01	0.59	0.09	1.3	8	59.65

Site ID	depth from	depth to	length	Au ppm	Ag ppm	As ppm	Bi ppm	Ce ppm	Cu ppm	Fe %	La ppm	Li ppm	Mo ppm	Ni ppm	Pb ppm	S %	Sb ppm	Te ppm	W ppm	Zn ppm	REE Yt Sc Nb
WARDH00075	22	23	1	0.001	0.16	2.2	0.37	9.32	56.3	9.65	4.8	60.2	10.45	45.9	13	0.01	0.27	0.06	1.2	5	53.32
WARDH00075	23	23.95	0.95	0.001	0.22	0.9	0.36	5.3	54.8	7.8	2	76.4	10.15	49.3	14	0.03	0.16	0.06	1.2	4	49.9
WARDH00075	23.95	25.1	1.15	0.001	0.2	1.3	0.33	5.26	51.6	5.68	2.1	92	8.66	63.6	11.2	0.01	0.19	0.05	1.2	3	45.96
WARDH00075	25.1	26	0.9	0.001	0.02	0.6	0.34	22.1	52.7	5.13	9	90.8	7.04	69.6	11.4	0.01	0.19	0.05	1	3	75.3
WARDH00075	26	27	1	0.001	0.02	0.5	0.3	36.9	45.1	4.6	9.5	84	5.42	69.6	10.2	0.01	0.12	0.05	1.1	3	89.3
WARDH00075	27	28	1	0.001	0.02	0.8	0.33	76.5	44	4.63	19	86	7.88	75.9	10.6	0.01	0.13	0.05	1.1	4	146.9
WARDH00075	28	28.5	0.5	0.001	0.08	1.1	0.34	56	43.5	4.83	16.9	80.3	8.3	77.8	8.5	0.01	0.13	0.05	1.3	3	121.6
WARDH00075	28.5	29	0.5	0.001	0.05	0.8	0.31	115.5	47.4	4.68	25.2	81.8	10.1	83.1	20	0.01	0.18	0.05	1.3	2	200
WARDH00075	29	30	1	0.001	0.05	0.8	0.33	154.5	44.8	4.32	34.6	77.7	9.85	85.3	17.5	0.01	0.13	0.05	1.4	2	247.7
WARDH00075	30	31	1	0.002	0.03	0.9	0.34	227	51.9	5.48	20.3	68.2	13.9	87.1	28.3	0.02	0.13	0.08	1.4	3	299.4
WARDH00075	31	31.41	0.41	0.001	0.02	0.9	0.32	102.5	50	5.5	42.9	66.6	9.15	86.9	8.5	0.01	0.16	0.05	1.3	2	201.2
WARDH00075	31.41	32	0.59	0.001	0.02	0.4	0.34	80.2	47.8	5.5	37.7	62.7	7.96	82.7	7.6	0.01	0.15	0.05	1.1	2	169.9
WARDH00075	32	33	1	0.001	0.01	0.6	0.37	273	56.2	6.13	90.6	58.4	10.2	90.6	16.4	0.01	0.14	0.05	1.3	2	435.2
WARDH00075	33	34	1	0.001	0.02	0.3	0.33	139.5	42	4.35	86.7	53.9	7.08	88.9	9.7	0.01	0.11	0.05	1.4	3	289.9
WARDH00075	34	35	1	0.001	0.03	0.6	0.3	93.3	51.8	5.29	36.9	46.5	9.1	97.5	10.6	0.01	0.15	0.05	1.6	2	187.9
WARDH00075	35	36	1	0.001	0.02	0.3	0.23	26.6	40.5	4.1	21.3	53.4	8.08	97	11.4	0.02	0.13	0.05	1.9	2	103.5
WARDH00075	36	37	1	0.001	0.04	0.3	0.23	42.9	30.3	3	15.6	65	5.74	87.5	10	0.01	0.14	0.05	1.8	2	109
WARDH00075	37	38.07	1.07	0.001	0.03	0.2	0.18	50.9	19.3	1.8	33.7	82.9	4.06	82.5	9.7	0.01	0.13	0.05	2.1	2	135.5
WARDH00075	38.07	39.2	1.13	0.001	0.33	0.5	0.23	112.5	35.2	3.43	35.7	88.8	6.98	83.2	13.1	0.01	0.15	0.05	2.1	2	198.4
WARDH00075	39.2	40	0.8	0.001	0.25	0.7	0.24	89.7	41.7	4.49	45.8	108	9.48	78.5	15.6	0.02	0.15	0.05	2.6	2	185.8
WARDH00075	40	41	1	0.001	0.16	0.6	0.22	50.3	32.8	3.61	60.8	122	7.85	72.8	13.4	0.01	0.13	0.05	2.5	3	161.3
WARDH00075	41	42	1	0.001	0.06	0.2	0.23	64.7	24	2.71	88.6	127	5.1	70.2	12.4	0.01	0.12	0.05	2.3	2	209.5
WARDH00075	42	43	1	0.001	0.06	0.9	0.22	23.7	42.4	6.15	15	100.5	9.24	60.2	15	0.01	0.15	0.05	1.8	4	79.5
WARDH00075	43	44	1	0.001	0.12	0.3	0.19	4.57	19	2.29	2.5	93.2	3.28	63.3	6.1	0.01	0.13	0.05	1.9	8	50.27
WARDH00075	44	44.62	0.62	0.001	0.11	0.2	0.18	1.84	18.8	2.16	1.6	90.3	2.91	60.2	5.1	0.01	0.12	0.05	1.8	7	45.24
WARDH00075	44.62	45	0.38	0.001	0.15	0.6	0.17	3.68	18.6	2.84	3.4	54.7	3.67	39.2	7.4	0.01	0.11	0.05	1.7	9	35.88
WARDH00075	45	46	1	0.001	0.15	1	0.24	3.06	35	7.29	3.4	64.5	6.72	55.4	7.5	0.01	0.12	0.05	1.7	13	45.16
WARDH00075	46	46.98	0.98	0.001	0.51	1.4	0.24	3.33	46	6.94	2.1	26.7	6.74	38.7	9	0.01	0.07	0.05	2.8	26	34.23
WARDH00075	46.98	47.74	0.76	0.001	0.47	0.2	0.23	1.85	27.9	3.07	1.3	23.9	2.28	30.2	5.1	0.01	0.07	0.05	1.8	16	29.65
WARDH00075	47.74	48.7	0.96	0.001	0.41	0.5	0.22	1.36	44.4	1.86	0.8	25.2	1.27	39.1	4.3	0.01	0.05	0.05	1.7	33	30.86
WARDH00075	48.7	49.5	0.8	0.001	1.54	0.2	0.23	1	35.2	1.7	0.5	16.5	1.52	29.1	5.6	0.01	0.05	0.05	2.9	26	26.4
WARDH00075	49.5	50.5	1	0.001	0.08	0.2	0.24	0.82	30.4	1.55	0.5	10.1	0.73	20.4	13.3	0.01	0.05	0.05	0.5	20	21.42
WARDH00075	50.5	51.22	0.72	0.001	0.12	0.2	0.23	1.46	37.4	2.05	0.7	9	1.22	19.2	11.6	0.01	0.05	0.05	0.6	23	23.66
WARDH00075	51.22	52	0.78	0.001	0.08	0.6	0.23	1.45	40.1	1.83	0.6	11.7	1.02	24.5	7.1	0.01	0.05	0.05	0.6	29	27.15
WARDH00075	52	53	1	0.001	0.05	0.3	0.22	1.52	36.2	1.52	0.6	11	0.87	25.7	4.2	0.01	0.05	0.05	0.6	29	30.12
WARDH00075	53	53.72	0.72	0.001	0.04	0.3	0.21	1.48	43.9	2.16	0.8	8.9	1.34	26.9	9.5	0.01	0.06	0.05	0.5	33	26.98
WARDH00075	53.72	54.5	0.78	0.001	0.06	1.9	0.09	3.61	125	9.88	1.9	7	4.53	28.3	11.4	0.01	0.05	0.05	0.7	38	27.31
WARDH00075	54.5	55	0.5	0.001	0.06	0.5	0.07	1.98	48	3.23	0.9	6.7	1.52	21.6	10.6	0.01	0.05	0.05	0.5	32	24.68
WARDH00075	55	56	1	0.001	0.14	0.2	0.15	3.19	55.2	2.97	1.5	6.9	1.2	25.5	10.4	0.01	0.05	0.05	0.6	45	29.49
WARDH00075	56	56.84	0.84	0.001	0.07	0.5	0.37	17.2	59.3	2.8	9.7	6.2	0.93	33.5	8.2	0.01	0.05	0.05	0.5	51	53.2
WARDH00075	56.84	57.3	0.46	0.001	0.06	0.2	0.22	22.5	36.6	1.56	13.5	2.4	0.57	17.2	10.8	0.01	0.05	0.05	0.3	23	57.4
WARDH00075	57.8	58.22	0.42	0.002	0.62	0.7	0.62	103.5	118	5.47	61.2	8.5	1.9	73.6	9.2	0.02	0.05	0.05	1.3	92	214.7
WARDH00075	58.22	59.2	0.98	0.001	0.27	0.2	0.31	47.4	27	1.19	26.6	2.5	0.5	13.6	6	0.01	0.05	0.05	0.5	21	97.1
WARDH00075	59.5	60	0.5	0.001	0.09	0.2	0.17	28	20.6	1.01	17.4	9.1	0.8	11.6	12.2	0.01	0.05	0.05	0.6	10	72.4
WARDH00075	60.8	61.5	0.7	0.001	0.06	0.9	0.8	117	149.5	7.26	70.1	8	2.26	123.5	9	0.08	0.05	0.05	1.4	120	337.3
WARDH00075	61.5	62.02	0.52	0.001	0.06	0.6	0.25	99.6	184.5	8	53.2	7.4	2.74	113.5	10.8	0.07	0.05	0.05	1.3	139	300
WARDH00075	61.5	62.02	0.52	0.001	0.08	1.2	0.26	110.5	185	8.63	61.1	7.6	3.12	127	15.2	0.06	0.05	0.05	1.5	140	328.6
WARDH00075	62.02	62.35	0.33	0.001	0.1	0.2	0.34	38.3	78.4	2.07	22.5	2.4	1.82	33.2	8.2	0.01	0.05	0.05	0.4	33	101.1
WARDH00075	62.35	62.8	0.45	0.001	0.82	0.3	0.29	146	190	9.25	74.6	7.3	3.26	110.5	11.9	0.03	0.05	0.05	1.8	133	399.8
WARDH00075	62.8	63.55	0.75	0.001	0.49	1	0.21	54.3	146	9.81	23.9	10.8	4.75	58.7	7.4	0.03	0.05	0.05	1.8	168	152
WARDH00075	63.55	64.3	0.75	0.001	0.11	1	0.17	58.2	66.9	4.24	34.8	7.3	2.56	31.3	7.2	0.02	0.05	0.05	0.9	84	137.9
WARDH00075	64.3	65	0.7	0.001	0.15	0.4	0.11	52.9	22.7	1.83	33	5.8	1.13	7.5	4.5	0.01	0.05	0.05	0.6	33	112.2
WARDH00075	65	66	1	0.003	0.29	0.2	0.13	71.1	36.9	2.54	43.3	8.5	2.18	12.2	5.6	0.01	0.05	0.05	0.9	54	147.6
WARDH00075	66	67.2	1.2	0.001	0.23	1.1	0.1	64.8	32.4	2.71	40.1	8.4	2.69	9.6	6.6	0.01	0.05	0.05	0.8	53	133.8
WARDH00075	67.5	67.9	0.4	0.001	0.09	0.4	0.1	68.9	35.9	2.86	45.4	9.5	1.74	13.4	6.7	0.01	0.05	0.05	0.6	47	147.7
WARDH00075	67.9	68.3	0.4	0.001	0.03	0.7	0.12	54.4	12.5	2.08	34.6	14.8	2.13	9.5	9.6	0.02	0.05	0.05	0.4	18	110.7
WARDH00075	68.3	69.42	1.12	0.001	0.02	0.4	0.05	44	33.8	1.67	27.1	13.2	1.8	6.8	12.8	0.02	0.05	0.05	0.3	14	91.5
WARDH00075	69.42	69.97	0.55	0.001	0.02	0.4	0.18	14.8	70.2	1.06	8.9	4.4	5.21	2.1	18.3	0.03	0.05	0.05	0.3	4	42.4
WARDH00075	69.97	71	1.03	0.001	0.01	0.2	0.14	51.4	8.9	2.13	31.3	16.2	0.94	9	7.8	0.03	0.05	0.05	0.4	15	108.4
WARDH00075	71	71.72	0.72	0.001	0.01	0.7	0.11	57.4	24.6	2.34	35.1	18	1.71	11.6	5.9	0.03	0.05	0.05	0.6	20	118.5
WARDH00075	71.72	72.5	0.78	0.001	0.01	0.2	0.11	6.36	36.4	0.85	3.3	3.5	3.54	3.3	13.4	0.03	0.05	0.05			

Site ID	depth from	depth to	length	Au ppm	Ag ppm	As ppm	Bi ppm	Ce ppm	Cu ppm	Fe %	La ppm	Li ppm	Mo ppm	Ni ppm	Pb ppm	S %	Sb ppm	Te ppm	W ppm	Zn ppm	REE Yt Sc Nb
WARDH00075	74.47	74.77	0.3	0.001	0.02	0.5	0.08	3.15	15.6	0.57	2.1	2.2	1.1	2.4	14.2	0.02	0.05	0.05	0.2	4	15.15
WARDH00075	74.77	75.4	0.63	0.001	0.03	1.2	0.22	49	40.9	2.98	26.6	24.9	0.32	17.5	6.7	0.08	0.05	0.05	0.8	25	114.8
WARDH00075	75.4	76	0.6	0.001	0.02	0.5	0.06	34.8	98.6	1.79	21.5	15.1	27.2	8.2	7	0.03	0.05	0.05	0.3	16	79.9
WARDH00075	76	77	1	0.001	0.03	0.8	0.03	6.1	54.8	0.64	3.4	2.6	0.38	1.1	16.2	0.02	0.05	0.05	0.2	4	25.8
WARDH00075	77	78.04	1.04	0.001	0.03	0.7	0.1	28	133.5	1.72	17.2	9.7	0.95	7.9	15.6	0.04	0.05	0.05	0.4	31	78.1
WARDH00075	78.04	79	0.96	0.001	0.05	0.5	0.11	19.55	104	8.61	8.3	19.3	0.78	69.2	26.5	0.07	0.05	0.05	1.2	97	106.55
WARDH00075	79	80	1	0.002	0.06	0.9	0.04	17.65	135.5	9.03	7.2	17	0.72	72.1	6.2	0.12	0.05	0.05	0.3	136	104.75
WARDH00075	80	81	1	0.002	0.06	0.7	0.04	17.15	115	8.73	6.8	18.8	0.43	68.3	5	0.13	0.05	0.05	0.2	92	100.25
WARDH00075	81	82	1	0.002	0.06	0.3	0.05	17.6	119.5	8.7	7	18.7	0.48	70.2	3.9	0.11	0.05	0.05	0.2	95	102.1
WARDH00075	82	83	1	0.001	0.07	0.4	0.07	17.35	122.5	8.67	6.9	18.2	0.58	71.6	4.2	0.17	0.05	0.05	0.2	100	99.25
WARDH00075	83	84	1	0.002	0.05	0.4	0.07	17.8	123.5	8.7	7.2	18.4	0.45	72.1	3.3	0.11	0.05	0.05	0.2	96	104.6
WARDH00075	84	85	1	0.007	0.06	0.7	0.1	17.05	124	8.72	6.8	20.5	0.63	70.6	3.6	0.11	0.13	0.05	0.3	96	98.75
WARDH00075	85	86	1	0.002	0.05	0.8	0.07	17.75	122.5	9.23	6.9	22.4	0.72	74.1	3.2	0.1	0.08	0.05	0.3	93	103.65
WARDH00075	86	87	1	0.002	0.06	0.8	0.1	18.6	133.5	8.84	7.4	21.3	0.67	77.6	3.3	0.09	0.05	0.05	0.3	114	106.9
WARDH00075	87	88	1	0.002	0.05	0.4	0.08	17.55	125	8.47	7.1	26.6	0.52	74.2	4.2	0.08	0.05	0.05	0.4	87	102.65
WARDH00075	88	89	1	0.002	0.05	0.2	0.07	16.45	115.5	8.32	6.6	25.2	0.42	72.2	3.6	0.09	0.05	0.05	0.2	81	98.85
WARDH00075	89	89.5	0.5	0.003	0.07	0.2	0.06	16.35	117	8.52	6.6	26	0.37	69.9	5	0.1	0.05	0.05	0.3	87	96.85
WARDH00075	89.5	90	0.5	0.002	0.07	0.6	0.07	17.05	125	8.61	6.7	24.5	0.43	72.4	6.3	0.11	0.05	0.05	0.2	90	100.15
WARDH00075	90	91	1	0.002	0.09	0.2	0.06	16.9	114	8.37	6.6	26.1	0.46	88.9	6.3	0.14	0.05	0.05	0.3	85	99.2
WARDH00075	91	92	1	0.003	0.07	0.2	0.07	16.95	113.5	8.33	6.7	25.5	0.4	68.2	5.3	0.1	0.05	0.05	0.4	84	97.85
WARDH00075	92	93	1	0.002	0.06	0.2	0.06	17.8	120	8.88	7	22.5	0.4	69.7	34.9	0.1	0.05	0.05	0.2	99	103.2
WARDH00075	93	94	1	0.005	0.06	0.3	0.06	16.15	134.5	8.34	6.4	20.3	0.89	118	4	0.07	0.05	0.05	0.2	94	95.85
WARDH00075	94	95	1	0.003	0.06	0.2	0.06	15.85	126.5	8.46	6.4	20.1	0.4	84.4	2.9	0.1	0.05	0.05	0.2	95	95.25
WARDH00075	95	96	1	0.002	0.07	0.2	0.05	17.85	119.5	8.86	6.9	23.6	0.41	73.6	3.7	0.09	0.05	0.05	0.2	93	103.45
WARDH00075	96	97	1	0.002	0.05	0.2	0.06	17.1	123.5	8.42	6.7	21.2	0.47	76.3	3.1	0.08	0.05	0.05	0.2	96	99.3
WARDH00075	97	98	1	0.002	0.06	0.2	0.05	16.6	119.5	8.6	6.6	21.7	0.37	69.6	3.4	0.09	0.05	0.05	0.2	95	98.9
WARDH00075	98	99	1	0.002	0.05	0.3	0.04	16.85	122	8.7	6.7	21	0.44	69.8	3.4	0.11	0.05	0.05	0.2	105	98.55
WARDH00075	99	100	1	0.002	0.05	0.2	0.05	17.75	113	8.59	7	25.1	0.46	77.3	3.3	0.12	0.05	0.05	0.3	92	104.05
WARDH00075	100	100.7	0.7	0.002	0.07	0.3	0.05	17.6	129.5	9.26	7	21.4	0.44	75.1	3.3	0.12	0.05	0.05	0.1	119	104
WARDH00075	100.7	101.3	0.6	0.003	0.05	0.4	0.07	15.7	127.5	8.43	6.4	24	0.29	91	3.2	0.09	0.05	0.05	0.2	90	93.9
WARDH00075	118.2	119	0.8	0.002	0.05	0.5	0.03	15.9	130	8.48	6.4	37.4	0.3	78	3	0.1	0.05	0.05	0.6	84	98.6
WARDH00075	119	120	1	0.002	0.05	0.2	0.05	19.55	129	9.21	7.6	38.8	0.46	73.4	3.1	0.11	0.05	0.05	0.4	94	109.75
WARDH00075	120	121	1	0.002	0.05	0.3	0.04	16	105	8.42	6.4	38.6	0.41	89.1	2.9	0.08	0.05	0.05	0.4	99	100.4
WARDH00075	121	122	1	0.002	0.05	0.2	0.03	15.65	91.8	8.44	6.2	47.5	0.29	82	3	0.08	0.05	0.05	0.4	102	97.05
WARDH00075	122	123	1	0.001	0.04	0.2	0.04	14.45	78.1	7.72	5.8	30.5	0.37	74.9	2.9	0.06	0.05	0.05	0.5	73	92.55
WARDH00075	123	124	1	0.002	0.05	0.4	0.08	15.2	107	8.2	6	32.2	0.42	78.4	2.8	0.08	0.05	0.05	0.4	81	92.9
WARDH00075	124	125	1	0.003	0.74	0.2	0.05	14.7	122	8.1	5.8	35.6	0.34	78.5	3.1	0.09	0.05	0.05	0.2	85	92.9
WARDH00075	125	126	1	0.003	0.05	0.2	0.06	14.7	132	8.18	5.8	37.8	0.34	77.9	2.4	0.09	0.05	0.05	0.2	77	93.2
WARDH00075	126	127	1	0.003	0.04	0.2	0.04	13.8	113.5	8.26	5.6	35.2	0.34	76.1	2.8	0.09	0.05	0.05	0.2	88	89.6
WARDH00075	127	128.1	1.1	0.002	0.04	0.2	0.03	16.7	110	8.58	6.5	38.5	0.35	76.4	3.4	0.08	0.05	0.05	0.6	92	100.2
WARDH00075	128.1	129	0.9	0.003	0.05	0.2	0.06	14.15	165.5	8.36	5.8	39.6	0.44	82.4	2.7	0.08	0.05	0.05	0.7	86	92.85
WARDH00075	129	130	1	0.002	0.06	0.5	0.03	13.75	132.5	7.99	5.6	39.6	0.32	88	3.1	0.07	0.05	0.05	0.5	77	92.25
WARDH00075	130	130.43	0.43	0.001	0.06	0.2	0.04	14	163.5	8.28	5.7	33.6	0.32	117.5	2.3	0.07	0.05	0.05	0.7	78	87.8
WARDH00075	130.43	131	0.57																		0
WARDH00075	131	132.2	1.2	0.002	0.04	0.2	0.03	13.75	129	7.76	5.7	24.1	0.2	138.5	1.5	0.03	0.05	0.05	0.4	72	82.05
WARDH00075	132.2	133	0.8	0.002	0.06	0.2	0.03	14.95	132.5	7.96	6.1	28.4	0.41	114	2.4	0.06	0.05	0.05	0.6	85	92.65
WARDH00075	133	133.95	0.95	0.002	0.05	0.2	0.03	15	149	8.1	6.1	26.7	0.42	133.5	1.2	0.05	0.05	0.05	0.4	79	89
WARDH00075	187.5	187.8	0.3	0.002	0.05	0.2	0.06	15.1	141.5	7.72	6.1	20.6	0.46	142	1.3	0.05	0.05	0.05	0.7	74	89.3
WARDH00075	187.8	188.7	0.9	0.001	0.05	0.5	0.19	16.1	111	7.27	7.3	34.1	0.31	236	2.3	0.03	0.05	0.05	0.9	81	74.6
WARDH00075	188.7	189	0.3	0.001	0.02	0.2	0.29	4.57	4.9	7.93	1.8	50.1	0.24	409	1.7	0.01	0.05	0.05	0.5	101	44.07
WARDH00075	189	190	1	0.001	0.04	0.2	0.27	7.47	66	7.45	3.6	44.6	0.31	363	2.4	0.01	0.05	0.05	0.6	90	49.27
WARDH00075	190	191.1	1.1	0.001	0.01	0.2	0.24	5.57	11.7	8.39	2.2	56.3	2.25	419	1.5	0.01	0.05	0.05	0.5	96	44.97
WARDH00075	191.1	192	0.9	0.001	0.04	0.2	0.06	14.4	119.5	7.91	5.9	31.3	0.93	179.5	1.1	0.07	0.05	0.05	0.5	74	85.5
WARDH00075	192	193	1	0.003	0.04	0.6	0.03	16.2	149	8.02	6.5	25.2	0.32	137	1	0.05	0.05	0.05	0.4	75	91
WARDH00075	193	194	1	0.003	0.05	0.2	0.03	18.05	189.5	8	7.3	26.3	0.39	131	1	0.05	0.05	0.05	0.6	74	93.35
WARDH00075	309	310	1	0.002	0.06	0.3	0.04	17.45	134	8.71	7.1	24	0.43	97.1	2	0.07	0.05	0.05	0.3	83	101.45
WARDH00075	310	311	1	0.003	0.08	0.2	0.04	16.8	243	9.22	6.6	27.4	0.44	104	1.7	0.1	0.05	0.05	0.4	93	98.6
WARDH00075	311	312	1	0.001	0.06	0.6	0.04	17.9	127	9.28	7	22.1	0.46	68	2.2	0.1	0.05	0.05	0.4	99	102.7
WARDH00075	312	313	1	0.001	0.05	0.2	0.05	17.5	119.5	9.06	6.9	18.5	0.39	66.1	2.2	0.1	0.05	0.05	1.1	95	101
WARDH00075	313	314	1	0.002	0.06	0.2	0.05	18.05	124.5	9.52	7.2	21.4	0.4	68.9	2.6	0.11	0.05	0.05	0.4	103	103.15
WARDH00075	314	315	1	0.001	0.06	0.2	0.06	18.6	116	9.3	7.3	20.6	0.31	67.2	2.6	0.1	0.05	0.05	0.5	98	105.3
WARDH00075	315	316	1	0.001	0.05	0.6	0.07	18.85	118	9.09	7.6	22.7	0.47								

Site ID	depth from	depth to	length	Au ppm	Ag ppm	As ppm	Bi ppm	Ce ppm	Cu ppm	Fe %	La ppm	Li ppm	Mo ppm	Ni ppm	Pb ppm	S %	Sb ppm	Te ppm	W ppm	Zn ppm	REE Yt Sc Nb
WARDH00075	318	319.08	1.08	0.001	0.05	0.3	0.07	18.85	125.5	8.96	7.2	26.9	0.28	69.1	2.7	0.11	0.05	0.05	0.7	78	106.05
WARDH00075	319.08	320	0.92	0.001	0.04	0.2	0.08	17.35	128.5	8.89	6.9	28.6	0.3	77.2	2.3	0.12	0.05	0.05	0.7	83	102.75
WARDH00075	320	321	1	0.001	0.05	0.2	0.08	16.8	120.5	8.71	6.7	27.5	0.39	75.4	2.8	0.11	0.11	0.05	0.7	71	100.4
WARDH00075	321	322	1	0.001	0.05	0.4	0.07	16.3	104	8.75	6.4	30.9	0.39	80.6	2.6	0.08	0.07	0.05	0.7	76	99.9
WARDH00075	322	323	1	0.001	0.04	0.2	0.08	16.45	79.3	8.49	6.7	23.8	0.33	70.9	2.8	0.09	0.06	0.05	1	63	96.25
WARDH00075	323	324	1	0.001	0.06	0.2	0.08	16.1	145	8.4	6.4	16.5	0.44	73.8	3.1	0.1	0.05	0.05	16.9	58	97.8
WARDH00075	324	325	1	0.002	0.04	0.3	0.08	14.65	123	8.82	6.1	24.3	0.35	75.5	2.2	0.12	0.05	0.05	0.5	77	93.15
WARDH00075	325	326	1	0.001	0.04	0.2	0.07	16.85	114.5	8.96	6.6	20.8	0.45	77.5	2.2	0.11	0.05	0.05	0.9	71	102.45
WARDH00075	326	327	1	0.002	0.05	0.2	0.09	17.25	126.5	9.31	6.9	21.7	0.3	73.7	2.3	0.12	0.05	0.05	0.6	78	100.55
WARDH00075	327	328	1	0.001	0.05	0.2	0.08	14.5	128.5	8.06	5.8	21.7	0.42	81.4	2.1	0.09	0.05	0.05	0.6	69	91.6
WARDH00075	328	329	1	0.002	0.06	0.3	0.08	14.9	124	8.44	5.8	19.8	0.31	84.3	2.4	0.11	0.05	0.05	0.4	71	93.4
WARDH00075	329	330	1	0.001	0.05	0.2	0.08	13.95	128.5	8.19	5.6	21.8	0.31	88	2.3	0.1	0.05	0.05	0.5	71	92.35
WARDH00075	330	331	1	0.001	0.04	0.2	0.07	14.45	108	8.6	5.9	24.5	0.39	84.3	2.9	0.1	0.06	0.05	0.5	70	93.35
WARDH00075	331	332	1	0.002	0.06	0.2	0.09	15.75	135	8.61	6.2	20.9	0.46	84.4	3.4	0.1	0.14	0.05	0.5	76	97.25
WARDH00075	332	333	1	0.001	0.05	0.2	0.09	16.2	123.5	8.75	6.4	18.9	0.39	83.4	2.4	0.12	0.05	0.05	0.4	79	99.7
WARDH00075	333	334	1	0.001	0.04	0.2	0.08	16.1	153.5	8.72	6.3	22.4	0.38	78.9	2.4	0.12	0.05	0.05	0.5	79	96.9
WARDH00075	334	335	1	0.002	0.04	0.3	0.07	15.85	110.5	8.51	6.3	22.6	0.33	78.7	3.1	0.11	0.05	0.05	0.5	68	97.45
WARDH00075	335	336	1	0.002	0.06	0.2	0.09	16.45	130	8.9	6.5	20.6	0.34	79.5	2.7	0.11	0.05	0.05	0.5	79	101.25
WARDH00075	336	337	1	0.001	0.04	0.2	0.12	16.7	123.5	8.93	6.6	17	0.36	75.7	2.3	0.14	0.05	0.05	0.4	84	99
WARDH00075	337	338	1	0.002	0.06	0.2	0.09	15.9	126.5	8.84	6.2	16.2	0.35	77.8	2.5	0.14	0.05	0.05	0.4	94	95.8
WARDH00075	338	339	1	0.002	0.05	0.2	0.09	16.2	131.5	8.96	6.3	17.5	0.54	81	2.4	0.11	0.05	0.05	0.4	92	99.7
WARDH00075	339	340	1	0.001	0.06	0.2	0.11	15.35	135	8.41	6.1	19.9	0.32	78.1	2.2	0.1	0.05	0.05	0.5	69	93.55
WARDH00075	340	340.31	0.31	0.003	0.07	0.2	0.11	16.75	52.5	8.94	6.7	5.2	1.07	52.6	3.8	0.06	0.07	0.05	0.8	34	97.75
WARDH00075	340.31	341	0.69	0.002	0.05	0.2	0.1	16.7	114.5	8.78	6.4	20.9	0.4	87.4	2.3	0.11	0.05	0.05	0.8	77	102
WARDH00075	341	342	1	0.002	0.05	0.2	0.09	15.65	116	8.57	6.2	17	0.42	78.9	2.3	0.12	0.05	0.05	0.3	82	95.45
WARDH00075	342	343	1	0.001	0.08	0.2	0.11	15.85	130	8.78	6.3	16.6	0.33	77.1	2.1	0.12	0.05	0.05	0.4	83	96.15
WARDH00075	343	344	1	0.001	0.04	0.3	0.09	15.45	127.5	8.95	6.3	22.7	0.33	79.1	1.9	0.11	0.05	0.05	0.6	75	96.95
WARDH00075	344	345	1	0.001	0.05	0.2	0.09	15.6	115.5	8.42	5.9	19.9	0.35	84	2.1	0.11	0.05	0.05	0.4	73	100.6
WARDH00075	345	346	1	0.001	0.04	0.2	0.1	14.9	118	8.21	5.6	19.2	0.37	80.7	1.9	0.11	0.05	0.05	0.6	74	95.7
WARDH00075	346	347	1	0.001	0.06	0.4	0.11	15.9	138.5	8.57	5.9	17.9	0.36	83.1	2	0.11	0.07	0.05	0.5	79	99.4
WARDH00075	347	348	1	0.001	0.05	0.2	0.09	14.7	100.5	8.22	5.5	21.7	0.38	81.6	2	0.09	0.05	0.05	0.5	67	96.9
WARDH00075	348	349	1	0.001	0.05	0.2	0.08	16.05	133.5	8.51	5.8	17.5	0.47	84	2.2	0.11	0.05	0.05	0.4	77	101.15
WARDH00075	349	350	1	0.002	0.07	0.2	0.1	15.9	132	8.51	5.8	15.3	0.35	83.5	2.1	0.13	0.05	0.05	1.1	81	99.9
WARDH00075	350	351	1	0.001	0.06	0.2	0.09	16.4	128.5	8.66	6.1	15.2	0.36	83.2	1.8	0.12	0.05	0.05	2.1	87	101.3
WARDH00075	351	352.12	1.12	0.001	0.07	0.2	0.08	15.5	218	8.67	5.8	18.3	0.66	80.8	2.5	0.11	0.05	0.05	0.5	77	98.2
WARDH00075	358	359	1	0.001	0.03	0.2	0.09	17.4	108.5	8.66	6.3	19.3	0.48	74.2	2.1	0.13	0.05	0.05	0.7	71	105
WARDH00075	359	360	1	0.001	0.06	0.2	0.09	18.7	135	8.62	7.1	18.2	0.49	75.1	2.2	0.13	0.05	0.05	0.6	74	107.8
WARDH00075	360	360.5	0.5	0.001	0.07	0.3	0.11	18.15	128.5	9.07	6.6	15.9	0.48	78.7	2.4	0.13	0.05	0.05	0.8	79	107.35
WARDH00075	364	364.6	0.6	0.001	0.06	0.2	0.11	19.6	131	8.52	7.9	13.1	0.34	71.9	3	0.17	0.05	0.05	0.6	81	107.5
WARDH00075	364.6	366.3	1.7	0.001	0.02	0.2	0.05	47.1	28.4	1.62	28.6	6.8	0.98	4.1	10.1	0.06	0.05	0.05	1.8	18	95.9
WARDH00075	366.3	367	0.7	0.001	0.04	0.2	0.05	16.6	142	7.71	6.9	23.5	0.24	134.5	2.2	0.08	0.05	0.05	0.4	61	89.2
WARDH00075	370.4	370.71	0.31	0.002	0.04	0.2	0.06	17.35	136	7.85	7.3	23.5	0.32	151.5	1.8	0.07	0.06	0.05	0.6	62	96.95
WARDH00075	370.71	371.2	0.49	0.001	0.06	0.2	0.58	181	61.8	6.2	88.1	26	0.55	86.2	8.9	0.21	0.05	0.05	2.3	59	316.5
WARDH00075	371.2	372	0.8	0.002	0.05	0.2	0.04	15.45	148	8.16	5.9	23.1	0.27	149.5	1.5	0.07	0.05	0.05	0.3	68	92.55
WARDH00075	372	373	1	0.001	0.04	0.2	0.06	14.85	156.5	8.64	5.5	25.9	0.61	139.5	1.4	0.06	0.05	0.05	0.5	69	88.35
WARDH00075	373	374	1	0.002	0.05	0.2	0.05	14.4	140.5	8.39	5.1	24.6	0.51	138	1.1	0.06	0.05	0.05	0.4	69	86.3
WARDH00075	374	375	1	0.002	0.07	0.2	0.05	16.15	162	8.36	6.1	23.5	0.33	136	1	0.06	0.05	0.05	0.4	70	88.85
WARDH00075	381	382	1	0.002	0.05	0.2	0.04	15.5	151.5	8.01	5.7	22.9	0.44	141.5	0.9	0.06	0.05	0.05	0.3	70	89
WARDH00075	382	383	1	0.001	0.09	0.2	0.05	14.8	456	8.65	5.6	24.5	0.45	139.5	0.8	0.08	0.05	0.05	0.3	72	87.3
WARDH00075	383	383.5	0.5	0.003	0.06	0.2	0.04	16.5	203	8.13	6.3	23.7	0.42	141	0.7	0.05	0.05	0.05	0.2	69	93.1
WARDH00075	394	395	1	0.003	0.06	0.2	0.04	15.2	245	8.2	5.8	24.3	0.4	138	1.1	0.05	0.05	0.05	0.2	69	88.1
WARDH00075	395	396	1	0.002	0.04	0.2	0.03	13.5	153	8.03	5.1	23.3	0.28	135	1	0.04	0.05	0.05	0.1	67	84.9
WARDH00075	411	412	1	0.001	0.05	0.4	0.04	15.85	137	8.04	6	26.4	0.33	134.5	1.1	0.07	0.05	0.05	0.4	72	89.55
WARDH00075	412	413	1	0.001	0.05	0.2	0.03	14.6	149.5	8.03	5.5	26.6	0.56	132.5	0.9	0.05	0.05	0.05	0.2	68	82.8
WARDH00075	413	414.1	1.1	0.001	0.04	0.2	0.04	13.5	128.5	8.52	5	27	0.58	137.5	0.9	0.05	0.05	0.05	0.3	68	83.5
WARDH00075	414.1	415	0.9	0.003	0.06	0.2	0.05	14.7	142.5	7.83	5.9	25.9	0.26	136.5	1	0.05	0.05	0.05	0.2	66	87.6
WARDH00075	421	421.7	0.7	0.003	0.06	0.2	0.04	13.85	136.5	7.66	5.5	22.4	0.27	135.5	1.4	0.07	0.05	0.05	0.2	65	82.55
WARDH00075	421.7	422.3	0.6	0.003	0.05	0.2	0.04	15.2	133.5	7.82	6.2	21.8	0.24	141.5	1.5	0.06	0.05	0.05	0.2	63	88.6
WARDH00075	422.3	423.17	0.87	0.003	0.03	0.2	0.12	24.5	37.7	7.41	10.6	28.7	0.24	76.8	4.3	0.03	0.05	0.05	0.2	89	83.5
WARDH00075	423.17	424	0.83	0.001	0.03	0.6	0.19	39.1	32.1	4.71	22.9	15.7	0.43	43.5	5.8	0.04	0.05	0.05	0.4	65	97.9
WARDH00075	424	424.82	0.82	0.001	0.03	0.2	0.07	59	51.5	2.81	36.1	6.3	0.18	14.4	7.5						

Site ID	depth from	depth to	length	Au ppm	Ag ppm	As ppm	Bi ppm	Ce ppm	Cu ppm	Fe %	La ppm	Li ppm	Mo ppm	Ni ppm	Pb ppm	S %	Sb ppm	Te ppm	W ppm	Zn ppm	REE Yt Sc Nb
WARDH00075	427.32	428	0.68	0.001	0.08	0.2	0.12	33.7	117.5	4.78	19	19.6	0.25	28.9	6	0.13	0.05	0.05	1	58	96.5
WARDH00075	428	429	1	0.001	0.03	0.2	0.1	25.3	20.7	6.73	11	11.4	0.42	49.1	4.3	0.02	0.05	0.05	0.9	86	89.8
WARDH00075	429	430	1	0.001	0.05	0.2	0.1	23.9	28.1	6.81	10	15.6	0.26	47.9	6.1	0.02	0.05	0.05	0.6	84	88.1
WARDH00075	430	431	1	0.001	0.04	0.2	0.1	34.3	50.6	6.58	17.8	20.1	2.19	45.3	7.7	0.02	0.05	0.05	0.5	75	103.1
WARDH00075	431	431.89	0.89	0.002	0.04	0.6	0.1	26	50.7	7.14	11.2	19	0.4	45.6	6.6	0.02	0.11	0.05	0.4	72	92.2
WARDH00075	431.89	433	1.11	0.001	0.02	0.2	0.08	17.85	17.9	4.4	8.5	14	0.98	31.9	14.2	0.01	0.06	0.05	0.5	49	63.55
WARDH00075	433	433.67	0.67	0.001	0.04	0.2	0.07	33.3	70.6	4.98	17.7	13.4	0.3	39.6	13.6	0.07	0.05	0.05	0.3	51	97.1
WARDH00075	433.67	434	0.33	0.001	0.09	0.2	0.09	34.5	207	4.67	17.8	14.6	4.37	22.5	10.8	0.1	0.05	0.05	0.4	57	87.9
WARDH00075	434	435	1	0.001	0.23	0.2	0.09	41	51.3	6.29	22.5	24.7	0.53	30.7	7.7	0.04	0.05	0.05	0.7	72	114
WARDH00075	435	436	1	0.001	0.06	0.2	0.03	72.7	46.3	2.14	45.9	8.2	0.57	6.4	16.1	0.03	0.05	0.05	0.3	29	141.7
WARDH00075	436	436.8	0.8	0.001	0.03	0.2	0.03	74.3	63.2	2.39	46.1	9.1	0.48	7.9	19.7	0.03	0.05	0.05	0.2	34	146.5
WARDH00075	436.8	438	1.2	0.001	0.03	0.2	0.14	25.9	12.1	7.35	11.6	23	1.98	45.6	7.2	0.01	0.07	0.05	0.6	65	91.9
WARDH00075	438	439	1	0.001	0.06	0.4	0.14	24.7	71.7	7.49	10.8	18.6	0.96	50.5	5.7	0.04	0.1	0.05	0.5	82	90.5
WARDH00075	439	440	1	0.001	0.02	0.2	0.12	22.4	58.8	7.38	9.3	19.8	1.5	57.4	4.1	0.02	0.05	0.05	4.7	88	84.4
WARDH00075	440	441	1	0.001	0.05	0.2	0.1	23.9	47.2	7.81	10.1	21.6	0.55	81.1	3.4	0.02	0.05	0.05	0.6	90	87.1
WARDH00075	441	442	1	0.001	0.05	0.2	0.09	27.7	43.3	7.49	12.6	19.4	0.29	51.7	3.7	0.02	0.06	0.05	0.8	89	92.6
WARDH00075	442	443	1	0.001	0.04	0.2	0.11	23	97.2	8.57	9.9	18.6	1.64	51.5	4.8	0.06	0.06	0.05	0.7	72	85.7
WARDH00075	443	444	1	0.001	0.03	0.2	0.07	23.6	58	8.35	9.7	11.9	0.27	48.2	3.3	0.05	0.08	0.05	0.6	49	89.2
WARDH00075	444	444.3	0.3	0.001	0.06	0.2	0.09	27.4	106.5	7.82	12	10.1	0.42	51.1	4.6	0.15	0.06	0.05	0.5	36	94.5
WARDH00075	444.3	444.6	0.3	0.002	0.07	0.2	0.09	24	104	8.01	10.6	9.6	0.85	55.2	8	0.04	0.07	0.05	0.4	82	88.5
WARDH00075	444.6	445.7	1.1	0.002	0.08	0.2	0.14	31.2	192	9.61	14.4	10.6	0.72	84	7.7	0.17	0.06	0.05	0.4	128	100.8
WARDH00075	445.7	446.8	1.1	0.001	0.03	0.2	0.1	18.7	47.8	7.11	8.3	9	0.44	167.5	10.2	0.02	0.06	0.05	0.6	148	77.2
WARDH00075	446.8	447.38	0.58	0.001	0.02	0.2	0.43	15.15	54.2	5.95	6.8	4.4	1.42	180.5	7.5	0.04	0.1	0.05	0.9	124	59.85
WARDH00075	447.38	448	0.62	0.001	0.02	0.2	0.19	26	11.2	6.57	12	11.2	1.31	123	6.5	0.01	0.08	0.05	1	93	86.4
WARDH00075	448	449	1	0.001	0.02	0.2	0.14	52.4	13.7	5.4	31.8	10.4	0.52	80.8	8.2	0.03	0.09	0.05	0.9	70	125.4
WARDH00075	449	450	1	0.001	0.02	0.2	0.13	21.2	47	4.81	9.3	5.5	0.29	83.5	4.9	0.01	0.09	0.05	0.9	61	80.4
WARDH00075	450	451	1	0.001	0.04	0.2	0.06	31.9	44	3.57	16.6	6.3	0.23	53.8	6.9	0.02	0.05	0.05	0.7	53	82.1
WARDH00075	451	451.5	0.5	0.001	0.03	0.3	0.1	56.9	34.1	2.47	34.5	8.7	0.37	13.5	11.1	0.05	0.07	0.05	0.4	37	112.3
WARDH00075	451.5	452.5	1	0.001	0.03	0.2	0.07	18.6	9.2	3.49	7.5	6	0.19	63.6	4.1	0.01	0.12	0.05	0.4	56	73.1
WARDH00075	452.5	453.35	0.85	0.001	0.01	0.2	0.11	22.2	8.1	3.51	8.5	9.3	0.37	48.4	5.4	0.01	0.13	0.05	1.4	56	80.4
WARDH00075	453.35	454.4	1.05	0.001	0.02	0.2	0.08	57.8	40.9	3.54	32.5	10.5	0.14	11	9.9	0.07	0.05	0.05	3.4	42	122.9
WARDH00075	454.4	455.5	1.1	0.001	0.02	0.2	0.37	13.85	19.8	4.75	5.4	6.8	0.32	51.3	5.1	0.01	0.14	0.05	7	71	63.65
WARDH00075	455.5	456.7	1.2	0.001	0.05	0.3	0.11	8.18	105.5	8.18	3.7	9.2	0.96	145	3.6	0.03	0.07	0.05	0.4	84	66.88
WARDH00075	456.7	457.5	0.8	0.001	0.06	0.2	0.05	57	107.5	2.68	34.3	9.4	0.28	13.2	14.8	0.07	0.05	0.05	0.5	41	113.1
WARDH00075	457.5	458.5	1	0.001	0.03	0.2	0.05	56.7	20.7	3.04	33.3	10.9	0.14	13.1	15.1	0.03	0.05	0.05	0.2	48	114.7
WARDH00075	458.5	459.48	0.98	0.001	0.04	0.2	0.04	37.9	39.5	3.48	21.7	10.6	0.17	34.9	14	0.04	0.05	0.05	0.3	49	90.4
WARDH00075	459.48	460	0.52	0.001	0.04	0.2	0.13	7.09	56	6.25	3.3	8.8	0.26	132	8.9	0.04	0.05	0.05	0.2	70	55.29
WARDH00075	460	461.17	1.17	0.001	0.04	0.2	0.16	6.6	85.7	8.03	2.8	18.8	0.42	228	7.5	0.04	0.06	0.05	0.3	93	60.1
WARDH00075	461.17	462	0.83	0.001	0.05	0.2	0.04	33.3	13	1.76	19.7	4.5	1.99	16.6	13.2	0.02	0.05	0.05	0.6	22	81.3
WARDH00075	462	462.54	0.54	0.001	0.04	0.2	0.04	29.1	22	2.32	17.2	7.2	1.1	23.5	16.7	0.04	0.05	0.05	0.5	38	71
WARDH00075	462.54	463	0.46	0.002	0.04	0.2	0.13	11.3	72.4	6.12	5.9	14.8	3.61	138	7.1	0.04	0.05	0.05	0.5	76	60.7
WARDH00075	463	464	1	0.001	0.08	0.2	0.22	10.15	52.9	7.26	5.5	16.9	3.87	170.5	14.4	0.04	0.05	0.05	0.6	215	67.35
WARDH00075	464	465	1	0.001	0.06	0.2	0.15	4.89	121	7.89	1.9	15.4	7.79	199	4	0.05	0.07	0.06	0.2	71	57.29
WARDH00075	465	466	1	0.001	0.08	0.2	0.1	4.42	126.5	7.85	1.8	13.6	3.32	197.5	2.9	0.06	0.06	0.05	0.3	72	57.72
WARDH00075	466	467	1	0.001	0.06	0.2	0.15	4.95	102	7.59	1.9	14.8	0.33	205	3.1	0.03	0.08	0.05	0.3	73	56.15
WARDH00075	467	468	1	0.001	0.06	0.2	0.17	7.11	70.4	6.94	3.4	18.8	5.61	186.5	4.7	0.04	0.06	0.05	0.6	78	53.91
WARDH00075	468	469	1	0.001	0.08	0.3	0.2	3.96	112.5	7.22	1.6	25.9	0.23	233	3.5	0.02	0.06	0.05	0.5	70	47.36
WARDH00075	469	470	1	0.001	0.08	0.2	0.15	4.51	138	7.11	1.8	15	0.48	229	3	0.03	0.09	0.05	0.2	64	51.81
WARDH00075	470	471	1	0.003	0.06	0.2	0.15	4.8	145	6.99	1.9	16.2	0.16	234	2.1	0.03	0.06	0.08	0.2	68	53.3
WARDH00075	471	471.85	0.85	0.002	0.08	0.2	0.13	3.96	164	7.26	1.8	23.9	0.3	243	10.8	0.03	0.06	0.05	0.2	77	47.16
WARDH00075				0.002	0.11	0.3	0.18	3.87	166.5	7.26	1.7	23.1	0.14	247	8.7	0.03	0.08	0.05	0.2	70	49.17
WARDH00075	471.85	472.4	0.55	0.002	0.05	0.2	0.04	26	26.1	1.2	13.8	2.7	3.38	21.2	12.5	0.02	0.06	0.05	0.6	15	59.4
WARDH00075	472.4	473.5	1.1	0.002	0.09	0.2	0.24	3.92	199.5	7.33	1.6	20.6	0.43	237	2.9	0.04	0.05	0.05	0.3	66	49.02
WARDH00075	473.5	474.3	0.8	0.001	0.06	0.2	0.19	22.5	129.5	6.61	9.7	17.6	0.9	163	7.2	0.08	0.06	0.05	0.3	62	78.6
WARDH00075	474.3	475	0.7	0.001	0.22	0.2	0.02	27.2	6.2	0.83	14.8	0.6	1.97	5.6	43.3	0.01	0.05	0.05	0.2	12	58.6
WARDH00075	475	475.91	0.91	0.001	0.03	0.2	0.03	25.9	20	1.12	13.2	2.2	2.68	5.1	28.5	0.04	0.05	0.05	0.3	19	64
WARDH00075	475.91	477	1.09	0.001	0.02	0.2	0.05	29.8	21.2	1.98	15.3	5.8	0.18	16	14.2	0.03	0.05	0.05	0.4	40	63.6
WARDH00075	477	478	1	0.001	0.02	0.2	0.01	26	7.4	1.01	14.3	1.9	0.18	1.8	10.6	0.01	0.05	0.05	0.2	18	46.4
WARDH00075	478	478.67	0.67	0.001	0.05	0.2	0.09	25.9	58.3	3.22	12.9	13.2	0.2	54	14.2	0.04	0.05	0.05	0.3	46	61.5
WARDH00075	478.67	479	0.33	0.001	0.08	0.2	0.23	3.39	126	6.62	1.3	21.6	0.36	212	4.2	0.04	0.08	0.05	0.1	66	49.09
WARDH00075	479	480	1	0.003	0.12	0.4	0.15	3.31	119.5	6.57	1.2	13.6	0.31								

Site ID	depth from	depth to	length	Au ppm	Ag ppm	As ppm	Bi ppm	Ce ppm	Cu ppm	Fe %	La ppm	Li ppm	Mo ppm	Ni ppm	Pb ppm	S %	Sb ppm	Te ppm	W ppm	Zn ppm	REE Yt Sc Nb
WARDH00075	483	484	1	0.002	0.05	0.2	0.21	5.06	41.8	6.1	2.2	16	0.77	200	4.6	0.02	0.05	0.05	0.2	83	55.26
WARDH00075	484	485	1	0.002	0.07	0.2	0.18	3.21	79.2	6.26	1.3	16.2	3.83	199.5	4	0.02	0.05	0.05	0.1	99	50.91
WARDH00075	485	486	1	0.002	0.09	0.2	0.16	4.08	63	6.03	1.6	16.3	8.67	199.5	3.1	0.01	0.05	0.05	0.1	64	49.58
WARDH00075	486	487	1	0.003	0.07	0.2	0.09	3.67	119	6.15	1.4	16.3	0.23	220	2	0.03	0.05	0.05	0.1	55	47.77
WARDH00075	487	488	1	0.004	0.09	0.2	0.12	2.96	144.5	5.35	1.2	14.8	1.69	161	2.3	0.07	0.07	0.05	0.2	51	41.86
WARDH00075	488	489	1	0.002	0.07	0.2	0.1	3.13	106	6.16	1.2	17.9	1.12	192.5	2.6	0.05	0.07	0.05	0.1	61	47.43
WARDH00075	489	490	1	0.003	0.06	0.2	0.15	3.17	62.6	5.94	1.2	14.4	0.38	175	3.2	0.03	0.12	0.05	0.2	77	45.37
WARDH00075	490	490.46	0.46	0.003	0.11	0.2	0.22	3.24	112	6.47	1.2	16.6	0.23	192.5	4.7	0.04	0.08	0.06	0.1	76	46.84
WARDH00075	490.46	491.3	0.84	0.001	0.02	0.2	0.12	23.9	7.5	1.28	12.3	2.8	0.94	22.2	9.9	0.01	0.08	0.05	0.3	19	57.3
WARDH00075	491.3	492.3	1	0.001	0.1	0.2	0.21	5.68	84.9	6.25	2.4	13.2	0.84	176.5	4.5	0.02	0.06	0.05	0.3	68	59.28
WARDH00075	492.3	493	0.7	0.002	0.07	0.2	0.05	15.4	48.6	1.02	9.1	1.1	0.5	6.1	39.9	0.06	0.06	0.05	22.9	14	46.8
WARDH00075	493	494	1	0.001	0.03	0.2	0.11	9.6	54.2	3.27	5	4.4	0.34	80.5	19	0.02	0.05	0.05	0.3	39	49.3
WARDH00075	494	495	1	0.002	0.07	0.2	0.15	5.26	144	6.35	2.2	7.6	0.32	158	2.9	0.04	0.05	0.05	0.3	58	60.06
WARDH00075	495	496	1	0.003	0.07	0.2	0.16	5.94	107	5.95	2.8	8.4	0.22	111.5	3.8	0.02	0.05	0.05	0.6	55	58.84
WARDH00075	496	496.5	0.5	0.002	0.1	0.2	0.16	21.8	121	4.92	11.8	8.6	0.71	81.3	9.8	0.05	0.41	0.05	0.3	52	76.3
WARDH00075	496.5	497	0.5	0.001	0.05	0.2	0.13	56.6	94	2.48	33.5	8.2	0.29	11	14.4	0.11	0.1	0.05	0.5	36	112.3
WARDH00075	497	497.95	0.95	0.001	0.02	0.2	0.1	49.8	65.7	3.08	29.8	9.8	0.33	25.7	14.6	0.03	0.05	0.05	0.9	42	104.9
WARDH00075	497.95	499	1.05	0.001	0.07	0.2	0.23	14.1	121	5.89	8.3	9.1	0.3	91.8	4.1	0.05	0.05	0.05	0.1	59	71.7
WARDH00075	499	500	1	0.001	0.07	0.2	0.13	16.35	108.5	5.87	9.8	7.7	0.18	90.8	4	0.04	0.05	0.05	0.1	59	75.35
WARDH00075	500	501	1	0.001	0.08	0.2	0.15	3.97	112	6.54	1.6	7.2	0.57	101	2.9	0.03	0.05	0.05	0.2	64	59.57
WARDH00075	501	501.97	0.97	0.002	0.1	0.2	0.14	3.79	127	6.46	1.5	6.7	0.15	99.2	3.4	0.04	0.05	0.05	0.1	58	58.09
WARDH00075	501.97	502.55	0.58	0.001	0.04	0.2	0.1	14.5	36.6	2.41	7.9	1.6	0.39	29.2	31.6	0.03	0.05	0.05	0.2	29	49.6
WARDH00075	502.55	503	0.45	0.001	0.09	0.3	0.15	4.14	118	6.73	1.6	3.7	1	97.3	3.9	0.05	0.05	0.05	0.1	68	58.24
WARDH00075	503	504	1	0.001	0.12	0.2	0.24	4.6	130	6.42	1.9	11.6	2.53	98.8	4.3	0.04	0.05	0.05	0.2	64	62.7
WARDH00075	504	505	1	0.001	0.06	0.3	0.21	15.25	75.7	4.93	7.9	9.9	2.49	66.9	21.1	0.05	0.05	0.05	0.2	60	78.35
WARDH00075	505	506	1	0.001	0.03	0.2	0.03	19.4	13.6	0.7	11.2	2.6	0.29	1.2	58.2	0.03	0.05	0.05	0.2	13	53.4
WARDH00075	506	506.5	0.5	0.001	0.04	0.2	0.09	9.36	32	2.3	5.2	6.7	21.4	27.9	61.1	0.02	0.05	0.05	0.5	45	49.96
WARDH00075	506.5	507.6	1.1	0.015	0.08	0.2	0.3	4.02	112	6.33	1.6	7.8	53.6	91.6	3.6	0.04	0.05	0.06	0.3	69	57.02
WARDH00075	507.6	508.7	1.1	0.005	0.09	0.2	0.19	6.45	119.5	6.65	2.9	7.9	0.57	89.9	3.5	0.05	0.05	0.05	0.3	68	64.95
WARDH00075	508.7	509.1	0.4	0.003	0.08	0.3	0.12	17.95	109.5	3.71	9.8	6.6	0.63	44.6	8.1	0.06	0.11	0.05	0.5	44	56.85
WARDH00075	509.1	510	0.9	0.006	0.04	0.3	0.29	3.73	64.4	6.71	1.4	7.2	0.36	85.6	2.9	0.01	0.05	0.05	0.7	78	55.93
WARDH00075	510	511	1	0.006	0.08	0.2	0.43	13.85	120	6.36	7.8	8	5.05	81.1	4.7	0.07	0.05	0.13	0.4	72	76.25
WARDH00075	511	512	1	0.009	0.14	0.2	0.5	7.44	174	7.5	3.7	9.4	0.86	72.8	4.1	0.17	0.07	0.11	0.5	78	73.54
WARDH00075	512	513	1	0.005	0.1	0.2	0.51	4.9	159	8.29	1.8	9.5	0.9	100	2.6	0.07	0.05	0.1	0.4	86	72
WARDH00075	513	514	1	0.008	0.07	0.2	0.62	5.1	150.5	7.94	1.9	9.5	0.95	96.4	2.2	0.04	0.05	0.14	0.5	84	68.4
WARDH00075	514	514.7	0.7	0.069	0.07	0.2	0.81	5.76	157	7.42	2.8	8.4	2.3	93.9	2	0.05	0.05	0.36	0.4	81	69.96
WARDH00075	514.7	515	0.3	0.002	0.02	0.2	0.14	82.7	79.7	2.58	55.3	11.4	0.21	12.2	12.6	0.04	0.05	0.05	0.6	28	165.3
WARDH00075	515	516	1	0.001	0.02	0.2	0.07	87.3	32.9	2.2	60.2	10.7	0.2	7.9	14.8	0.05	0.05	0.05	0.3	30	170.9
WARDH00075	516	517	1	0.001	0.04	0.2	0.06	83.2	25.2	2.3	54.8	10.9	0.5	9.8	16.8	0.03	0.24	0.05	0.3	40	160.4
WARDH00075	517	518	1	0.001	0.03	0.3	0.06	93.5	16.4	2.23	62	10.6	0.35	8	13.8	0.03	0.05	0.05	0.4	37	177.5
WARDH00075	518	518.9	0.9	0.001	0.05	0.2	0.14	66.4	65	4.45	42.9	10.1	0.3	18.4	11.1	0.08	0.06	0.05	0.6	39	144.9
WARDH00075	518.9	520	1.1	0.001	0.08	0.4	0.33	7.05	185	9.16	2.9	8.3	0.81	65.3	3.8	0.19	0.08	0.05	0.5	78	74.55
WARDH00075	520	521	1	0.001	0.04	0.2	0.21	6.26	85.7	7.38	2.6	9	0.29	85.3	2.6	0.04	0.1	0.05	0.4	66	63.96
WARDH00075	521	522	1	0.001	0.04	0.2	0.13	6.39	77.3	7.2	2.6	8.4	0.31	84.8	1.5	0.04	0.12	0.05	0.4	64	68.19
WARDH00075	522	522.53	0.53	0.001	0.1	0.4	0.51	7.35	164	8.21	3	10.7	1.65	83.4	3	0.13	0.22	0.09	1.1	68	70.25
WARDH00075	522.53	523.02	0.49	0.001	0.06	0.6	1.24	8.75	221	7.04	3.8	6.8	2.69	82.3	5.2	0.06	0.25	0.06	1.9	58	74.15
WARDH00075				0.001	0.06	1	1.4	8.58	170.5	7.06	3.9	5.8	1.74	80.1	5.4	0.07	0.26	0.05	2.1	58	73.08
WARDH00075	523.02	524	0.98	0.001	0.1	0.2	0.58	5.44	173	7.44	2.1	11.8	3.54	90	2.8	0.05	0.14	0.15	101	72	64.74
WARDH00075	524	525	1	0.001	0.09	0.2	0.36	4.44	121.5	7.11	1.7	8.4	1.3	92.8	2.4	0.04	0.08	0.06	1.1	65	60.74
WARDH00075	525	526	1	0.002	0.12	0.2	0.47	4.74	111	7.13	1.8	8.1	2.38	98.2	3.2	0.07	0.08	0.05	2.1	72	62.84
WARDH00075	526	527	1	0.001	0.12	0.3	0.71	4.46	151	7.26	1.8	10.2	1.61	114.5	2.4	0.17	0.07	0.05	0.8	71	64.06
WARDH00075	527	528	1	0.001	0.13	0.2	0.37	4.6	124.5	7.29	1.7	6.9	1.62	107	2.9	0.05	0.1	0.05	1.9	62	68.1
WARDH00075	528	528.81	0.81	0.001	0.07	0.2	1.6	4.61	99.8	7.09	1.8	6.6	10.6	103.5	5.3	0.03	0.14	0.31	1.2	76	65.71
WARDH00075	528.81	529.38	0.57	0.002	0.03	0.3	0.18	19.15	41.6	1.05	12.2	2.4	4.23	9.3	17.4	0.02	0.05	0.05	1.1	6	59.55
WARDH00075	529.38	530	0.62	0.002	0.05	0.5	0.37	6.48	41.7	6.23	2.7	8.1	1.42	90.2	4.1	0.04	0.05	0.05	1.6	64	66.98
WARDH00075	530	531	1	0.002	0.07	0.3	0.4	6.83	119	7.02	3.1	10	0.71	94.4	1.6	0.04	0.09	0.05	1.6	60	66.13
WARDH00075	531	532	1	0.002	0.29	0.2	0.11	3.95	94.1	7	1.6	9.8	0.79	106	2.8	0.05	0.19	0.05	0.7	60	60.25
WARDH00075	532	533	1	0.002	0.03	0.2	0.21	5.55	97	7.42	2.1	8.9	1.98	103.5	2.8	0.04	0.07	0.05	0.6	77	70.35
WARDH00075	533	534	1	0.001	0.15	0.2	0.44	10.35	260	8.63	4.6	10	2.45	77.9	2.5	0.12	0.08	0.05	1.5	72	85.45
WARDH00075	534	535	1	0.001	0.05	0.2	0.2	9.24	147	11.2	3.6	10.3	0.4	44.8	1	0.12	0.19	0.05	1.7	94	89.34
WARDH00075	535	536	1	0.001	0.06	0.2	0.3	12.25	204	11.85	4.7	10.1	1.06	40	1	0.16	0.2	0.05	1.2	105	104.05
WARDH00075	5																				

Site ID	depth from	depth to	length	Au ppm	Ag ppm	As ppm	Bi ppm	Ce ppm	Cu ppm	Fe %	La ppm	Li ppm	Mo ppm	Ni ppm	Pb ppm	S %	Sb ppm	Te ppm	W ppm	Zn ppm	REE Yt Sc Nb
WARDH00075	539	540	1	0.003	0.12	0.3	0.22	9.73	285	11.35	3.6	10.4	1.09	39.7	1.6	0.11	0.09	0.05	0.9	95	87.13
WARDH00075	540	541	1	0.001	0.09	0.2	0.86	9.99	186	10.05	4	11	4.41	43.1	2.9	0.26	0.13	0.05	0.9	83	85.09
WARDH00075	541	542	1	0.001	0.06	0.5	2.15	8.92	137.5	8.52	3.6	16.2	8.35	46.3	6	0.18	0.16	0.05	2	79	77.32
WARDH00075	542	543	1	0.001	0.02	0.2	1.43	6.1	24.1	8.04	2.3	13.2	6.62	78.3	6.3	0.01	0.13	0.05	1.3	89	72
WARDH00075	543	544	1	0.001	0.06	0.2	0.34	5.34	73.9	7.47	2	7.7	2.44	88.7	3.6	0.06	0.07	0.05	0.6	86	67.14
WARDH00075	544	544.3	0.3	0.001	0.04	0.2	0.19	7.1	78.4	7.41	3.1	6.6	10.65	93.3	3.5	0.04	0.05	0.05	0.3	78	70.5
WARDH00075	544.3	544.95	0.65	0.002	0.12	0.2	0.28	3.98	320	2.99	1.9	4.3	0.55	42.5	2.2	0.21	0.05	0.05	1.4	35	27.08
WARDH00075	544.95	546	1.05	0.002	0.07	0.2	0.34	5.06	103.5	7.31	2	9.2	3.09	90.3	2.9	0.06	0.05	0.05	0.6	78	66.36
WARDH00075	546	546.97	0.97	0.002	0.04	0.2	0.38	15.9	77.2	6.41	8.7	10.2	1.96	85.5	4.9	0.05	0.05	0.05	0.4	69	77.3
WARDH00075	546.97	548.15	1.18	0.001	0.02	0.2	0.26	41.7	27.8	5.96	23.8	11.2	0.5	39.5	7.5	0.03	0.05	0.05	0.4	51	111
WARDH00075	548.15	549.2	1.05	0.001	0.03	0.2	0.52	34.2	31.2	5.87	18	7.7	0.53	48.2	5.5	0.04	0.08	0.05	23.4	43	101.7
WARDH00075	549.2	550.4	1.2	0.002	0.07	0.3	0.32	14.45	167	6.86	7.5	7.7	0.76	117	4.6	0.11	0.07	0.05	1.5	65	80.65
WARDH00075	550.4	551	0.6	0.002	0.07	0.2	0.11	84.8	187	2.13	55.9	7.7	0.17	8.7	14.8	0.08	0.05	0.05	0.6	27	163.5
WARDH00075	551	552	1	0.001	0.03	0.2	0.09	38	52.4	1.43	23.5	5.4	0.95	4.7	6.7	0.06	0.05	0.05	0.6	16	72.1
WARDH00075	552	553	1	0.001	0.02	0.2	0.09	24.9	28.8	1.23	13.9	3.9	0.11	3.2	6.7	0.04	0.05	0.05	5.4	14	46.1
WARDH00075	553	554	1	0.001	0.01	0.2	0.09	24.2	10.2	1.38	12.8	4.4	0.14	4.3	8.1	0.03	0.05	0.05	2.4	22	44.7
WARDH00075	554	555	1	0.001	0.02	0.3	0.08	25.1	25.8	1.15	13.7	3.8	17	2.8	8.2	0.04	0.05	0.05	0.5	17	47.7
WARDH00075	555	556	1	0.001	0.03	0.2	0.1	24.2	30.3	1.22	13.2	3.4	1.41	3.3	3.2	0.05	0.05	0.05	0.5	20	47.6
WARDH00075	556	556.89	0.89	0.003	0.02	0.2	0.25	25	41.1	1.76	13.4	5.2	0.36	6	3.1	0.09	0.05	0.05	1.1	31	48
WARDH00075	556.89	558	1.11	0.001	0.02	0.2	0.42	24.6	25.4	6.22	9.9	8	0.39	59.8	3.9	0.02	0.07	0.05	0.8	43	91.5
WARDH00075	558	559	1	0.001	0.03	0.2	0.42	30.5	87.5	7.17	14.2	10.4	0.59	66.2	3.7	0.06	0.06	0.05	0.9	108	101.4
WARDH00075	559	559.66	0.66	0.001	0.04	0.2	0.37	43.9	63.7	5.59	22.9	10.6	0.49	37.6	7	0.12	0.05	0.05	0.6	70	112.8
WARDH00075	559.66	560	0.34	0.001	0.06	0.2	0.32	38.6	149.5	2.49	21.1	6.2	0.53	9.6	11	0.16	0.05	0.05	1.3	43	82
WARDH00075	560	561	1	0.002	0.11	0.5	0.17	29.1	108	1.91	15.9	5.4	0.2	6.3	15.8	0.1	0.05	0.05	0.8	30	62.3
WARDH00075	561	562	1	0.001	0.02	0.2	0.07	26.3	212	1.35	13.9	4.6	0.22	3.7	3.7	0.06	0.05	0.05	0.5	14	48.1
WARDH00075	562	563	1	0.001	0.03	0.2	0.09	23	81.8	1.39	12.2	4.9	0.21	4.1	6.1	0.05	0.05	0.05	0.3	20	44.5
WARDH00075	563	564	1	0.001	0.13	0.2	0.05	25.4	19.6	1.29	13	4.8	0.16	2.7	8.5	0.03	0.05	0.05	0.6	23	46.3
WARDH00075	564	564.6	0.6	0.001	0.03	0.2	0.05	24.3	37.2	1.3	12.8	5	2.03	3	13.2	0.05	0.05	0.05	0.9	15	45.1
WARDH00075	564.6	565.8	1.2	0.001	0.03	0.4	0.09	28.2	75.7	1.8	15.4	5.3	0.76	2.4	21.4	0.19	0.05	0.05	3.7	15	77
WARDH00075	565.8	566.9	1.1	0.001	0.05	0.2	0.13	62.4	114	3.55	31.4	14.2	1.78	2	6.6	0.25	0.05	0.05	0.4	39	158.4
WARDH00075	566.9	567.3	0.4	0.002	0.13	0.2	0.32	61.4	431	4.78	30.8	16.4	1.73	2.8	4.1	0.33	0.05	0.05	9.4	48	162.5
WARDH00075	567.3	568	0.7	0.001	0.08	0.3	0.26	57.5	236	5.37	29.1	19.2	1.5	9.2	4.4	0.4	0.05	0.05	0.8	87	159.3
WARDH00075	568	569	1	0.001	0.15	0.2	0.22	65.9	317	3.92	31.8	16.6	1.01	2.4	4	0.41	0.05	0.06	0.5	51	169.2
WARDH00075	569	570	1	0.002	0.05	0.2	0.17	23.8	160	9.74	9.6	10.1	0.66	62.7	2.6	0.26	0.05	0.05	1.4	118	108.9
WARDH00075	570	571	1	0.001	0.03	0.2	0.06	16.65	132	10	6.5	7.6	0.31	58.9	1.5	0.13	0.05	0.05	0.5	99	99.35
WARDH00075	571	572	1	0.001	0.04	0.4	0.17	15.75	137.5	10	6.2	8.4	0.28	61.2	1.9	0.2	0.05	0.05	0.3	194	97.05
WARDH00075	572	573	1	0.002	0.05	0.4	0.25	15.65	174	10.25	6	9.1	0.32	63.8	2	0.28	0.12	0.05	0.3	141	96.25
WARDH00075	573	574	1	0.003	0.04	0.4	0.04	16.05	133	9.87	6.3	7.2	0.27	62.1	1.7	0.11	0.05	0.05	0.2	105	98.85
WARDH00075	574	575	1	0.003	0.04	0.2	0.05	15.45	135	10.2	6.4	7.9	0.24	64.7	1.7	0.13	0.05	0.05	0.2	101	100.65
WARDH00075	575	576	1	0.001	0.04	0.3	0.07	16.1	135.5	10.05	6.4	7.8	0.38	64.6	1.8	0.13	0.05	0.05	0.3	108	100.9
WARDH00075	576	577	1	0.001	0.04	0.3	0.05	15.35	131.5	9.8	6.1	7.6	0.27	62.4	1.7	0.12	0.05	0.05	0.2	96	97.55
WARDH00075	577	578	1	0.001	0.05	0.2	0.07	15.05	150	9.86	6.2	7.8	0.4	63.4	2.3	0.14	0.08	0.05	0.2	104	97.65
WARDH00075	578	579	1	0.002	0.04	0.5	0.03	16.35	135.5	10.15	6.6	7.8	0.27	62.7	1.8	0.13	0.05	0.05	0.4	102	101.95
WARDH00075	579	580	1	0.002	0.03	0.4	0.04	16.8	133	9.79	6.3	10.6	0.22	64.2	1.8	0.13	0.05	0.05	0.3	96	100.7
WARDH00075	580	581	1	0.002	0.04	0.3	0.13	16.1	146	10.05	6.3	18.3	0.26	63.9	2.5	0.22	0.05	0.05	0.5	105	99.7
WARDH00075	581	582	1	0.002	0.05	0.2	0.03	15	130.5	10.05	5.9	14.6	0.24	62.7	2.6	0.12	0.05	0.05	0.3	104	95.4
WARDH00075	582	582.37	0.37	0.003	0.06	0.3	0.41	16.65	183.5	10.8	6.7	19.3	0.26	66	2.9	0.37	0.05	0.05	0.7	155	104.75
WARDH00075	582.37	583	0.63	0.001	0.11	0.3	0.24	14.4	147.5	10.1	6	17.2	0.26	57.2	2.6	0.36	0.05	0.05	1.1	155	92.1
WARDH00075	583	583.67	0.67	0.002	0.04	0.2	0.09	25.1	129.5	7.87	10	17	0.53	46.3	4.2	0.15	0.05	0.05	0.9	105	112.4
WARDH00075	583.67	584.1	0.43	0.002	0.05	0.2	0.26	45.5	80.7	3.97	20.9	16.7	0.94	10.1	7.2	0.2	0.05	0.05	0.6	75	145.9
WARDH00075	584.1	585	0.9	0.006	0.09	0.2	0.68	51.8	349	4.31	25.7	20.2	1.11	5.5	3.9	0.31	0.05	0.05	0.7	53	136.8
WARDH00075	585	586	1	0.001	0.05	0.4	0.23	68.2	114	4.36	35	22.4	1.6	16.7	5	0.27	0.23	0.05	1.1	44	181.8
WARDH00075	586	587	1	0.002	0.05	0.2	0.3	61.5	190	4.03	31.2	23.5	2.99	4.6	3.9	0.48	0.1	0.05	1.2	34	169.6
WARDH00075	587	588	1	0.001	0.07	0.3	0.35	59.6	319	3.47	29.5	19.8	2	2.6	4.7	0.54	0.05	0.05	0.8	32	157.1
WARDH00075	588	588.4	0.4	0.002	0.07	0.2	0.29	49.2	329	3.07	23.5	16.1	1.12	14.2	5.4	0.32	0.05	0.05	1.2	33	144
WARDH00075	588.4	589	0.6	0.045	0.05	0.4	1	49.7	181.5	2.26	24.5	12.5	0.68	1.9	8.3	0.45	0.05	0.06	3	20	142.9
WARDH00075	589	589.64	0.64	0.002	0.04	0.3	0.39	61	116	4.45	36.3	16.4	0.92	34.3	5.1	0.24	0.05	0.05	0.8	48	159.7
WARDH00075	589.64	589.99	0.35	0.002	0.04	0.2	0.39	26.5	137	8.12	13.3	19.1	0.52	120.5	2.7	0.14	0.06	0.05	0.5	74	116.9
WARDH00075	589.99	591	1.01	0.002	0.03	0.7	1.37	27.8	51.5	5.97	15.1	8.9	0.63	29.1	3.7	0.09	0.09	0.05	0.8	71	117
WARDH00075	591	591.7	0.7	0.001	0.02	0.4	1.04	22.2	34.5	5.81	11.4	6.7	0.6	28.3	3.9	0.06	0.09	0.05	1.1	53	105.7
WARDH00075	591.7	592.5	0.8	0.002	0.06	0.4	0.37	24.9	128	7.63	11.2	22.3	0.84	120.5	3.9	0.11	0.				

Site ID	depth from	depth to	length	Au ppm	Ag ppm	As ppm	Bi ppm	Ce ppm	Cu ppm	Fe %	La ppm	Li ppm	Mo ppm	Ni ppm	Pb ppm	S %	Sb ppm	Te ppm	W ppm	Zn ppm	REE Yt Sc Nb
WARDH00075	595	596	1	0.003	0.05	0.2	0.09	14.7	154.5	8.21	5.7	22.8	0.3	136.5	1.1	0.08	0.05	0.05	0.2	84	88.8
WARDH00075	596	597	1	0.003	0.05	0.2	0.04	15.1	142	8.18	5.8	24.2	0.6	136	1.1	0.08	0.05	0.05	0.2	80	91.3
WARDH00075	597	598	1	0.003	0.04	0.2	0.05	16.85	149	8.44	6.3	21.4	0.35	135.5	1.2	0.08	0.05	0.05	0.3	100	93.65
WARDH00075	598	599	1	0.003	0.05	0.2	0.05	14.9	131	7.63	5.7	21.1	0.42	141	1.3	0.11	0.05	0.05	0.2	82	85.7
WARDH00075	638	639	1	0.002	0.05	0.2	0.02	22.5	164.5	8.85	8.6	21.3	0.41	94.2	1.4	0.07	0.05	0.05	0.2	82	104.4
WARDH00075	639	640	1	0.003	0.04	0.2	0.03	15.05	146	8.33	5.9	22.7	0.27	125	1.4	0.05	0.05	0.05	0.1	86	88.95
WARDH00075	640	641	1	0.002	0.03	0.2	0.02	14.8	131	7.76	5.7	22.6	0.29	128	1.2	0.05	0.05	0.05	0.1	81	88.3
WARDH00075	641	642	1	0.002	0.03	0.2	0.02	14.35	142	7.84	5.6	21.1	0.3	121	1.2	0.06	0.05	0.05	0.1	83	86.95
WARDH00075	642	643.03	1.03	0.002	0.07	0.2	0.02	20.8	246	9.76	7.9	21.7	0.5	65.5	1.5	0.11	0.05	0.05	0.3	92	103.1