

# Further high-priority gold and base metal targets identified at Yalgoo Project

17 April 2025



## HIGHLIGHTS

- Further high-priority gold and base metal targets identified at the Mt Kersey and Central Block Prospects
- Strong multi-element geochemical soil anomaly at Mt Kersey Prospect over 2km
- High-grade rock chip results at Mt Kersey from litho-geochemical sampling include 26.4 g/t Au and 14.2 g/t Au
- Regional structural interpretation completed over the entire Yalgoo Project area
- Detailed litho-structural study completed over previously completed drone magnetic survey area
- Gold assay results from recent RC drilling at Wadgingarra area pending

Premier1 Lithium Limited (ASX:PLC) (“Premier1” or the “Company”) is pleased to announce the identification of multiple new high-priority targets at its Yalgoo Project, following the completion of a regional structural interpretation and detailed litho-structural study. The study integrated high-resolution drone magnetic geophysics, ground mapping and multi-element geochemistry from soils and rock chip sampling across key targets.

The Yalgoo-Singleton Greenstone belt remains underexplored, with limited structural understanding in the northern regions. This study, completed in conjunction with Marcus Willson of Outcrop Exploration Services, represents a significant step forward to understanding the prospectivity of the belt including Premier1’s Yalgoo Project area.

### Managing Director Jason Froud commented:

*“We are extremely encouraged by the results of this comprehensive litho-structural study, which has significantly enhanced our understanding of the Yalgoo Project’s mineral potential. The identification of further high-priority targets across Mt Kersey and the Central Block is another major step forward in our exploration strategy. These findings support our view that the Yalgoo region remains underexplored and highly prospective for gold and base metals and we have only just scratched the surface. We look forward to advancing these targets in the near term.”*

### Litho-structural study

The study was completed across the entire Yalgoo Project area in collaboration with Marcus Willson (Outcrop Exploration Services), an expert in Archaean lode/orogenic gold, regolith interpretation and geochemistry across Western Australia’s Archaean terrains.

The regional structural study incorporated a broad range of datasets including regional airborne magnetic surveys recently released by GSWA, Premier1’s high-resolution drone magnetic survey data, regional geochemical datasets and existing and historical data compiled by the Company (Figure 1).






Figure 1: Regional structural interpretation over reprocessed regional magnetic geophysical data (RTP TMI) with location of the new high-priority Prospects

A detailed geological and structural interpretation of the area covered by the drone magnetic survey was completed at a higher resolution and utilised all geochemical and structural data from the Company's previous field activities. Importantly, this work led to the identification of several new targets, part of which were recently drill tested with assay results pending. New targets untested by the recent drilling include the Mt Kersey and Central Block prospects outside of the drone survey area.

Further work and drill planning is now underway for these two new high-priority targets with environmental and heritage approvals in progress.

### **Litho-geochemical sampling**

To better understand the geological setting and alteration across the various target areas, a detailed litho-geochemical rock chip sampling program has been completed by Premier1 over the Wadgingarra area. In addition to the multi-element results, the sampling returned anomalous gold assays at Mount Kersey and the Central Block Prospects. Results from the sampling program are summarised in Appendix 1 and include key indicator elements across the sampling areas.

### **Mount Kersey Prospect**

The Mount Kersey Prospect is located within E59/2288 (Figure 1) on a north-south trending ridge comprising quartz dolerite along with unclassified sediments, BIF/chert, dolerites, minor felsic intrusions and gabbro (Figure 2). The identification of quartz gabbros are considered important for gold mineralisation. The structural setting is complex with two interpreted deep tapping major north-south trending faults dominating the structural architecture of the area along with several younger and shallower second order structures. The target area is bounded in the north by an interpreted older, deep, east-west transform fault which also transects the Wadgingarra mining area to the west where Premier1 recently completed drill testing at several high priority targets.

A gold-in-soil anomaly and a strong and coincident gold pathfinder anomaly (Te, Bi, As, Cu, Mo and Zn) extend across the target area (Figure 2). Notably, the tellurium and bismuth anomalies continue across a strike length of over 2km with both of these elements showing a strong correlation with gold mineralisation at Yalgoo. Several historical holes have been drilled proximal and largely to the west of this area but were only drilled to approximately 40m depth and did not test the main structural and geochemical targets<sup>1</sup>. This drilling intersected minor gold and base metal anomalism, but limited assay data is available.

Furthermore, the recently completed litho-geochemical rock chip sampling program identified an area of high-grade gold including **25GGR054 (26.4 g/t Au)** and **25GGR055 (14.2 g/t Au)** adjacent to historical working (Figure 3 and Appendix 1). Further rock chip sampling is planned across the area to verify the extent of the gold mineralisation and to assist in planning drill targets for H2 2025.

---

<sup>1</sup> Premier1 Lithium Limited. ASX Announcement 26 September 2024.






Figure 2: Local geological interpretation across the Wadgingarra area






Figure 3: Mt Kersey soil geochemistry contours for Te, Bi, Cu and As (all in ppm) with recent rock chip results (Au g/t) over airborne drone magnetics (TMI RTP 1VD)



## Central Block Prospect

The Central Block Prospect is located within E59/1989, north of the historical Bourkes United mining centre (Figure 1). The prospect sits within late basin stratigraphy and is bounded by the Mougooderra Shear Zone to the east and the Wadgingarra Gabbro to the west. The target was identified by the Company using soil geochemistry and geophysics and was confirmed by the recent litho-structural study as an area highly prospective for VHMS-style mineralisation. Two geochemical trends indicative of VHMS style mineralisation have been identified (Figure 4). This includes a modest gold-in-soil anomaly, strong base metal anomalies in both soils and rock chips, and proximal pathfinder elements (As, Sb, Bi, Mo).




Figure 4: Central Block pathfinder soil geochemistry contours Sb and Mo (ppm) over airborne drone and regional magnetics (TMI RTP 1VD)

## Wadgingarra RC drilling update

The recently completed RC drilling at the Wadgingarra area was designed to target high-grade gold results obtained through Premier1's rock chip sampling, and to confirm historical mineralisation within the project area. Several of the drill tested targets have been identified through the recent litho-geochemical study including the continuation of structures that host mineralisation at the Crescent and Carlisle Prospects. First results from the drilling are pending.




Figure 5: Location of Premier1's Yalgoo and Abbotts North Projects

This release was approved by the Premier1 Lithium Board.

## ENQUIRIES

**Jason Froud**

Managing Director

**T:** +61 8 6188 8181

[info@premier1lithium.com.au](mailto:info@premier1lithium.com.au)

**Aiden Bradley**

Media & Investor Relations

**M:** +61 414 348 666

[aiden@nwrcommunications.com.au](mailto:aiden@nwrcommunications.com.au)

## ABOUT PREMIER1 LITHIUM

Premier1 Lithium (**ASX:PLC**), is focused on tapping into the potential of Western Australia's renowned mineral resources. Our strategic exploration approach in this world-class mining jurisdiction is driven by a commitment to uncover valuable resources efficiently and effectively. Our processes are driven by strict project review, capital discipline and focus on highest impact exploration opportunities within gold, copper and lithium. Our projects are situated in the heart of Western Australia's renowned greenstone belts, home to the world class mineral deposits.



## APPENDIX 1

### Rock chip assay results from litho-geochemical sampling

| Sample Number | Easting | Northing | Au (g/t) | As (ppm) | Bi (ppm) | Cu (ppm) | Mo (ppm) | Pb (ppm) | Sb (ppm) | Zn (ppm) |
|---------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 25GGR001      | 479128  | 6868479  | BDL      | 4        | BDL      | 12       | 0.4      | 1.3      | 0.4      | 5        |
| 25GGR002      | 479128  | 6868479  | BDL      | 8        | 0.1      | 82       | 0.5      | 5.9      | 2.2      | 88       |
| 25GGR003      | 479146  | 6868478  | BDL      | 14       | 0.0      | 86       | 0.1      | 16.3     | 1.1      | 80       |
| 25GGR004      | 479166  | 6868480  | BDL      | 14       | 0.0      | 95       | 0.4      | 6.5      | 1.4      | 80       |
| 25GGR005      | 479169  | 6868455  | BDL      | 31       | 0.1      | 57       | 0.4      | 69.5     | 2.7      | 77       |
| 25GGR006      | 479223  | 6868341  | BDL      | 56       | 0.1      | 537      | 0.3      | 4.4      | 2.9      | 83       |
| 25GGR007      | 479260  | 6868226  | BDL      | 2        | 0.0      | 17       | 0.4      | 10.3     | 1.6      | 35       |
| 25GGR008      | 479192  | 6868148  | BDL      | 2        | 0.1      | 26       | 1.1      | 8.8      | 1.3      | 29       |
| 25GGR009      | 479064  | 6868185  | BDL      | BDL      | BDL      | 7        | 0.3      | 0.7      | 0.5      | 1        |
| 25GGR010      | 479086  | 6868272  | BDL      | 11       | 0.1      | 350      | 0.6      | 2.6      | 1.2      | 42       |
| 25GGR011      | 479123  | 6869379  | BDL      | 9        | BDL      | 5        | 1.0      | 1.0      | 1.2      | 2        |
| 25GGR012      | 479150  | 6869376  | BDL      | 58       | BDL      | 17       | 0.8      | 8.0      | 2.7      | 5        |
| 25GGR013      | 479133  | 6869405  | BDL      | 181      | 0.1      | 38       | 1.0      | 7.0      | 1.1      | 22       |
| 25GGR014      | 479158  | 6869470  | BDL      | 3        | 0.3      | 3        | 0.9      | 13.9     | 3.4      | 2        |
| 25GGR015      | 479155  | 6869470  | BDL      | 59       | 0.4      | 52       | 1.1      | 23.9     | 4.6      | 7        |
| 25GGR016      | 479153  | 6869471  | BDL      | 2        | 0.1      | 3        | 1.3      | 2.0      | 1.8      | BDL      |
| 25GGR017      | 479145  | 6869473  | BDL      | 564      | 0.2      | 32       | 0.4      | 20.1     | 11.2     | 15       |
| 25GGR018      | 479151  | 6869489  | 0.23     | 609      | 5.4      | 66       | 1.0      | 923.6    | 7.3      | 25       |
| 25GGR019      | 479176  | 6869539  | 0.44     | 331      | 1.9      | 12       | 0.9      | 321.9    | 6.7      | 7        |
| 25GGR020      | 479200  | 6869700  | BDL      | 5        | 0.0      | 3        | 1.0      | 7.5      | 0.3      | 1        |
| 25GGR021      | 479217  | 6869887  | BDL      | 5        | 0.0      | 5        | 0.5      | 3.2      | 0.5      | 10       |
| 25GGR022      | 479199  | 6869542  | BDL      | 19       | 0.6      | 7        | 1.5      | 30.0     | 2.9      | 3        |
| 25GGR023      | 479348  | 6869402  | BDL      | 2        | BDL      | 2        | 1.1      | 4.9      | 0.3      | BDL      |
| 25GGR024      | 478981  | 6869205  | BDL      | 12       | BDL      | 16       | 0.8      | 1.6      | 1.0      | 2        |
| 25GGR025      | 477055  | 6860760  | BDL      | 5        | 0.0      | 21       | 0.3      | 3.4      | 0.2      | 10       |
| 25GGR026      | 481135  | 6870724  | BDL      | 40       | BDL      | 10       | 1.2      | 0.5      | 0.3      | 6        |
| 25GGR027      | 482415  | 6870758  | BDL      | 214      | 0.1      | 2        | 0.2      | 0.7      | 2.2      | 63       |
| 25GGR028      | 482385  | 6870800  | BDL      | 21       | 6.7      | 23       | 3.3      | 0.6      | 0.3      | 4        |
| 25GGR029      | 482274  | 6870874  | BDL      | 1,926    | 1.7      | 825      | 1.1      | 3.7      | 0.5      | 117      |
| 25GGR030      | 482273  | 6871016  | BDL      | 29       | 0.0      | 31       | 0.6      | 2.6      | 1.0      | 222      |
| 25GGR031      | 482365  | 6871024  | BDL      | 4        | BDL      | 59       | 0.4      | 3.4      | 0.4      | 88       |
| 25GGR032      | 482511  | 6870841  | BDL      | 9        | 0.0      | 7        | 0.7      | 4.3      | 0.3      | 19       |
| 25GGR033      | 482608  | 6870607  | BDL      | BDL      | BDL      | 2        | 0.5      | 3.5      | 0.2      | 34       |
| 25GGR034      | 482591  | 6870601  | BDL      | 1        | BDL      | 3        | 0.8      | 4.0      | 0.1      | 31       |
| 25GGR035      | 482010  | 6869618  | BDL      | 5        | 1.6      | 30       | 1.9      | 26.6     | 1.6      | 43       |
| 25GGR036      | 482121  | 6869729  | BDL      | 9        | 0.3      | 196      | 1.8      | 6.5      | 2.3      | 70       |
| 25GGR037      | 482279  | 6869814  | BDL      | BDL      | 0.0      | 5        | 0.2      | 3.9      | 0.7      | 13       |
| 25GGR038      | 482301  | 6869806  | BDL      | 1        | BDL      | 4        | 1.3      | 1.4      | 0.1      | 20       |
| 25GGR039      | 482382  | 6870086  | BDL      | 2        | BDL      | 4        | 0.6      | 9.8      | 0.7      | 8        |

| Sample Number | Easting | Northing | Au (g/t) | As (ppm) | Bi (ppm) | Cu (ppm) | Mo (ppm) | Pb (ppm) | Sb (ppm) | Zn (ppm) |
|---------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 25GGR040      | 482347  | 6869726  | BDL      | 1        | BDL      | 9        | 1.0      | 4.5      | 0.3      | 33       |
| 25GGR041      | 482347  | 6869727  | BDL      | 1        | 0.2      | 5        | 0.2      | 6.8      | 0.1      | 31       |
| 25GGR042      | 482347  | 6869727  | BDL      | 3        | BDL      | 29       | 2.9      | 5.4      | 0.5      | 164      |
| 25GGR043      | 482289  | 6869624  | BDL      | BDL      | BDL      | 5        | 0.6      | 1.6      | 0.4      | 24       |
| 25GGR044      | 479604  | 6869558  | BDL      | 21       | 0.1      | 11       | 0.8      | 21.1     | 8.7      | 26       |
| 25GGR045      | 479692  | 6869614  | BDL      | 23       | 0.3      | 19       | 1.3      | 23.6     | 2.7      | 31       |
| 25GGR046      | 479750  | 6869626  | BDL      | 7        | BDL      | 8        | 0.6      | 8.2      | 4.7      | 9        |
| 25GGR047      | 479720  | 6869720  | BDL      | 3        | 0.0      | 7        | 0.3      | 8.3      | 2.4      | 84       |
| 25GGR048      | 479723  | 6869800  | BDL      | 15       | 0.0      | 16       | 0.2      | 9.6      | 3.3      | 78       |
| 25GGR049      | 479746  | 6869842  | BDL      | 7        | 0.0      | 7        | 0.4      | 6.4      | 4.0      | 71       |
| 25GGR050      | 479660  | 6869872  | BDL      | 16       | 0.2      | 8        | 1.8      | 31.6     | 1.6      | 14       |
| 25GGR051      | 481615  | 6871371  | BDL      | 1        | 0.0      | 40       | 0.3      | 2.2      | 0.2      | 39       |
| 25GGR052      | 481918  | 6871387  | BDL      | 12       | 0.3      | 67       | 0.4      | 6.8      | 1.2      | 12       |
| 25GGR053      | 481932  | 6871387  | BDL      | 7        | 0.1      | 10       | 1.2      | 2.1      | 2.5      | 30       |
| 25GGR054      | 482148  | 6871069  | 14.17    | 10,100   | 2.8      | 432      | 6.3      | 10.4     | 37.7     | 312      |
| 25GGR055      | 482148  | 6871068  | 26.04    | 10,100   | 28.9     | 349      | 2.5      | 1.0      | 95.6     | 8        |
| 25GGR056      | 482156  | 6871044  | BDL      | 928      | 0.1      | 40       | 0.3      | 3.1      | 6.6      | 203      |
| 25GGR057      | 482182  | 6871023  | BDL      | 761      | 2.3      | 38       | 1.7      | 2.6      | 1.0      | 40       |
| 25GGR058      | 482052  | 6870944  | BDL      | 57       | 0.1      | 31       | 0.2      | 3.7      | 0.8      | 201      |
| 25GGR059      | 482035  | 6870932  | BDL      | 834      | 0.2      | 17       | 0.5      | 1.1      | 0.6      | 95       |
| 25GGR060      | 481158  | 6871139  | BDL      | 13       | 0.1      | 12       | 0.3      | 4.7      | 0.6      | 74       |
| 25GGR061      | 481165  | 6871145  | BDL      | 15       | 0.2      | 83       | 0.5      | 4.8      | 0.9      | 73       |
| 25GGR062      | 481179  | 6871126  | BDL      | 17       | 0.2      | 19       | 0.2      | 4.6      | 0.5      | 66       |
| 25GGR063      | 481176  | 6871106  | BDL      | 7        | 0.2      | 16       | 0.2      | 4.5      | 0.5      | 66       |
| 25GGR064      | 481209  | 6871044  | BDL      | 9        | 0.1      | 23       | 1.3      | 4.0      | 0.7      | 61       |
| 25GGR065      | 481223  | 6871019  | BDL      | 3        | 0.1      | 39       | 0.3      | 3.4      | 0.6      | 53       |
| 25GGR066      | 481214  | 6871011  | BDL      | 23       | 0.3      | 46       | 0.2      | 2.2      | 0.5      | 45       |
| 25GGR067      | 484511  | 6854331  | BDL      | 89       | 0.0      | 5        | 1.1      | 2.8      | 1.2      | 7        |
| 25GGR068      | 484439  | 6854323  | BDL      | 51       | 0.0      | 192      | 0.3      | 13.3     | 0.9      | 151      |
| 25GGR069      | 484515  | 6854473  | BDL      | 349      | 0.1      | 270      | 2.7      | 52.7     | 7.0      | 64       |
| 25GGR070      | 484454  | 6854502  | BDL      | 21       | BDL      | 11       | 0.8      | 5.0      | 0.4      | 10       |
| 25GGR071      | 484798  | 6854827  | BDL      | 17       | BDL      | 4        | 1.0      | 1.9      | 0.3      | 3        |
| 25GGR072      | 484842  | 6854721  | BDL      | 10       | BDL      | 6        | 0.1      | 3.8      | 0.5      | 19       |
| 25GGR073      | 484845  | 6854705  | BDL      | 18       | BDL      | 141      | 0.2      | 43.6     | 2.6      | 32       |
| 25GGR074      | 483584  | 6856210  | BDL      | 13       | BDL      | 117      | 0.5      | 6.0      | 12.2     | 111      |
| 25GGR075      | 483579  | 6856205  | BDL      | 697      | BDL      | 71       | 0.9      | 9.3      | 7.9      | 218      |
| 25GGR076      | 483604  | 6856167  | BDL      | 18       | BDL      | 51       | 0.2      | 6.1      | 4.3      | 37       |
| 25GGR077      | 483606  | 6856165  | BDL      | 16       | BDL      | 57       | 0.6      | 6.9      | 5.0      | 34       |
| 25GGR078      | 481176  | 6871106  | BDL      | 12       | 0.1      | 22       | 0.7      | 29.0     | 2.9      | 13       |
| 25GGR079      | 479592  | 6870149  | BDL      | 38       | 0.2      | 32       | 0.8      | 14.4     | 21.0     | 16       |
| 25GGR080      | 479647  | 6870139  | BDL      | 20       | 0.1      | 17       | 0.2      | 5.5      | 4.3      | 74       |
| 25GGR081      | 479692  | 6870139  | BDL      | 62       | 0.1      | 43       | 1.7      | 7.6      | 5.0      | 74       |
| 25GGR082      | 479742  | 6870139  | BDL      | 37       | 0.1      | 35       | 0.8      | 8.4      | 5.2      | 62       |



| Sample Number | Easting | Northing | Au (g/t) | As (ppm) | Bi (ppm) | Cu (ppm) | Mo (ppm) | Pb (ppm) | Sb (ppm) | Zn (ppm) |
|---------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| 25GGR083      | 479793  | 6870139  | BDL      | 42       | 0.2      | 16       | 1.3      | 17.7     | 10.7     | 20       |
| 25GGR084      | 479601  | 6869952  | BDL      | 19       | 0.1      | 18       | 1.6      | 12.4     | 6.4      | 64       |
| 25GGR085      | 479651  | 6869952  | BDL      | 5        | 0.1      | 13       | 1.5      | 6.2      | 5.2      | 67       |
| 25GGR086      | 479701  | 6869952  | BDL      | 27       | 0.1      | 50       | 0.5      | 13.0     | 1.3      | 23       |
| 25GGR087      | 479760  | 6869951  | BDL      | 15       | 0.1      | 14       | 0.7      | 5.9      | 2.8      | 73       |
| 25GGR088      | 479802  | 6869946  | BDL      | 9        | 0.1      | 10       | 1.3      | 13.2     | 3.3      | 9        |
| 25GGR089      | 479610  | 6869838  | BDL      | 9        | 0.1      | 31       | 0.7      | 14.2     | 3.1      | 109      |
| 25GGR090      | 479775  | 6869837  | BDL      | 21       | 0.1      | 47       | 0.8      | 18.8     | 1.8      | 23       |
| 25GGR091      | 479825  | 6869837  | BDL      | 169      | 0.2      | 47       | 1.5      | 157.3    | 1.3      | 34       |
| 25GGR092      | 479514  | 6869765  | BDL      | 823      | 0.2      | 49       | 5.5      | 33.2     | 11.6     | 126      |
| 25GGR093      | 479560  | 6869772  | BDL      | 55       | 0.3      | 38       | 0.8      | 81.3     | 11.9     | 19       |
| 25GGR094      | 479614  | 6869765  | BDL      | 354      | 0.6      | 210      | 4.0      | 104.3    | 83.8     | 117      |
| 25GGR095      | 479664  | 6869765  | BDL      | 14       | 0.1      | 16       | 0.8      | 9.0      | 3.7      | 78       |
| 25GGR096      | 479714  | 6869765  | BDL      | 24       | 0.1      | 29       | 0.7      | 13.6     | 4.4      | 67       |
| 25GGR097      | 479805  | 6869769  | BDL      | 16       | 0.2      | 54       | 1.5      | 32.8     | 3.4      | 68       |
| 25GGR098      | 479760  | 6869763  | BDL      | 15       | 0.3      | 15       | 0.6      | 22.3     | 2.2      | 29       |
| 25GGR099      | 479505  | 6869660  | BDL      | 29       | 0.2      | 10       | 1.1      | 38.8     | 4.9      | 31       |
| 25GGR100      | 479560  | 6869651  | BDL      | 89       | 0.1      | 22       | 0.9      | 31.2     | 5.8      | 47       |
| 25GGR101      | 479605  | 6869660  | BDL      | 173      | 0.2      | 128      | 2.1      | 17.5     | 33.9     | 69       |
| 25GGR102      | 479655  | 6869660  | BDL      | 24       | 0.1      | 10       | 1.3      | 6.8      | 1.9      | 74       |
| 25GGR103      | 479705  | 6869660  | BDL      | 65       | 0.1      | 44       | 0.4      | 11.3     | 7.5      | 35       |
| 25GGR104      | 479755  | 6869660  | BDL      | 4        | 0.1      | 12       | 0.2      | 13.5     | 3.0      | 77       |
| 25GGR105      | 479800  | 6869663  | BDL      | 45       | 0.4      | 13       | 0.9      | 54.3     | 1.9      | 17       |
| 25GGR106      | 479507  | 6869550  | BDL      | 197      | 0.2      | 15       | 0.9      | 29.8     | 7.7      | 29       |
| 25GGR107      | 479557  | 6869556  | BDL      | 155      | 0.5      | 37       | 1.6      | 25.0     | 4.3      | 36       |
| 25GGR108      | 479656  | 6869555  | BDL      | 22       | 0.4      | 18       | 0.5      | 30.7     | 20.4     | 19       |
| 25GGR109      | 479707  | 6869556  | BDL      | 13       | 0.1      | 14       | 0.5      | 15.1     | 6.1      | 27       |
| 25GGR111      | 479751  | 6869556  | BDL      | 45       | 0.4      | 11       | 0.7      | 28.0     | 2.4      | 12       |
| 25GGR112      | 479537  | 6869359  | BDL      | 28       | 0.3      | 9        | 0.7      | 18.7     | 4.6      | 25       |
| 25GGR113      | 479587  | 6869358  | BDL      | 73       | 0.2      | 30       | 1.6      | 22.9     | 3.3      | 21       |
| 25GGR114      | 479635  | 6869361  | BDL      | 319      | 0.4      | 107      | 2.7      | 12.9     | 4.3      | 51       |
| 25GGR119      | 479702  | 6869363  | BDL      | 25       | 0.0      | 6        | 1.8      | 20.6     | 1.0      | 10       |
| 25GGR120      | 479337  | 6869358  | BDL      | 6        | 0.2      | 6        | 0.8      | 19.1     | 1.4      | 18       |
| 25GGR121      | 479387  | 6869359  | BDL      | 13       | 0.4      | 5        | 0.5      | 63.1     | 0.8      | 8        |
| 25GGR122      | 479437  | 6869358  | BDL      | 14       | 0.3      | 14       | 1.2      | 50.4     | 2.8      | 37       |
| 25GGR123      | 479495  | 6869364  | BDL      | 364      | 0.1      | 124      | 1.7      | 9.6      | 2.4      | 134      |
| 25GGR124      | 479290  | 6869294  | BDL      | 1,117    | 0.0      | 91       | 4.2      | 51.1     | 1.9      | 178      |
| 25GGR125      | 479331  | 6869263  | BDL      | 357      | 0.1      | 52       | 2.4      | 34.3     | 2.1      | 117      |
| 25GGR126      | 479451  | 6869248  | BDL      | 28       | 0.3      | 27       | 1.5      | 50.6     | 1.1      | 22       |
| 25GGR128      | 479555  | 6869273  | BDL      | 60       | 0.2      | 7        | 0.7      | 27.6     | 4.4      | 23       |

## JORC CODE 2012 EDITION – TABLE 1

### SECTION 1: SAMPLING TECHNIQUES AND DATA

*(Criteria in this section apply to all succeeding sections)*

The following Table 1 relates to surface sampling activities conducted over Premier1 Lithium Ltd's Yalgoo Project tenements E 59/2244, E 59/2285 to E 59/2288, E 59/ 2506 held by Venture Z Pty Ltd and E 59/1989 held by Bright Point Gold Pty Ltd.

| Criteria                                              | JORC Code Explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Sampling techniques</b>                            | <ul style="list-style-type: none"> <li>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</li> <li>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</li> <li>Aspects of the determination of mineralisation that are Material to the Public Report.</li> </ul> | <ul style="list-style-type: none"> <li>Samples were collected during a regional geological mapping program where the focus was on lithological sampling to support the geological and geochemical mapping of the project areas. In addition, sampling of shear zones and quartz veins was completed in context of the geological and structural mapping.</li> <li>A small number of samples were collected adjacent to historical workings with an aim of understanding the geological and structural controls on mineralisation at various locations including at Mt Kersey.</li> </ul> |
| <b>Drilling techniques</b>                            | <ul style="list-style-type: none"> <li>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</li> </ul>                                                                                                                                                                                                                                                                                                 | <ul style="list-style-type: none"> <li>Not Applicable. Drilling not reported.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Drill sample recovery</b>                          | <ul style="list-style-type: none"> <li>Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</li> </ul>                                                                                                                                                                                                                                | <ul style="list-style-type: none"> <li>Not Applicable. Drilling not reported.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Logging</b>                                        | <ul style="list-style-type: none"> <li>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</li> <li>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</li> <li>The total length and percentage of the relevant intersections logged.</li> </ul>                                                                                                                                                                                    | <ul style="list-style-type: none"> <li>All surface rock chip samples were qualitatively logged using Premier1 lithological logging system as part of the geological and structural mapping program undertaken across the project area. A photograph of each sample was taken to assist in the interpretation of geochemical results. The sampling and logging is not sufficient for use in a Mineral Resource Estimation.</li> </ul>                                                                                                                                                     |
| <b>Sub-sampling techniques and sample preparation</b> | <ul style="list-style-type: none"> <li>If core, whether cut or sawn and whether quarter, half or all core taken.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <ul style="list-style-type: none"> <li>No subsampling was completed.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |



| Criteria                                          | JORC Code Explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|---------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                   | <ul style="list-style-type: none"> <li>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</li> <li>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</li> <li>Quality control procedures adopted for all subsampling stages to maximise representivity of samples.</li> <li>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</li> <li>Whether sample sizes are appropriate to the grain size of the material being sampled.</li> </ul>         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Quality of assay data and laboratory tests</b> | <ul style="list-style-type: none"> <li>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</li> <li>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</li> <li>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</li> </ul> | <ul style="list-style-type: none"> <li>Samples were submitted to Intertek, Maddington, WA for the analytical techniques detailed below:</li> <li>Ag, Al, As, Ba, Be, Bi, Ca, Cd, Ce, Co, Cr, Cs, Cu, Fe, Ga, Ge, Hf, In, K, La, Li, Mg, Mn, Mo, Na, Nb, Ni, P, Pb, Rb, Re, S, Sb, Sc, Se, Sn, Sr, Ta, Te, Th, Ti, Tl, U, V, W, Y, Zn, Zr : Samples were dried, crushed and pulverised to 95% passing -75µm. The sample(s) have been digested and refluxed with a mixture of Acids including Hydrofluoric, Nitric, Hydrochloric and Perchloric Acids. The analytes have been determined by Inductively Coupled Plasma (ICP) Mass Emission Spectrometry (4A-MS48).</li> <li>Au: Samples were dried, crushed and pulverised to 95% passing -75µm using 50g Fire Assay and analysed by Inductively Coupled Plasma Optical FA50/OE04 (ICP - OES).</li> <li>The laboratory is accredited and uses its own certified reference material as part of their own QA/QC. The laboratory has two duplicates, two replicates, one standard and one blank per 50 assays. PLC did not submitted QAQC samples.</li> </ul> |
| <b>Verification of sampling and assaying</b>      | <ul style="list-style-type: none"> <li>The verification of significant intersections by either independent or alternative company personnel.</li> <li>The use of twinned holes.</li> <li>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</li> <li>Discuss any adjustment to assay data.</li> </ul>                                                                                                                                                                                                                                                                                      | <ul style="list-style-type: none"> <li>Primary data was collected by employees of the Company at the project site and verified in the Perth head office following field work. All observations were recorded digitally and entered into the company's database. Data verification and validation is checked upon entry into the database.</li> <li>Digital storage is managed by Premier1.</li> <li>No adjustments or calibrations have been made to any assay data.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Location of data points</b>                    | <ul style="list-style-type: none"> <li>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <ul style="list-style-type: none"> <li>All sample points have their location recorded using a handheld Garmin GPX64sx GPS unit to an indicative</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

| Criteria                                                       | JORC Code Explanation                                                                                                                                                                                                                                                                                                                                                                                                                | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|----------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                | <p>other locations used in Mineral Resource estimation.</p> <ul style="list-style-type: none"> <li>• Specification of the grid system used.</li> <li>• Quality and adequacy of topographic control.</li> </ul>                                                                                                                                                                                                                       | <p>accuracy of &lt;5m. Elevation for each sample point was determined using the handheld GPS and sufficient for the sample types collected.</p> <ul style="list-style-type: none"> <li>• All sample locations are MGA2020, Zone 50 grid system.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Data spacing and distribution</b>                           | <ul style="list-style-type: none"> <li>• Data spacing for reporting of Exploration Results.</li> <li>• Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</li> <li>• Whether sample compositing has been applied.</li> </ul>                               | <ul style="list-style-type: none"> <li>• This report is for the reporting of exploration results derived from early-stage surface sampling programs.</li> <li>• Surface sampling including rock chip sampling reported in this release are used for exploration targeting purposes.</li> <li>• Data is not sufficient to establish any degree of geological grade continuity</li> <li>• No sampling compositing was undertaken.</li> </ul>                                                                                                                                                                                                                                                                        |
| <b>Orientation of data in relation to geological structure</b> | <ul style="list-style-type: none"> <li>• Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</li> <li>• If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</li> </ul> | <ul style="list-style-type: none"> <li>• Rock chip samples were collected during geological mapping traverses and represent several sampling types including litho-geochemical samples of regional rock units, quartz veins and sheared lithologies. Some samples have been collected where company geologists have identified structures during mapping however the purpose of the sampling is to understand the structural controls on mineralisation across the project area so not bias has been introduced. A small portion of the samples were collected from historical workings to inform PLC geologists on the mineralisation styles, and controls on mineralisation across the project area.</li> </ul> |
| <b>Sample security</b>                                         | <ul style="list-style-type: none"> <li>• The measures taken to ensure sample security.</li> </ul>                                                                                                                                                                                                                                                                                                                                    | <ul style="list-style-type: none"> <li>• Rock chip samples were assigned a sample ID at the time of collection in line with company procedures and placed in a labelled calico bag. Samples were then placed in a bulk bag, labelled with a sample range and secured with cable ties and transported from the field by PLC personnel in Yalgoo where they were transported by staff directly to the laboratory in Perth.</li> <li>• The laboratory then checks the physically received samples against a PLC generated sample submission list and reports back any discrepancies.</li> </ul>                                                                                                                      |
| <b>Audits or reviews</b>                                       | <ul style="list-style-type: none"> <li>• The results of any audits or reviews of sampling techniques and data.</li> </ul>                                                                                                                                                                                                                                                                                                            | <ul style="list-style-type: none"> <li>• No external or third-party audits or reviews have been completed. Historical geophysical and geochemical data was reviewed by an external consultant in conjunction with Premier1 technical staff to highlight the targets identified in this release.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                        |



## SECTION 2: REPORTING OF EXPLORATION RESULTS

(Criteria listed in the preceding section also apply to this section)

| Criteria                                       | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mineral tenement and land tenure status</b> | <ul style="list-style-type: none"> <li>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</li> <li>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area</li> </ul> <ul style="list-style-type: none"> <li>The results reported in this announcement are on granted exploration licences E 59/1989 held by Bright Point Gold Pty Ltd and E 59/2244, E 59/2285 to E 59/2288 and E 59/ 2506 held by Venture Z Pty Ltd.</li> <li>Premier1 is in the process of earning 70% of all mineral rights except for rare earth elements (REE) from Venture Minerals for the Yalgoo project</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Exploration done by other parties</b>       | <ul style="list-style-type: none"> <li>Acknowledgment and appraisal of exploration by other parties.</li> </ul> <ul style="list-style-type: none"> <li>The release details a significant amount of historical exploration within the project area. A review of additional exploration activity including drilling, geophysical surveys, geochemical sampling and geological mapping is ongoing. Modern Exploration on the project extends back to the late 1960's.</li> <li>Areas of the project have been held by Venture Minerals, Bright Point Gold, Aurox Resources, Mt Kersey Mining, Mount Grace Gold, Prosperity Resources, Hunter Resources, Anglo Gold, Comet Resources Limited, Merrit Mining, Placer Prospecting and ESSO among others.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Geology</b>                                 | <ul style="list-style-type: none"> <li>Deposit type, geological setting and style of mineralisation.</li> </ul> <p>The Golden Grove North project area sits at the northern end of the continuous Archean greenstone belt striking NNW through Yalgoo, in the Murchison Domain, part of the Yilgarn Block of the Western Australian Shield, in the Murchison Domain. The supracrustal rocks of Yalgoo greenstone belt comprise the Murchison supergroup. The supergroup greenstone belt comprises mafic to ultramafic, BIF, acid volcanics and sedimentary rocks, with abundant intrusions of mafic/ultramafic complexes, dolerite and granitoids. Units can be locally disrupted by faulting and folding. Heterogenous deformation affects the area, and narrow zones of high strain separate more weakly deformed rocks. The Yalgoo greenstone is notably host to gold, BIF and base metals deposits, both the Scuddles and the Golden Grove members hosting economic mineralisation, with notably the Golden Grove Zn-Cu-Au deposits described as one of the most significant Archean volcanic hosted massive sulphide deposits in Australia.</p> <ul style="list-style-type: none"> <li>Gold mineralisation is almost entirely epigenetic and in the regional area is both structurally and stratigraphically controlled. Most epigenetic gold mineralisation occurs</li> </ul> |

| Criteria                                                                | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | in, or adjacent to, the shear zones and/or associated fracture systems and the deposits are concentrated within BIF, basalts and the ultramafic rocks (Stewart, 2012). Many gold deposits occur within post-folding granitoid contacts, indicating either a genetic relationship to granitic intrusion or common source regions and structural controls (Stewart, 2012). |
| <b>Drill hole information</b>                                           | <ul style="list-style-type: none"> <li>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:               <ul style="list-style-type: none"> <li>Easting and northing of the drill collar</li> <li>Elevation of RL (Reduced Level – elevation above sea level in metres) of the drill collar</li> <li>Dip and azimuth of the hole</li> <li>Down hole length and interception depth</li> <li>Hole length</li> </ul> </li> </ul>                                                                          | <ul style="list-style-type: none"> <li>Not applicable. Drilling not reported.</li> </ul>                                                                                                                                                                                                                                                                                 |
| <b>Data aggregation methods</b>                                         | <ul style="list-style-type: none"> <li>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</li> <li>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</li> <li>The assumptions used for any reporting of metal equivalent values should be clearly stated</li> </ul> | <ul style="list-style-type: none"> <li>Results presented are final lab results as reported by the laboratory. No data aggregation has been reported.</li> </ul>                                                                                                                                                                                                          |
| <b>Relationship between mineralisation widths and intercept lengths</b> | <ul style="list-style-type: none"> <li>These relationships are particularly important in the reporting of Exploration Results.</li> <li>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</li> <li>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</li> </ul>                                                                                                                                                                            | <ul style="list-style-type: none"> <li>Not applicable. Mineralised widths are not reported.</li> </ul>                                                                                                                                                                                                                                                                   |
| <b>Diagrams</b>                                                         | <ul style="list-style-type: none"> <li>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of</li> </ul>                                                                                                                                                                                                                                                                                                                                                                     | <ul style="list-style-type: none"> <li>A surface sample location plan is contained within Company announcements.</li> </ul>                                                                                                                                                                                                                                              |

| Criteria                                  | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                           | drill hole collar locations and appropriate sectional views.                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Balanced reporting</b>                 | <ul style="list-style-type: none"> <li>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</li> </ul>                                                                                                                                                             | <ul style="list-style-type: none"> <li>All exploration results are reported.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Other substantive exploration data</b> | <ul style="list-style-type: none"> <li>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</li> </ul> | <ul style="list-style-type: none"> <li>Reference to other relevant exploration data is contained in Company announcements.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Further work</b>                       | <ul style="list-style-type: none"> <li>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</li> <li>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</li> </ul>                                       | <ul style="list-style-type: none"> <li>Premier1 is currently in the process of reviewing exploration results contained within this release, as well as other geological, geophysical and structural data collected by company geologists in the field since August 2024.</li> <li>Premier1 has recently undertaken a drilling campaign over the project area with laboratory assays pending.</li> <li>Future work programs include the testing of targets highlighted in this release and includes additional surface sampling, geophysics and drilling.</li> </ul> |