

22 October 2025

High grade gold targeted at Kokoseb

Wia Gold Limited (ASX: WIA) (**Wia** or the **Company**) is pleased to report positive assay results for one hundred and eighteen (118) Reverse Circulation (**RC**) drill holes, twenty-seven (27) diamond drill holes (**DD**) and one diamond tail, totalling 26,845 metres, at its 2.93Moz¹ Kokoseb Gold Project (**Kokoseb**) in Namibia.

- **Central Zone high-grade plunging shoots continue to deliver consistent results:**
 - 27.0m at 3.31 g/t Au from 474m, including 11.0m at 5.21 g/t Au in KDD097
 - 12.7m at 3.09 g/t Au from 448m, including 5.7m at 5.57 g/t Au in KDD095
 - 5.0m at 6.77 g/t Au from 245.1m and 10.8m at 3.05 g/t Au from 302.1m, including 6.0m at 5.08 g/t Au in KDD103
 - 6.0m at 3.73 g/t Au from 251m, including 3.0m at 6.65 g/t Au in KDD077
 - 20m at 1.91 g/t Au from 139m, including 3m at 4.21 g/t Au and 3m at 4.17 g/t Au in KRC489
 - 7m at 2.35 g/t Au from 115m, including 2m at 5.49 g/t Au in KRC490
- **Central Zone sub-parallel high-grade shoot extension near KRC331²:**
 - 10.9m at 12.26 g/t Au from 223.5m in KDD096
 - 8.2m at 5.09 g/t Au from 229.7m in KDD093
- **Five diamond drill rigs delineating high-grade shoots to support a future underground resource.**

Commenting on the results, Wia Executive Chairman, Josef El-Raghy, said:

“The latest drilling results from Kokoseb demonstrate the potential to expand the existing open pit resource, as well as build confidence in the ability to define a future underground resource.

With five diamond and one RC drilling rig currently in operation, the process of further growth and de-risking Kokoseb through delivering the Definitive Feasibility Study in H2 2026 remains firmly on track.

¹ Refer ASX announcement dated 16 July 2025

² Refer ASX announcement dated 27 February 2025




Figure 1 – 3D view of the Western and Central Zones of Kokoseb, showing pit shells and high-grade shoots. Location of high-grade intercepts reported in this announcement³ (intercepts in black previously reported)⁴

Drilling in the Central Zone targeting high-grade plunging shoots to delineate underground resource

Five diamond drill rigs have been assigned to target high-grade plunging shoots below the scoping study pit shell (within the MRE) and high-grade shoot extensions at depth to define an underground resource and expand the known mineralised zones.

The Central Zone (Figure 1), with over 500m of strike length and open along strike and depth, continues to deliver consistent high-grade results. DD hole **KDD097** intercepted the southernmost mineralisation to date in this shoot and returned **27.0m at 3.31 g/t Au**, including **11.0m at 5.21 g/t Au**.

DD hole **KDD103**, which targeted a shallower high-grade shoot directly below the scoping study pit shell, returned a high-grade intercept of **5.0m at 6.77 g/t Au**.

All significant intercepts returned from the Central Zone high-grade shoots include the following:

- 6.0m at 3.73 g/t Au from 251m, inc. 3.0m at 6.65 g/t Au in KDD077**
- 12.7m at 3.09 g/t Au from 448m, inc. 5.7m at 5.57 g/t Au in KDD095**
- 9.5m at 1.41 g/t Au from 459.5m in KDD097**
- 27.0m at 3.31 g/t Au from 474m, inc. 11.0m at 5.21 g/t Au in KDD097**
- 12.0m at 1.52 g/t Au from 501m, inc. 1m at 5.21 g/t Au in KDD099**
- 5.0m at 6.77 g/t Au from 245.1m in KDD103**
- 11.3m at 2.57 g/t Au from 288.2m, inc. 3.8m at 4.87 g/t Au in KDD103**
- 10.8m at 3.05 g/t Au from 302.1m, inc. 6.0m at 5.08 g/t Au in KDD103**

³ Intercept calculated using 0.5 g/t cut-off grade and 2m maximum consecutive internal low grade.

⁴ Refer to ASX announcements dated 29 May 2023, 5 February 2024, 20 May 2024, 13 January 2025, 27 February 2025, 15 April 2025 and 3 July 2025.

20.0m at 1.91 g/t Au from 139m, inc. 3m at 4.21 g/t Au and 3m at 4.17 g/t Au in KRC489

7.0m at 2.35 g/t Au from 115m, inc. 2m at 5.49 g/t Au in KRC490

10.0m at 2.64 g/t Au from 446m, inc. 4.3m at 4.18 g/t Au in KRD139




Figure 2 – Drill hole locations over the Kokoseb geology and interpreted mineralisation footprint, location of significant intercepts reported in this announcement⁵

⁵ Intercept calculated using 0.5 g/t cut-off grade and 2m maximum consecutive internal low grade.

Shallow sub-parallel high-grade shoot exploration continues to extend known shoots outside the MRE.

The KRC331⁶ sub-parallel high-grade shoot, which extends beyond the current MRE boundary (Figure 3), has been identified as an exploration target area. An improved understanding of the structural controls of this sub-parallel shoot may serve as an important analogue for the discovery of similar concealed mineralised shoots across the project. Significant intercepts from recent drilling are detailed below, with drill hole locations shown in Figure 2.

13.0m at 1.26 g/t Au from 126m in KDD093
4.6m at 2.59 g/t Au from 191m in KDD093
5.0m at 2.62 g/t Au from 220.7m in KDD093
8.2m at 5.09 g/t Au from 229.7m in KDD093
9.4m at 1.86 g/t Au from 227.4m in KDD094
4.0m at 3.04 g/t Au from 27m in KDD096
11.0m at 1.34 g/t Au from 108.8m in KDD096
10.9m at 12.26 g/t Au from 223.5m in KDD096

Deep resource extensional drilling

The objective of the current deep extensional drilling program is to test high-grade zones at depth (Figure 3), in advance of a systematic drilling campaign aimed at future underground resource definition. Results from the completed drilling (Figure 2) have confirmed that the mineralised system remains open at depth, with significant intercepts including:

22.5m at 1.23 g/t Au from 522m in KDD078
29.0m at 1.41 g/t Au from 766m in KDD086
15.0m at 1.87 g/t Au from 798m in KDD086
8.7m at 2.26 g/t Au from 496m in KDD087
19.0m at 1.58 g/t Au from 553m in KDD091
22.9m at 1.25 g/t Au from 586m in KDD091

Diamond drill hole **KDD086** has intersected the deepest significant mineralisation drilled to date, at Central Zone, as an unconstrained intercept of **47m at 1.49 g/t Au**, including significant intercepts of **29.0m at 1.41 g/t Au** and **15.0m at 1.87 g/t Au**.

Infill RC drilling

Shallow RC infill drilling for resource category conversion was completed at the Northern and Gap Zones (Figures 2 and 3). Results will be included in a future resource update to grow the indicated category. Most significant results returned include the following:

14m at 1.11 g/t Au from 158m in KRC447
8m at 7.66 g/t Au from 75m in KRC449
7m at 1.64 g/t Au from 117m in KRC451

⁶ Refer ASX announcement dated 27 February 2025


3m at 3.79 g/t Au from 149m in KRC451
5m at 1.96 g/t Au from 44m in KRC453
22m at 1.15 g/t Au from 34m in KRC455
12m at 1.44 g/t Au from 88m in KRC456
15m at 1.62 g/t Au from 138m in KRC457
3m at 3.60 g/t Au from 38m in KRC458
20m at 1.32 g/t Au from 80m in KRC459
6m at 1.80 g/t Au from 125m in KRC460
10m at 1.42 g/t Au from 142m in KRC460
12m at 1.34 g/t Au from 200m in KRC462
16m at 2.14 g/t Au from 38m in KRC480

Trial grade control drilling

A trial RC drilling grade control program was successfully completed at Central Zone (Figure 3). Shallow mineralisation intersected has returned the following significant intercepts and confirmed strong continuity in mineralisation from surface:

13m at 1.39 g/t Au from 1m in KRC508
6m at 1.79 g/t Au from 41m in KRC514
4m at 3.22 g/t Au from 50m in KRC514
16m at 1.92 g/t Au from 2m in KRC513
17m at 1.43 g/t Au from 21m in KRC513
23m at 2.40 g/t Au from 20m in KRC516
8m at 2.03 g/t Au from 46m in KRC516
7m at 3.45 g/t Au from 2m in KRC517
26m at 1.76 g/t Au from 24m in KRC517
45m at 1.38 g/t Au from 6m in KRC519
30m at 1.36 g/t Au from 23m in KRC520
19m at 1.57 g/t Au from 34m in KRC521
32m at 1.45 g/t Au from 16m in KRC522
19m at 1.62 g/t Au from 35m in KRC523
25m at 1.31 g/t Au from 29m in KRC524
10m at 1.81 g/t Au from 5m in KRC525
12m at 1.33 g/t Au from 19m in KRC525
7m at 1.69 g/t Au from 1m in KRC527
14m at 1.74 g/t Au from 0m in KRC531
11m at 1.65 g/t Au from 4m in KRC533
17m at 1.40 g/t Au from 8m in KRC539
7m at 2.67 g/t Au from 48m in KRC540
16m at 1.95 g/t Au from 3m in KRC541

16m at 1.43 g/t Au from 3m in KRC543
 10m at 1.55 g/t Au from 22m in KRC543
 14m at 1.63 g/t Au from 13m in KRC544
 13m at 1.96 g/t Au from 32m in KRC544
 14m at 1.73 g/t Au from 37m in KRC545
 12m at 1.58 g/t Au from 39m in KRC547
 27m at 1.48 g/t Au from 0m in KRC548
 12m at 1.48 g/t Au from 41m in KRC549
 30m at 1.38 g/t Au from 24m in KRC551
 20m at 1.41 g/t Au from 10m in KRC554
 16m at 1.46 g/t Au from 20m in KRC555
 14m at 1.82 g/t Au from 36m in KRC556



This announcement has been authorised for release by the board of directors of Wia Gold Limited.

Contact details

Josef El-Raghy
Executive Chairman
+61 8 62884252

Bobby Morse/Louise Mason-Rutherford/George
Pope
Burson Buchanan
+44 20 7466 5000
wia@buchanancomms.co.uk

Competent Person's Statement

The information in this announcement that relates to exploration results at the Kokoseb Gold Project is based on information compiled by Company geologists and reviewed by Mr Pierrick Couderc, in his capacity as Exploration Manager of Wia Gold Limited. Mr. Couderc is a member of both the Australian Institute of Mining and Metallurgy and the Australian Institute of Geoscientists and has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Mr. Couderc consents to the inclusion in the report of the matters based upon the information in the form and context in which it appears.

Reference to previous ASX Announcements

In relation to previously reported exploration results included in this announcement, the dates of which are referenced, the Company confirms that it is not aware of any new information or data that materially affects the information included in those announcements.

In relation to the information in this announcement that relates to the Mineral Resource Estimate for the Kokoseb Gold Project that was reported on 16 July 2025, other than subsequently released drilling results, Wia confirms that it is not aware of any new information or data that materially affects the information included in that release. All material assumptions and technical parameters underpinning the estimates in that ASX release continue to apply and have not materially changed.

About The Kokoseb Gold Deposit

The Kokoseb Gold Deposit is located in the north-west of Namibia, a country that is a well-recognised mining jurisdiction, with an established history as a significant producer of uranium, diamonds, gold and base metals. The Kokoseb gold deposit is situated 320km by road from the capital Windhoek.

Kokoseb lies in the Okombahe exploration licence, which is held under joint venture (Wia 80%) with the state-owned mining company Epangelo. The Okombahe licence is part of Wia's larger Damaran Project, which consist of 12 tenements with a total area of over 2,700km².

An updated Inferred Mineral Resource Estimate of 2.93Moz at 1.0 g/t Au, at a cut-off grade of 0.5 g/t Au, including a higher-grade gold portion of 2.07Moz at 1.4 g/t Au using a cut-off grade of 0.8 g/t Au, was announced on 16 July 2025.

The location of Kokoseb and the Company's Namibian Projects is shown in Figure 4 below.




Figure 4 – Location of Wia's Namibia Projects

Cut-off Au g/t	Indicated			Inferred			TOTAL		
	Tonnes (Mt)	Au g/t	Au Moz	Tonnes (Mt)	Au g/t	Au Moz	Tonnes (Mt)	Au g/t	Au Moz
0.18	110	0.67	2.37	78	0.62	1.6	188	0.65	3.92
0.30	82.6	0.82	2.18	58	0.75	1.4	141	0.79	3.58
0.50	54.2	1.04	1.81	35	0.99	1.1	89	1.0	2.93
0.80	29.1	1.39	1.30	17	1.4	0.77	46	1.4	2.07

Table 1 – Kokoseb Indicated and Inferred Mineral Resource estimates for selected cut-off grades. The estimates in this table are rounded to reflect their precision; rounding errors are apparent. They are based on drilling data available at 30th June 2025. The Competent Person responsible for the data informing the estimates is Pierrick Couderc, Wia Group Exploration Manager. The Competent Person responsible for resource modelling is Jonathon Abbott MAIG, Director of Matrix Resource Consultants Pty Ltd. The Resources are constrained by an optimised pit shell using a metal price of US\$2,300/oz Au and process recovery of 92%.

Appendix 1. Kokoseb – Location of diamond and RC drillholes

Hole ID	Easting	Northing	RL	Length (m)	Dip (°)	Azi (°)
KDD075	526204	7660752	1075	381	-59	118
KDD076	525778	7660714	1070	693	-59	121
KDD077	525671	7660136	1065	324	-60	119
KDD078	526930	7661340	1082	612	-60	198
KDD079	525667	7660021	1066	291	-60	116
KDD080	525852	7660452	1072	420	-60	121
KDD081	525844	7660799	1071	762	-60	120
KDD082	527036	7661130	1084	453	-59	202
KDD083	526339	7661021	1076	300	-65	231
KDD084	525728	7658349	1056	162	-70	233
KDD085	527080	7660995	1081	363	-60	200
KDD086	525856	7660814	1074	861	-60	90
KDD087	526814	7661339	1082	579	-60	200
KDD088	527278	7660941	1078	417	-60	200
KDD089	527135	7661103	1082	543	-60	200
KDD090	527095	7661238	1085	612	-60	200
KDD091	526836	7661393	1083	753	-60	200
KDD092	525885	7660926	1077	981	-60	90
KDD093	526201	7660627	1077	330	-60	120
KDD094	526319	7660713	1077	393	-60	120
KDD095	525513	7660136	1066	492	-60	120
KDD096	526304	7660719	1077	474	-60	120
KDD097	525449	7660063	1064	591	-60	120
KDD098	525471	7660173	1065	57	-60	120
KDD099	525467	7660171	1065	534	-60	120
KDD100	525525	7660390	1072	705	-60	120
KDD103	525806	7660352	1070	363	-60	120
KRD139	525499	7660114	1066	573	-60	123
KRC441	525599	7659230	1059	70	-50	79
KRC442	525548	7659220	1058	125	-49	79
KRC443	525507	7659211	1058	180	-59	78
KRC444	525565	7659327	1061	98	-56	82
KRC445	525467	7659196	1058	230	-59	81
KRC446	525510	7659315	1059	170	-54	78
KRC447	525475	7659301	1058	234	-58	82
KRC448	525629	7659154	1058	50	-53	79
KRC449	525577	7659134	1057	123	-54	80
KRC450	525536	7659124	1057	170	-60	80
KRC451	525551	7659088	1057	170	-55	80
KRC452	525482	7659120	1057	245	-57	83
KRC453	525619	7659103	1058	111	-54	79
KRC454	525515	7659082	1057	200	-56	78
KRC455	525646	7659021	1057	84	-53	78
KRC456	525596	7659025	1057	134	-56	81

Hole ID	Easting	Northing	RL	Length (m)	Dip (°)	Azi (°)
KRC457	525553	7659019	1057	180	-60	76
KRC458	525699	7658945	1057	90	-54	81
KRC459	525617	7658935	1056	130	-51	82
KRC460	525577	7658929	1056	190	-58	80
KRC461	527079	7660891	1077	317	-54	208
KRC462	527181	7660856	1080	284	-60	200
KRC464	527274	7660823	1077	270	-61	197
KRC465	527398	7660592	1074	98	-54	203
KRC466	527417	7660665	1074	160	-55	202
KRC467	527432	7660689	1075	215	-59	200
KRC468	527440	7660568	1077	70	-54	198
KRC469	527474	7660672	1079	188	-59	198
KRC470	527547	7660680	1076	279	-60	199
KRC471	527521	7660616	1076	233	-54	199
KRC472	527489	7660558	1066	120	-55	200
KRC473	525107	7658843	1056	90	-54	75
KRC474	525653	7658829	1056	160	-60	81
KRC475	525588	7658823	1055	220	-61	80
KRC476	525723	7658747	1057	100	-54	78
KRC477	525667	7658739	1055	180	-59	79
KRC478	525608	7658728	1055	270	-60	79
KRC479	525742	7658650	1056	131	-55	75
KRC480	525688	7658635	1055	200	-59	82
KRC481	525760	7658551	1056	162	-59	81
KRC482	525709	7658546	1055	220	-59	79
KRC483	527332	7661574	1084	200	-59	201
KRC484	526743	7661756	1082	200	-60	201
KRC485	528555	7659558	1062	140	-54	273
KRC486	528661	7659559	1067	230	-60	270
KRC487	528520	7658955	1061	180	-61	271
KRC488	525783	7660185	1068	194	-59	118
KRC489	525786	7660238	1069	189	-56	120
KRC490	525839	7660274	1070	235	-60	126
KRC491	525848	7660319	1069	250	-59	120
KRC492	525823	7660284	1069	260	-60	123
KRC493	526197	7660265	1072	51	-55	132
KRC494	526079	7660379	1075	55	-57	130
KRC495	526193	7660269	1072	51	-60	133
KRC496	526083	7660375	1075	55	-56	130
KRC497	526188	7660273	1072	51	-56	130
KRC498	526088	7660371	1075	55	-55	130
KRC499	526184	7660277	1072	51	-57	132
KRC500	526179	7660281	1072	51	-56	131
KRC501	526092	7660367	1075	55	-55	127
KRC502	526174	7660284	1072	51	-56	132

Hole ID	Easting	Northing	RL	Length (m)	Dip (°)	Azi (°)
KRC503	526097	7660363	1075	55	-56	133
KRC504	526170	7660288	1072	52	-56	130
KRC505	526101	7660359	1075	55	-56	128
KRC506	526165	7660292	1072	52	-56	120
KRC507	526106	7660356	1075	55	-55	129
KRC508	526161	7660296	1072	52	-55	130
KRC509	526111	7660352	1075	55	-57	135
KRC510	526156	7660300	1072	52	-55	130
KRC511	526151	7660304	1072	52	-54	128
KRC512	526115	7660348	1075	54	-55	129
KRC513	526146	7660308	1073	52	-56	130
KRC514	526120	7660344	1074	54	-54	132
KRC515	526142	7660312	1073	53	-55	128
KRC516	526125	7660340	1074	54	-56	135
KRC517	526137	7660316	1073	53	-56	132
KRC518	526129	7660336	1074	54	-55	134
KRC519	526132	7660320	1073	53	-57	132
KRC520	526134	7660332	1074	53	-54	133
KRC521	526128	7660324	1074	53	-55	130
KRC522	526139	7660328	1074	53	-54	130
KRC523	526123	7660328	1074	54	-56	131
KRC524	526114	7660336	1074	54	-54	132
KRC525	526148	7660320	1073	53	-55	129
KRC526	526104	7660344	1075	55	-56	128
KRC527	526157	7660312	1073	53	-55	131
KRC528	526167	7660304	1073	52	-55	128
KRC529	526095	7660352	1075	55	-57	131
KRC530	526086	7660360	1075	55	-55	129
KRC531	526176	7660296	1072	52	-56	135
KRC532	526077	7660367	1075	55	-56	132
KRC533	526185	7660288	1072	52	-56	134
KRC534	526096	7660390	1075	55	-57	132
KRC535	526195	7660280	1072	51	-56	130
KRC536	526105	7660383	1075	56	-56	129
KRC537	526204	7660273	1072	51	-55	132
KRC538	526114	7660375	1075	55	-55	130
KRC539	526229	7660303	1072	52	-55	130
KRC540	526123	7660367	1075	55	-55	130
KRC541	526220	7660311	1073	52	-55	133
KRC542	526133	7660359	1075	55	-56	128
KRC543	526180	7660319	1073	53	-55	131
KRC544	526211	7660319	1073	52	-56	130
KRC545	526201	7660327	1073	53	-55	130
KRC546	526189	7660312	1073	52	-56	132
KRC547	526192	7660335	1074	53	-55	130

Hole ID	Easting	Northing	RL	Length (m)	Dip (°)	Azi (°)
KRC548	526198	7660304	1073	52	-56	130
KRC549	526183	7660343	1074	54	-53	131
KRC550	526207	7660296	1072	52	-57	132
KRC551	526174	7660351	1074	54	-55	130
KRC552	526217	7660288	1072	52	-55	131
KRC553	526242	7660319	1073	52	-57	131
KRC554	526233	7660327	1073	52	-56	129
KRC555	526224	7660334	1073	53	-55	130
KRC556	526214	7660342	1074	53	-55	130
KRC557	526205	7660350	1074	53	-55	130
KRC558	526441	7660770	1079	288	-60	155
KRC559	526155	7660367	1075	55	-55	130

Appendix 2. Diamond and RC drill holes gold assays, using a cut-off grade of 0.2 g/t gold and max 2m consecutive internal waste material

Hole ID	From (m)	To (m)	Gold g/t
KDD075	194.00	195.00	0.32
KDD075	195.00	196.00	0.15
KDD075	196.00	197.00	0.21
KDD075	197.00	198.00	0.18
KDD075	198.00	199.00	0.14
KDD075	199.00	200.00	0.24
KDD075	200.00	201.00	0.58
KDD075	201.00	202.00	0.28
KDD075	202.00	203.00	1.82
KDD075	203.00	204.00	0.10
KDD075	204.00	205.00	0.24
KDD075	205.00	206.00	0.45
KDD075	206.00	207.00	0.20
KDD075	207.00	208.00	0.20
KDD075	208.00	209.00	0.15
KDD075	209.00	210.00	0.18
KDD075	210.00	211.00	0.99
KDD075	211.00	212.00	0.27
KDD075	212.00	213.00	1.40
KDD075	213.00	214.00	0.30
KDD075	214.00	215.00	0.50
KDD075	215.00	216.00	3.34
KDD075	216.00	217.00	1.01
KDD075	217.00	218.00	1.26
KDD075	218.00	219.00	1.02
KDD075	219.00	220.00	9.32
KDD075	220.00	221.00	1.06
KDD075	221.00	222.00	9.99
KDD075	222.00	223.00	1.44
KDD075	223.00	224.00	2.07
KDD075	224.00	225.00	1.48
KDD075	225.00	226.00	0.26
KDD075	226.00	227.00	0.49
KDD075	227.00	228.00	0.77
KDD075	228.00	229.00	0.31
KDD075	229.00	230.00	1.32
KDD075	230.00	231.00	0.73
KDD075	231.00	232.00	3.03
KDD075	232.00	233.00	0.86
KDD075	233.00	233.59	0.25
KDD076	431.00	432.00	0.38
KDD076	432.00	433.00	0.01
KDD076	433.00	434.00	0.00
KDD076	434.00	435.00	0.70
KDD076	435.00	436.00	0.04
KDD076	436.00	437.00	0.26
KDD076	437.00	438.00	0.06
KDD076	438.00	439.00	0.23
KDD076	445.00	446.00	0.59
KDD076	446.00	447.00	0.08
KDD076	447.00	448.00	0.15
KDD076	448.00	449.00	0.25
KDD076	449.00	450.00	0.05

Hole ID	From (m)	To (m)	Gold g/t
KDD076	450.00	451.00	0.07
KDD076	451.00	452.00	0.22
KDD076	478.00	479.00	0.57
KDD076	479.00	480.00	0.06
KDD076	480.00	481.00	0.24
KDD076	481.00	482.00	29.60
KDD076	482.00	483.00	0.18
KDD076	483.00	484.00	0.12
KDD076	484.00	485.00	0.26
KDD076	485.00	486.00	0.30
KDD076	493.00	494.00	0.38
KDD076	494.00	495.00	0.11
KDD076	495.00	496.00	0.76
KDD076	496.00	497.00	0.24
KDD076	503.10	504.10	0.46
KDD076	504.10	505.10	0.12
KDD076	505.10	506.10	0.93
KDD076	577.90	578.90	0.59
KDD076	578.90	579.90	0.23
KDD076	579.90	580.90	0.94
KDD076	580.90	581.90	0.27
KDD076	584.90	585.90	2.05
KDD076	585.90	586.90	0.43
KDD076	586.90	587.90	0.29
KDD076	587.90	588.90	0.16
KDD076	588.90	589.90	0.56
KDD076	589.90	590.90	0.29
KDD076	590.90	591.90	0.27
KDD076	600.00	601.00	3.85
KDD076	601.00	602.10	0.03
KDD076	602.10	603.10	0.08
KDD076	603.10	604.10	0.26
KDD077	163.00	164.00	0.40
KDD077	164.00	165.00	0.59
KDD077	165.00	165.79	1.42
KDD077	178.00	179.00	0.83
KDD077	179.00	180.00	0.53
KDD077	180.00	181.00	0.35
KDD077	181.00	182.00	0.11
KDD077	182.00	183.00	0.25
KDD077	235.65	236.26	0.37
KDD077	236.26	237.26	0.26
KDD077	237.26	239.28	0.07
KDD077	239.28	239.85	1.12
KDD077	239.85	241.28	0.07
KDD077	241.28	242.00	0.78
KDD077	242.00	243.00	0.31
KDD077	243.00	244.00	0.78
KDD077	244.00	245.00	4.07
KDD077	251.00	252.00	1.92
KDD077	252.00	253.00	11.55
KDD077	253.00	254.00	6.47
KDD077	254.00	255.00	0.33

Hole ID	From (m)	To (m)	Gold g/t
KDD077	255.00	256.00	0.53
KDD077	256.00	257.00	1.58
KDD077	263.27	264.00	0.89
KDD077	264.00	265.00	1.32
KDD077	265.00	266.10	2.31
KDD077	266.10	266.76	0.05
KDD077	266.76	267.27	2.77
KDD077	267.27	268.17	1.32
KDD077	268.17	270.04	0.01
KDD077	270.04	270.54	0.01
KDD077	270.54	271.12	0.22
KDD077	271.12	271.86	0.02
KDD077	271.86	272.44	0.89
KDD077	272.44	273.00	0.31
KDD077	273.00	274.00	0.05
KDD077	274.00	275.00	0.33
KDD077	275.00	276.00	0.12
KDD077	276.00	277.00	0.36
KDD077	277.00	278.00	0.14
KDD077	278.00	279.00	0.73
KDD077	283.00	284.00	0.88
KDD077	284.00	284.60	0.10
KDD077	284.60	285.35	0.01
KDD077	285.35	286.00	0.22
KDD077	286.00	287.00	0.49
KDD077	287.00	288.00	0.28
KDD077	288.00	289.00	0.08
KDD077	289.00	290.00	0.45
KDD077	290.00	291.00	0.36
KDD078	516.00	517.00	0.42
KDD078	517.00	518.00	0.25
KDD078	518.00	519.00	0.07
KDD078	519.00	520.00	0.33
KDD078	520.00	521.00	0.19
KDD078	521.00	522.00	0.40
KDD078	522.00	523.00	0.55
KDD078	523.00	524.00	1.10
KDD078	524.00	525.00	1.24
KDD078	525.00	526.00	1.54
KDD078	526.00	527.00	1.45
KDD078	527.00	528.00	1.62
KDD078	528.00	529.00	2.61
KDD078	529.00	530.00	0.20
KDD078	530.00	531.00	0.31
KDD078	531.00	532.00	1.50
KDD078	532.00	532.65	2.22
KDD078	532.65	533.38	1.81
KDD078	533.38	534.07	0.14
KDD078	534.07	535.00	0.85
KDD078	535.00	536.00	0.23
KDD078	536.00	537.00	0.79
KDD078	537.00	538.00	1.11
KDD078	538.00	539.00	0.60
KDD078	539.00	540.00	0.88
KDD078	540.00	540.64	4.55
KDD078	540.64	541.20	5.32
KDD078	541.20	541.90	1.22
KDD078	541.90	542.85	0.90
KDD078	542.85	543.85	0.49
KDD078	543.85	544.52	0.53
KDD078	544.52	545.20	0.33
KDD078	545.20	546.00	0.37
KDD078	546.00	547.00	0.31
KDD078	547.00	548.00	0.23
KDD078	548.00	549.00	0.34
KDD078	549.00	550.00	0.33
KDD078	550.00	551.00	0.22
KDD078	551.00	552.00	0.23
KDD078	552.00	553.00	0.43
KDD078	553.00	554.00	0.68
KDD078	554.00	555.00	0.40
KDD078	555.00	556.00	0.55
KDD078	556.00	557.00	0.36
KDD078	557.00	558.00	0.05
KDD078	558.00	559.00	0.49
KDD078	559.00	560.00	0.08
KDD078	560.00	561.00	0.29
KDD078	561.00	562.00	0.40
KDD078	562.00	563.00	0.14
KDD078	563.00	564.00	0.14

Hole ID	From (m)	To (m)	Gold g/t
KDD078	564.00	565.00	0.38
KDD078	565.00	566.00	0.23
KDD078	566.00	567.00	0.43
KDD078	585.00	586.00	1.23
KDD078	586.00	587.00	0.32
KDD078	587.00	588.00	0.38
KDD078	588.00	589.00	0.13
KDD078	589.00	590.00	0.20
KDD079	51.00	52.00	0.38
KDD079	52.00	53.00	0.14
KDD079	53.00	54.00	0.50
KDD079	54.00	55.00	0.07
KDD079	55.00	56.00	0.49
KDD079	56.00	57.00	0.16
KDD079	57.00	58.00	0.94
KDD079	58.00	59.00	0.24
KDD079	66.00	67.00	0.83
KDD079	67.00	68.00	0.47
KDD079	68.00	69.00	0.17
KDD079	69.00	70.00	1.09
KDD079	70.00	71.00	0.78
KDD079	71.00	72.00	0.43
KDD079	72.00	73.00	0.26
KDD079	73.00	74.00	0.30
KDD079	74.00	75.00	0.20
KDD079	75.00	76.00	0.11
KDD079	76.00	77.00	0.23
KDD079	77.00	78.00	0.20
KDD079	78.00	79.00	0.54
KDD079	79.00	80.00	0.78
KDD079	80.00	81.00	0.34
KDD079	81.00	82.00	0.70
KDD079	82.00	83.00	2.38
KDD079	83.00	84.00	2.21
KDD079	84.00	85.00	1.38
KDD079	85.00	86.00	2.39
KDD079	86.00	87.00	0.85
KDD079	87.00	88.00	0.42
KDD079	88.00	89.00	0.55
KDD079	89.00	90.00	2.55
KDD080	230.00	231.00	0.89
KDD080	231.00	232.00	0.04
KDD080	232.00	233.00	0.03
KDD080	233.00	234.00	0.47
KDD080	234.00	235.00	0.06
KDD080	235.00	236.00	0.36
KDD080	236.00	237.00	0.48
KDD080	237.00	238.00	1.94
KDD080	238.00	239.00	0.19
KDD080	239.00	240.00	0.25
KDD080	245.00	246.00	0.36
KDD080	246.00	247.00	0.52
KDD080	247.00	248.00	0.01
KDD080	248.00	249.00	0.57
KDD080	249.00	250.00	0.08
KDD080	250.00	251.00	0.25
KDD080	251.00	252.00	0.91
KDD080	252.00	253.00	1.27
KDD080	253.00	254.00	3.20
KDD080	254.00	255.00	0.79
KDD080	255.00	255.50	0.37
KDD080	255.50	256.20	1.03
KDD080	256.20	257.30	0.03
KDD080	257.30	258.30	1.46
KDD080	258.30	259.00	2.77
KDD080	259.00	259.50	0.71
KDD080	289.00	290.00	0.24
KDD080	290.00	291.00	0.07
KDD080	291.00	292.00	0.30
KDD080	292.00	293.00	0.37
KDD080	338.00	339.00	0.24
KDD080	339.00	340.00	0.10
KDD080	340.00	341.00	0.29
KDD080	341.00	342.00	0.15
KDD080	342.00	343.00	0.61
KDD080	343.00	344.00	0.17
KDD080	344.00	346.00	0.09
KDD080	346.00	347.00	0.25
KDD080	347.00	348.00	2.77
KDD080	351.00	352.00	0.64

Hole ID	From (m)	To (m)	Gold g/t
KDD080	352.00	353.00	0.12
KDD080	353.00	354.00	1.01
KDD080	354.00	355.00	0.23
KDD081	488.00	489.00	0.29
KDD081	489.00	490.73	0.01
KDD081	490.73	491.38	0.20
KDD081	491.38	492.00	0.14
KDD081	492.00	493.00	0.17
KDD081	493.00	494.00	1.16
KDD081	529.00	530.00	0.88
KDD081	530.00	531.00	0.17
KDD081	531.00	532.00	0.26
KDD081	532.00	533.00	0.33
KDD081	533.00	534.00	0.06
KDD081	534.00	535.00	1.02
KDD081	535.00	536.00	0.18
KDD081	536.00	537.00	0.86
KDD081	537.00	538.00	0.46
KDD081	538.00	539.00	0.69
KDD081	539.00	540.00	0.76
KDD081	540.00	541.00	0.35
KDD081	541.00	542.00	0.36
KDD081	542.00	543.00	0.62
KDD081	546.15	547.00	0.42
KDD081	547.00	548.00	1.15
KDD081	548.00	549.00	0.56
KDD081	549.00	550.00	0.10
KDD081	550.00	551.00	0.30
KDD081	551.00	552.00	0.11
KDD081	552.00	553.00	0.93
KDD081	553.00	553.60	0.51
KDD081	609.50	610.50	0.97
KDD081	610.50	611.00	0.32
KDD081	611.00	612.80	0.02
KDD081	612.80	613.80	0.45
KDD081	613.80	614.80	0.53
KDD081	614.80	615.80	0.80
KDD081	615.80	616.80	2.62
KDD081	616.80	617.80	2.81
KDD081	617.80	618.80	0.64
KDD081	618.80	619.80	0.95
KDD081	619.80	620.80	1.17
KDD081	620.80	621.80	0.30
KDD081	626.00	627.00	1.70
KDD081	627.00	628.00	22.30
KDD081	631.00	632.00	0.67
KDD081	632.00	633.00	0.16
KDD081	633.00	634.00	0.27
KDD081	634.00	635.00	0.24
KDD081	635.00	636.00	0.23
KDD082	349.00	350.00	0.35
KDD082	350.00	351.00	0.84
KDD082	351.00	352.00	0.89
KDD082	352.00	353.00	0.58
KDD082	353.00	354.00	0.87
KDD082	354.00	355.00	0.27
KDD082	355.00	356.00	0.52
KDD082	356.00	357.00	0.35
KDD082	357.00	358.00	1.47
KDD082	358.00	359.00	1.48
KDD082	359.00	360.00	1.17
KDD082	360.00	361.00	3.60
KDD082	361.00	362.00	0.98
KDD082	362.00	363.00	0.71
KDD082	363.00	364.00	0.31
KDD082	364.00	365.00	0.20
KDD082	365.00	366.00	0.17
KDD082	366.00	367.00	3.78
KDD082	367.00	368.00	0.21
KDD082	368.00	369.00	0.43
KDD082	369.00	370.00	0.18
KDD082	370.00	370.87	0.45
KDD082	370.87	371.84	0.13
KDD082	371.84	372.50	0.63
KDD082	372.50	373.00	0.28
KDD082	373.00	374.00	0.94
KDD082	374.00	375.00	0.69
KDD082	375.00	376.00	0.68
KDD082	376.00	377.00	0.40
KDD082	377.00	378.00	0.55

Hole ID	From (m)	To (m)	Gold g/t
KDD082	378.00	379.00	0.26
KDD082	379.00	380.00	0.21
KDD082	380.00	381.00	0.60
KDD082	381.00	382.00	1.66
KDD082	382.00	383.00	0.84
KDD082	383.00	384.00	0.20
KDD082	384.00	385.00	5.82
KDD082	385.00	386.00	2.34
KDD082	386.00	387.00	0.12
KDD082	387.00	388.00	0.21
KDD082	388.00	389.00	0.58
KDD082	389.00	390.00	0.22
KDD082	390.00	391.00	0.11
KDD082	391.00	392.00	0.18
KDD082	392.00	393.00	0.38
KDD082	393.00	394.00	0.41
KDD082	394.00	395.00	0.23
KDD085	253.00	254.00	0.23
KDD085	254.00	255.00	0.07
KDD085	255.00	256.00	0.20
KDD085	256.00	257.00	0.85
KDD085	257.00	258.00	0.45
KDD085	258.00	259.00	0.32
KDD085	259.00	260.00	0.18
KDD085	260.00	261.00	0.54
KDD085	261.00	262.00	0.75
KDD085	262.00	263.00	0.66
KDD085	263.00	264.00	0.75
KDD085	264.00	265.00	0.67
KDD085	265.00	266.00	0.45
KDD085	266.00	267.00	0.87
KDD085	267.00	268.00	0.93
KDD085	268.00	269.00	0.75
KDD085	269.00	270.00	0.62
KDD085	270.00	271.00	0.56
KDD085	271.00	272.00	1.17
KDD085	272.00	273.00	0.79
KDD085	273.00	274.00	0.08
KDD085	274.00	275.00	0.36
KDD085	275.00	276.00	0.09
KDD085	276.00	277.00	0.18
KDD085	277.00	278.00	0.20
KDD085	278.00	279.00	0.09
KDD085	279.00	280.00	0.11
KDD085	280.00	281.00	0.37
KDD085	281.00	282.00	0.10
KDD085	282.00	283.00	0.19
KDD085	283.00	284.00	0.68
KDD085	284.00	285.00	0.08
KDD085	285.00	286.00	0.33
KDD085	286.00	287.00	0.17
KDD085	287.00	288.00	0.33
KDD085	288.00	289.00	0.60
KDD085	289.00	290.00	7.89
KDD085	290.00	291.00	0.21
KDD085	291.00	292.00	1.29
KDD085	292.00	293.00	0.53
KDD085	293.00	294.00	0.91
KDD085	294.00	295.00	0.22
KDD085	295.00	296.00	1.50
KDD085	296.00	297.00	0.24
KDD085	297.00	298.00	0.20
KDD085	298.00	299.00	0.34
KDD085	299.00	300.00	0.86
KDD085	300.00	301.00	0.74
KDD085	301.00	302.00	0.64
KDD085	302.00	303.00	0.68
KDD085	303.00	304.00	0.63
KDD085	304.00	304.75	0.50
KDD085	304.75	305.55	0.02
KDD085	305.55	306.25	0.57
KDD085	306.25	307.00	0.72
KDD085	307.00	308.00	0.22
KDD085	308.00	309.00	0.74
KDD085	309.00	310.00	0.30
KDD085	310.00	311.00	0.03
KDD085	311.00	312.00	0.22
KDD085	312.00	313.00	0.38
KDD085	313.00	314.00	0.17
KDD085	314.00	315.00	0.44

Hole ID	From (m)	To (m)	Gold g/t
KDD085	315.00	316.00	0.21
KDD085	316.00	317.00	0.60
KDD086	672.20	673.20	0.28
KDD086	673.20	674.20	0.28
KDD086	674.20	675.20	0.48
KDD086	675.20	676.10	0.23
KDD086	676.10	677.10	0.33
KDD086	677.10	678.10	0.11
KDD086	678.10	679.00	0.01
KDD086	679.00	680.00	0.27
KDD086	680.00	681.00	0.05
KDD086	681.00	682.00	0.37
KDD086	682.00	683.00	0.04
KDD086	683.00	684.00	0.13
KDD086	684.00	685.00	0.22
KDD086	685.00	686.00	0.33
KDD086	686.00	687.00	0.30
KDD086	718.20	720.20	0.37
KDD086	720.20	721.20	0.99
KDD086	721.20	722.20	0.06
KDD086	722.20	723.20	0.20
KDD086	760.00	761.00	0.66
KDD086	761.00	762.00	0.10
KDD086	762.00	763.00	0.05
KDD086	763.00	764.00	0.33
KDD086	764.00	765.00	0.24
KDD086	765.00	766.00	0.04
KDD086	766.00	767.00	0.57
KDD086	767.00	768.00	5.63
KDD086	768.00	769.00	0.88
KDD086	769.00	770.00	4.11
KDD086	770.00	771.00	0.40
KDD086	771.00	772.00	0.32
KDD086	772.00	773.00	1.83
KDD086	773.00	774.00	0.33
KDD086	774.00	775.00	0.73
KDD086	775.00	776.00	0.48
KDD086	776.00	777.00	3.04
KDD086	777.00	778.00	0.57
KDD086	778.00	779.00	1.74
KDD086	779.00	780.00	3.06
KDD086	780.00	781.00	0.48
KDD086	781.00	782.00	1.13
KDD086	782.00	783.00	0.08
KDD086	783.00	784.00	0.65
KDD086	784.00	785.00	2.83
KDD086	785.00	786.00	0.61
KDD086	786.00	787.00	0.19
KDD086	787.00	788.00	0.52
KDD086	788.00	789.00	0.77
KDD086	789.00	790.00	0.59
KDD086	790.00	791.00	0.45
KDD086	791.00	792.00	4.77
KDD086	792.00	793.00	1.54
KDD086	793.00	794.00	0.94
KDD086	794.00	795.00	1.80
KDD086	795.00	796.00	0.43
KDD086	796.00	797.00	0.41
KDD086	797.00	798.00	0.26
KDD086	798.00	799.00	1.05
KDD086	799.00	800.00	6.40
KDD086	800.00	801.00	0.24
KDD086	801.00	802.00	2.12
KDD086	802.00	803.00	0.80
KDD086	803.00	804.15	3.47
KDD086	804.15	805.00	0.05
KDD086	805.00	806.00	1.56
KDD086	806.00	807.00	0.47
KDD086	807.00	808.00	5.40
KDD086	808.00	809.00	0.70
KDD086	809.00	810.00	0.13
KDD086	810.00	811.00	0.16
KDD086	811.00	812.00	3.50
KDD086	812.00	813.00	1.54
KDD086	813.00	814.00	0.42
KDD087	480.00	481.00	0.20
KDD087	481.00	482.00	0.10
KDD087	482.00	483.00	0.20
KDD087	483.00	484.00	0.24
KDD087	484.00	485.00	0.27

Hole ID	From (m)	To (m)	Gold g/t
KDD087	485.00	486.00	0.15
KDD087	486.00	487.00	0.77
KDD087	487.00	487.92	0.06
KDD087	487.92	488.56	0.42
KDD087	488.56	489.30	0.38
KDD087	489.30	490.00	1.16
KDD087	490.00	491.00	0.39
KDD087	491.00	492.00	0.37
KDD087	492.00	493.00	0.23
KDD087	493.00	494.00	0.26
KDD087	494.00	495.00	0.37
KDD087	495.00	496.00	0.40
KDD087	496.00	497.00	2.20
KDD087	497.00	498.00	1.32
KDD087	498.00	499.00	0.51
KDD087	499.00	500.00	1.84
KDD087	500.00	501.00	0.06
KDD087	501.00	502.00	2.79
KDD087	502.00	503.00	6.06
KDD087	503.00	504.00	3.98
KDD087	504.00	504.70	1.30
KDD087	504.70	505.30	0.07
KDD087	505.30	506.00	0.01
KDD087	506.00	507.00	0.01
KDD087	507.00	508.00	1.12
KDD087	508.00	509.00	1.63
KDD087	509.00	510.00	0.86
KDD087	510.00	511.00	1.17
KDD087	511.00	512.00	1.05
KDD087	512.00	513.00	0.92
KDD087	513.00	514.00	0.58
KDD087	514.00	515.00	1.58
KDD087	515.00	516.00	0.70
KDD087	516.00	517.00	0.33
KDD087	517.00	518.00	0.73
KDD087	518.00	519.00	0.36
KDD087	519.00	520.00	1.03
KDD087	520.00	521.00	0.17
KDD087	521.00	522.00	0.04
KDD087	522.00	523.00	2.45
KDD087	527.00	528.00	1.04
KDD087	528.00	529.00	0.27
KDD087	529.00	530.00	0.49
KDD087	530.00	531.00	0.27
KDD087	531.00	532.00	0.28
KDD087	532.00	533.00	1.32
KDD087	533.00	534.00	0.87
KDD087	534.00	535.00	0.02
KDD087	535.00	536.00	0.44
KDD087	536.00	537.00	0.17
KDD087	537.00	538.00	0.43
KDD087	538.00	539.00	0.78
KDD087	539.00	540.00	1.29
KDD087	540.00	541.00	0.91
KDD087	541.00	542.00	0.90
KDD087	542.00	543.00	0.18
KDD087	543.00	544.00	0.43
KDD087	550.00	551.00	1.23
KDD087	551.00	552.00	16.25
KDD088	273.60	274.60	0.29
KDD088	274.60	275.60	0.20
KDD088	275.60	276.60	0.99
KDD088	276.60	277.60	0.26
KDD088	277.60	278.60	0.51
KDD088	278.60	279.60	0.18
KDD088	279.60	280.60	0.20
KDD088	280.60	281.60	1.50
KDD088	281.60	282.60	0.56
KDD088	282.60	283.60	0.93
KDD088	283.60	284.60	0.64
KDD088	284.60	285.60	0.10
KDD088	285.60	286.60	0.47
KDD088	286.60	287.60	0.47
KDD088	287.60	288.60	0.42
KDD088	288.60	289.60	0.67
KDD088	289.60	290.60	1.84
KDD088	290.60	291.60	0.48
KDD088	291.60	292.60	0.37
KDD088	292.60	293.60	1.56
KDD088	293.60	294.60	0.31

Hole ID	From (m)	To (m)	Gold g/t
KDD088	294.60	295.60	0.18
KDD088	295.60	296.60	0.18
KDD088	296.60	297.60	0.32
KDD088	297.60	298.60	0.69
KDD088	298.60	299.60	0.71
KDD088	299.60	300.60	0.35
KDD088	300.60	301.60	0.79
KDD088	301.60	302.60	0.96
KDD088	302.60	303.60	0.29
KDD088	303.60	304.60	1.42
KDD088	304.60	305.60	0.11
KDD088	305.60	306.60	0.31
KDD088	306.60	307.60	0.08
KDD088	307.60	308.60	0.08
KDD088	308.60	309.60	0.24
KDD088	309.60	310.60	0.75
KDD088	329.60	330.60	16.05
KDD088	330.60	331.60	7.52
KDD089	377.82	378.82	0.35
KDD089	378.82	379.62	1.05
KDD089	379.62	380.47	0.21
KDD089	380.47	381.09	0.60
KDD089	381.09	382.00	0.73
KDD089	382.00	383.00	0.33
KDD089	383.00	384.00	0.50
KDD089	384.00	385.00	0.25
KDD089	385.00	386.00	0.37
KDD089	386.00	387.00	0.22
KDD089	387.00	388.00	0.50
KDD089	388.00	389.00	0.41
KDD089	389.00	390.00	0.25
KDD089	393.00	394.00	0.76
KDD089	394.00	395.00	0.08
KDD089	395.00	396.00	1.23
KDD089	396.00	397.00	0.12
KDD089	397.00	398.00	0.06
KDD089	398.00	399.00	0.29
KDD089	399.00	400.00	0.26
KDD089	400.00	400.70	1.52
KDD089	400.70	401.64	0.27
KDD089	401.64	402.41	0.59
KDD089	402.41	403.27	0.24
KDD089	403.27	404.00	0.37
KDD089	404.00	405.00	0.65
KDD089	422.00	423.00	0.23
KDD089	423.00	424.00	1.86
KDD089	424.00	425.00	0.14
KDD089	425.00	426.00	0.46
KDD089	426.00	427.00	0.34
KDD089	427.00	428.00	0.32
KDD089	428.00	429.00	0.55
KDD089	429.00	430.00	0.13
KDD089	430.00	431.00	0.10
KDD089	431.00	432.00	1.04
KDD089	507.53	508.53	0.23
KDD089	508.53	509.53	0.06
KDD089	509.53	510.53	0.06
KDD089	510.53	511.53	0.35
KDD089	511.53	512.53	0.21
KDD089	512.53	513.53	0.79
KDD090	455.50	456.50	0.30
KDD090	456.50	457.50	0.40
KDD090	457.50	458.50	0.19
KDD090	458.50	459.50	0.36
KDD090	459.50	460.50	0.40
KDD090	460.50	461.50	0.59
KDD090	461.50	462.50	1.50
KDD090	462.50	463.50	1.49
KDD090	463.50	464.50	0.43
KDD090	464.50	465.50	0.53
KDD090	465.50	466.50	0.62
KDD090	466.50	467.50	0.69
KDD090	467.50	468.50	1.24
KDD090	468.50	469.50	0.34
KDD090	469.50	470.50	1.22
KDD090	470.50	471.50	1.71
KDD090	471.50	472.50	0.94
KDD090	472.50	473.50	1.01
KDD090	473.50	474.50	0.79
KDD090	474.50	475.50	0.88

Hole ID	From (m)	To (m)	Gold g/t
KDD090	475.50	476.50	0.84
KDD090	476.50	477.50	0.45
KDD090	477.50	478.50	0.55
KDD090	478.50	479.50	0.93
KDD090	479.50	480.50	0.86
KDD090	480.50	481.00	1.45
KDD090	481.00	482.00	0.71
KDD090	482.00	483.00	0.14
KDD090	483.00	484.00	0.08
KDD090	484.00	485.00	0.81
KDD090	485.00	486.00	0.37
KDD090	486.00	487.00	0.61
KDD090	487.00	488.00	0.11
KDD090	488.00	489.00	1.89
KDD090	489.00	490.00	1.45
KDD090	490.00	491.00	0.16
KDD090	491.00	492.00	0.51
KDD090	492.00	493.00	0.29
KDD091	532.00	533.00	0.27
KDD091	533.00	534.00	0.28
KDD091	534.00	535.00	0.18
KDD091	535.00	536.00	0.26
KDD091	536.00	537.00	0.40
KDD091	537.00	538.00	0.16
KDD091	538.00	539.00	0.41
KDD091	539.00	540.00	0.68
KDD091	540.00	541.00	0.07
KDD091	541.00	542.00	0.09
KDD091	542.00	543.00	0.83
KDD091	543.00	544.00	0.51
KDD091	544.00	545.00	0.25
KDD091	545.00	546.00	0.25
KDD091	549.00	550.00	0.24
KDD091	550.00	551.00	0.19
KDD091	551.00	552.00	0.04
KDD091	552.00	553.00	0.29
KDD091	553.00	554.00	4.48
KDD091	554.00	555.00	0.60
KDD091	555.00	556.00	0.21
KDD091	556.00	557.00	0.32
KDD091	557.00	558.00	0.73
KDD091	558.00	559.00	1.54
KDD091	559.00	560.00	4.37
KDD091	560.00	561.00	1.64
KDD091	561.00	562.00	0.34
KDD091	562.00	563.00	0.10
KDD091	563.00	564.00	3.58
KDD091	564.00	565.00	0.18
KDD091	565.00	566.00	0.83
KDD091	566.00	567.00	4.52
KDD091	567.00	568.00	0.84
KDD091	568.00	569.00	2.13
KDD091	569.00	570.00	2.47
KDD091	570.00	571.00	0.70
KDD091	571.00	572.00	0.51
KDD091	580.00	581.00	0.22
KDD091	581.00	582.00	0.23
KDD091	582.00	583.00	0.12
KDD091	583.00	584.00	0.12
KDD091	584.00	585.00	0.36
KDD091	585.00	586.00	0.16
KDD091	586.00	587.00	1.19
KDD091	587.00	588.00	2.88
KDD091	588.00	589.00	1.76
KDD091	589.00	590.00	1.43
KDD091	590.00	591.00	1.43
KDD091	591.00	592.00	2.51
KDD091	592.00	593.00	1.15
KDD091	593.00	594.00	0.47
KDD091	594.00	595.00	0.65
KDD091	595.00	596.00	0.76
KDD091	596.00	597.00	0.32
KDD091	597.00	598.00	1.37
KDD091	598.00	599.00	0.71
KDD091	599.00	600.00	0.50
KDD091	600.00	601.00	1.77
KDD091	601.00	602.00	0.80
KDD091	602.00	603.00	1.67
KDD091	603.00	604.00	0.53
KDD091	604.00	605.00	2.84

Hole ID	From (m)	To (m)	Gold g/t
KDD091	605.00	606.00	0.47
KDD091	606.00	607.00	0.68
KDD091	607.00	608.00	2.11
KDD091	608.00	608.86	0.71
KDD091	613.00	614.00	0.77
KDD091	614.00	615.00	1.05
KDD091	615.00	616.00	0.55
KDD091	616.00	617.00	0.51
KDD091	617.00	618.00	1.66
KDD091	618.00	619.00	0.23
KDD091	619.00	620.00	0.52
KDD091	620.00	621.00	0.15
KDD091	621.00	622.00	1.05
KDD091	622.00	623.00	0.53
KDD091	623.00	624.00	0.21
KDD091	624.00	625.00	1.26
KDD091	625.00	626.00	0.88
KDD091	626.00	627.00	0.60
KDD091	627.00	628.00	1.39
KDD091	628.00	629.00	4.51
KDD091	629.00	630.00	0.62
KDD091	630.00	631.00	0.55
KDD091	631.00	632.00	0.26
KDD091	632.00	633.00	0.63
KDD091	633.00	634.00	0.83
KDD091	634.00	635.00	1.32
KDD091	635.00	636.00	1.24
KDD091	636.00	637.00	0.28
KDD091	637.00	638.00	0.80
KDD091	638.00	639.00	0.94
KDD091	639.00	640.00	0.60
KDD091	640.00	641.00	0.87
KDD091	641.00	642.00	0.36
KDD091	642.00	643.00	0.07
KDD091	643.00	644.00	0.32
KDD091	644.00	645.00	0.09
KDD091	645.00	646.00	0.20
KDD092	795.70	796.70	0.80
KDD092	796.70	798.30	0.01
KDD092	798.30	799.30	0.02
KDD092	799.30	800.30	0.21
KDD092	800.30	801.30	0.07
KDD092	801.30	802.30	0.27
KDD092	863.90	864.90	0.59
KDD092	864.90	865.70	0.01
KDD092	865.70	866.65	0.01
KDD092	866.65	867.60	0.27
KDD092	867.60	868.60	0.06
KDD092	868.60	869.60	0.12
KDD092	869.60	870.60	0.68
KDD092	870.60	871.60	0.09
KDD092	871.60	872.60	0.87
KDD092	872.60	873.60	0.43
KDD092	873.60	874.60	0.06
KDD092	874.60	875.60	0.49
KDD092	875.60	876.60	0.21
KDD092	876.60	877.60	0.19
KDD092	877.60	878.60	0.33
KDD092	878.60	879.60	0.38
KDD092	893.00	894.70	0.27
KDD092	894.70	895.70	0.59
KDD092	895.70	896.70	0.18
KDD092	896.70	897.70	0.15
KDD092	897.70	898.70	0.27
KDD092	898.70	899.70	0.64
KDD092	916.70	917.70	0.27
KDD092	917.70	918.70	0.27
KDD092	918.70	919.70	0.63
KDD092	919.70	920.70	0.08
KDD092	920.70	921.70	3.51
KDD092	921.70	922.60	0.16
KDD092	922.60	924.60	0.01
KDD092	924.60	925.60	0.25
KDD092	925.60	926.60	0.24
KDD093	113.00	114.00	0.86
KDD093	114.00	115.00	0.64
KDD093	115.00	116.00	0.36
KDD093	116.00	117.00	0.15
KDD093	117.00	118.00	0.30
KDD093	118.00	119.00	0.16

Hole ID	From (m)	To (m)	Gold g/t
KDD093	119.00	120.00	0.71
KDD093	120.00	121.00	0.37
KDD093	124.00	125.00	0.23
KDD093	125.00	126.00	0.08
KDD093	126.00	127.00	4.19
KDD093	127.00	128.00	1.30
KDD093	128.00	129.00	0.40
KDD093	129.00	130.00	0.63
KDD093	130.00	131.00	0.03
KDD093	131.00	132.00	0.65
KDD093	132.00	133.00	0.30
KDD093	133.00	134.00	0.27
KDD093	134.00	135.00	1.04
KDD093	135.00	136.00	1.57
KDD093	136.00	137.00	3.80
KDD093	137.00	138.00	1.26
KDD093	138.00	139.00	0.95
KDD093	141.00	142.00	0.21
KDD093	142.00	143.00	2.33
KDD093	143.00	144.00	0.79
KDD093	144.00	145.00	1.08
KDD093	145.00	146.00	1.06
KDD093	146.00	147.00	1.05
KDD093	147.00	147.50	4.65
KDD093	147.50	149.50	0.01
KDD093	149.50	150.00	0.04
KDD093	150.00	150.60	0.78
KDD093	150.60	151.10	0.01
KDD093	151.10	152.20	0.01
KDD093	152.20	153.20	0.88
KDD093	153.20	154.20	1.21
KDD093	154.20	155.20	2.23
KDD093	155.20	156.20	1.18
KDD093	156.20	157.20	0.79
KDD093	157.20	158.10	0.77
KDD093	158.10	158.60	0.07
KDD093	158.60	159.60	0.51
KDD093	190.50	191.00	0.24
KDD093	191.00	192.00	3.95
KDD093	192.00	193.00	4.16
KDD093	193.00	194.00	3.05
KDD093	194.00	195.00	0.27
KDD093	195.00	195.60	0.80
KDD093	195.60	196.10	0.01
KDD093	196.10	198.10	0.00
KDD093	198.10	199.10	0.55
KDD093	199.10	200.10	0.19
KDD093	200.10	201.10	0.34
KDD093	201.10	202.10	0.40
KDD093	202.10	202.60	0.29
KDD093	202.60	203.30	0.29
KDD093	203.30	204.60	0.13
KDD093	204.60	205.10	0.16
KDD093	205.10	206.10	0.23
KDD093	206.10	207.10	0.34
KDD093	207.10	208.10	0.55
KDD093	208.10	209.10	0.46
KDD093	209.10	210.10	0.69
KDD093	219.70	220.70	0.39
KDD093	220.70	221.70	10.35
KDD093	221.70	222.70	0.45
KDD093	222.70	223.70	0.82
KDD093	223.70	224.70	0.33
KDD093	224.70	225.70	1.16
KDD093	225.70	226.70	0.22
KDD093	226.70	227.70	0.15
KDD093	227.70	228.70	0.23
KDD093	228.70	229.70	0.37
KDD093	229.70	230.70	1.06
KDD093	230.70	231.70	2.41
KDD093	231.70	232.70	0.10
KDD093	232.70	233.30	0.51
KDD093	233.30	233.90	0.02
KDD093	233.90	234.90	0.24
KDD093	234.90	235.90	35.90
KDD093	235.90	236.90	0.87
KDD093	236.90	237.90	0.82
KDD093	237.90	238.90	0.27
KDD093	238.90	239.90	0.21
KDD093	239.90	240.90	0.09

Hole ID	From (m)	To (m)	Gold g/t
KDD093	240.90	241.90	0.13
KDD093	241.90	242.90	1.29
KDD093	247.10	248.00	0.36
KDD093	248.00	249.00	0.22
KDD093	249.00	250.00	0.58
KDD093	250.00	251.00	0.19
KDD093	251.00	252.00	0.98
KDD093	252.00	253.00	0.44
KDD093	253.00	253.70	0.22
KDD093	258.15	259.00	1.95
KDD093	259.00	259.81	0.26
KDD093	259.81	260.86	0.02
KDD093	260.86	261.86	0.33
KDD093	261.86	262.86	0.41
KDD093	262.86	263.86	1.89
KDD093	263.86	264.86	1.67
KDD093	264.86	265.86	0.52
KDD094	8.00	9.00	0.47
KDD094	9.00	10.00	0.33
KDD094	10.00	11.00	0.41
KDD094	11.00	12.00	0.90
KDD094	12.00	13.00	0.28
KDD094	13.00	14.00	0.81
KDD094	14.00	15.00	0.55
KDD094	15.00	16.00	2.12
KDD094	16.00	17.00	0.69
KDD094	17.00	18.00	0.30
KDD094	64.70	65.50	1.62
KDD094	65.50	66.00	0.20
KDD094	66.00	67.00	0.06
KDD094	67.00	68.00	0.22
KDD094	68.00	69.00	0.51
KDD094	69.00	70.00	0.25
KDD094	70.00	71.00	0.81
KDD094	71.00	72.00	1.34
KDD094	72.00	73.00	0.14
KDD094	73.00	74.00	0.03
KDD094	74.00	75.00	1.35
KDD094	75.00	76.00	0.48
KDD094	76.00	77.00	0.33
KDD094	77.00	78.00	1.84
KDD094	78.00	79.00	0.32
KDD094	79.00	80.00	0.13
KDD094	80.00	81.00	0.10
KDD094	81.00	82.00	0.75
KDD094	85.00	86.00	0.80
KDD094	86.00	87.00	1.12
KDD094	87.00	88.00	0.45
KDD094	88.00	88.50	0.22
KDD094	97.30	98.00	1.45
KDD094	98.00	99.00	0.89
KDD094	99.00	100.00	0.61
KDD094	100.00	101.00	1.31
KDD094	101.00	102.00	0.23
KDD094	102.00	103.00	1.17
KDD094	103.00	103.75	0.01
KDD094	103.75	104.50	2.73
KDD094	104.50	105.00	2.04
KDD094	105.00	106.00	0.01
KDD094	106.00	107.00	0.24
KDD094	122.30	123.30	0.99
KDD094	123.30	124.30	1.07
KDD094	124.30	125.30	0.87
KDD094	125.30	126.30	0.67
KDD094	126.30	127.30	2.19
KDD094	127.30	128.30	1.11
KDD094	128.30	129.30	0.12
KDD094	129.30	130.30	0.30
KDD094	130.30	131.30	0.20
KDD094	131.30	132.30	0.52
KDD094	132.30	133.30	2.96
KDD094	133.30	134.20	0.57
KDD094	134.20	134.70	0.69
KDD094	134.70	135.60	0.01
KDD094	135.60	136.60	0.50
KDD094	136.60	137.60	1.79
KDD094	137.60	138.60	0.30
KDD094	138.60	139.60	0.22
KDD094	139.60	140.60	0.74
KDD094	158.70	159.70	2.88

Hole ID	From (m)	To (m)	Gold g/t
KDD094	159.70	160.70	0.22
KDD094	160.70	161.70	0.39
KDD094	161.70	162.70	0.01
KDD094	162.70	163.70	0.04
KDD094	163.70	164.70	0.58
KDD094	227.40	227.90	1.89
KDD094	227.90	229.00	0.03
KDD094	229.00	230.00	5.24
KDD094	230.00	231.00	0.82
KDD094	231.00	232.00	4.35
KDD094	232.00	233.00	1.23
KDD094	233.00	234.00	1.71
KDD094	234.00	234.60	1.27
KDD094	234.60	235.30	1.52
KDD094	235.30	236.30	0.91
KDD094	236.30	236.80	0.92
KDD094	236.80	237.50	0.26
KDD094	248.30	249.30	1.13
KDD094	249.30	250.30	1.14
KDD094	250.30	251.30	1.17
KDD094	251.30	252.30	0.40
KDD094	252.30	253.30	0.67
KDD094	262.60	263.60	0.28
KDD094	263.60	264.60	4.22
KDD094	264.60	265.60	0.21
KDD094	265.60	266.60	0.70
KDD094	269.60	270.60	0.49
KDD094	270.60	271.60	2.04
KDD094	271.60	272.60	0.26
KDD094	272.60	273.60	1.51
KDD094	273.60	274.60	0.18
KDD094	274.60	275.60	0.10
KDD094	275.60	276.60	0.25
KDD094	281.70	282.60	0.62
KDD094	282.60	284.00	0.01
KDD094	284.00	284.80	0.00
KDD094	284.80	285.80	0.38
KDD094	285.80	286.80	0.21
KDD094	299.20	300.20	0.43
KDD094	300.20	301.20	0.26
KDD094	301.20	302.20	0.38
KDD094	302.20	303.20	1.38
KDD094	307.10	308.10	0.35
KDD094	308.10	309.10	0.23
KDD094	309.10	310.10	0.28
KDD094	310.10	311.10	0.04
KDD094	311.10	312.10	1.03
KDD094	364.00	365.00	0.74
KDD094	365.00	366.00	0.85
KDD094	366.00	367.00	0.65
KDD094	367.00	368.00	0.10
KDD094	368.00	369.00	0.20
KDD094	369.00	370.00	0.62
KDD094	370.00	371.00	0.48
KDD095	302.00	303.00	0.32
KDD095	303.00	304.00	0.65
KDD095	304.00	305.00	0.30
KDD095	305.00	306.00	0.16
KDD095	306.00	307.00	0.27
KDD095	307.00	308.00	0.09
KDD095	308.00	309.00	0.22
KDD095	309.00	310.00	0.02
KDD095	310.00	311.00	0.50
KDD095	311.00	312.00	0.10
KDD095	312.00	313.00	0.20
KDD095	313.00	314.00	0.23
KDD095	418.00	419.00	0.29
KDD095	419.00	420.00	0.39
KDD095	420.00	421.00	0.72
KDD095	421.00	422.00	0.25
KDD095	432.00	433.00	0.31
KDD095	433.00	434.00	0.29
KDD095	434.00	435.00	2.87
KDD095	435.00	436.00	0.71
KDD095	436.00	437.00	0.20
KDD095	448.00	449.00	1.61
KDD095	449.00	450.00	1.66
KDD095	450.00	450.95	3.14
KDD095	450.95	451.68	0.16
KDD095	451.68	452.68	1.69

Hole ID	From (m)	To (m)	Gold g/t
KDD095	452.68	453.68	7.85
KDD095	453.68	454.68	10.10
KDD095	454.68	455.68	8.92
KDD095	455.68	456.68	1.25
KDD095	456.68	457.68	0.68
KDD095	457.68	458.68	0.05
KDD095	458.68	459.68	0.29
KDD095	459.68	460.68	2.05
KDD096	0.00	1.30	0.81
KDD096	1.30	2.30	0.44
KDD096	2.30	3.30	0.58
KDD096	3.30	4.00	2.89
KDD096	4.00	5.00	1.83
KDD096	5.00	6.00	1.05
KDD096	6.00	7.00	0.35
KDD096	7.00	8.00	0.28
KDD096	8.00	9.00	0.34
KDD096	9.00	10.00	0.48
KDD096	10.00	11.00	0.34
KDD096	11.00	12.00	0.09
KDD096	12.00	13.00	0.31
KDD096	13.00	14.00	0.56
KDD096	14.00	15.00	0.05
KDD096	15.00	16.00	0.35
KDD096	16.00	17.50	0.00
KDD096	17.50	18.80	0.00
KDD096	18.80	19.80	0.21
KDD096	19.80	20.80	1.45
KDD096	20.80	21.70	0.53
KDD096	27.00	28.00	8.44
KDD096	28.00	29.00	1.64
KDD096	29.00	30.00	0.25
KDD096	30.00	31.00	1.85
KDD096	40.00	41.00	1.31
KDD096	41.00	42.00	0.08
KDD096	42.00	43.00	0.47
KDD096	43.00	44.00	0.47
KDD096	44.00	44.60	0.26
KDD096	47.30	48.10	1.79
KDD096	48.10	48.60	0.29
KDD096	48.60	49.20	0.01
KDD096	49.20	50.20	0.17
KDD096	50.20	50.90	0.43
KDD096	73.80	74.80	0.50
KDD096	74.80	75.80	0.68
KDD096	75.80	76.80	0.84
KDD096	76.80	77.80	1.33
KDD096	77.80	78.80	0.12
KDD096	78.80	79.80	1.16
KDD096	79.80	80.80	1.58
KDD096	80.80	81.80	0.94
KDD096	81.80	82.80	1.91
KDD096	82.80	83.50	0.35
KDD096	83.50	84.80	0.01
KDD096	84.80	85.80	0.15
KDD096	85.80	86.80	0.63
KDD096	86.80	87.80	0.66
KDD096	87.80	88.80	0.25
KDD096	88.80	89.80	0.40
KDD096	89.80	90.80	0.44
KDD096	90.80	91.80	0.05
KDD096	91.80	92.80	0.05
KDD096	92.80	93.80	0.27
KDD096	93.80	94.80	0.09
KDD096	94.80	95.80	0.01
KDD096	95.80	96.50	0.45
KDD096	96.50	97.50	0.02
KDD096	97.50	98.10	0.11
KDD096	98.10	99.00	0.37
KDD096	99.00	101.00	0.00
KDD096	101.00	102.40	0.01
KDD096	102.40	103.40	0.20
KDD096	103.40	104.40	0.73
KDD096	104.40	105.40	0.58
KDD096	105.40	106.40	0.43
KDD096	108.80	109.80	0.69
KDD096	109.80	110.80	0.55
KDD096	110.80	111.80	1.63
KDD096	111.80	112.80	0.88
KDD096	112.80	113.80	1.93

Hole ID	From (m)	To (m)	Gold g/t
KDD096	113.80	114.80	0.29
KDD096	114.80	115.80	0.66
KDD096	115.80	116.80	2.56
KDD096	116.80	117.80	2.33
KDD096	117.80	118.80	1.17
KDD096	118.80	119.80	2.06
KDD096	119.80	120.80	0.12
KDD096	120.80	121.60	0.35
KDD096	121.60	123.60	0.01
KDD096	123.60	124.90	0.01
KDD096	124.90	125.90	0.81
KDD096	125.90	126.90	0.28
KDD096	126.90	127.60	1.88
KDD096	127.60	128.60	2.59
KDD096	128.60	129.60	0.23
KDD096	129.60	130.60	1.40
KDD096	130.60	131.60	1.17
KDD096	131.60	132.60	0.93
KDD096	132.60	133.60	0.61
KDD096	133.60	134.60	0.71
KDD096	134.60	135.60	0.75
KDD096	135.60	136.60	0.27
KDD096	136.60	137.60	0.13
KDD096	137.60	138.60	1.67
KDD096	218.50	219.50	0.27
KDD096	219.50	220.50	0.36
KDD096	220.50	221.50	0.22
KDD096	221.50	222.50	0.17
KDD096	222.50	223.50	0.22
KDD096	223.50	224.50	3.16
KDD096	224.50	225.50	2.88
KDD096	225.50	226.00	3.00
KDD096	226.00	227.00	0.56
KDD096	227.00	227.50	0.18
KDD096	227.50	228.20	3.21
KDD096	228.20	229.00	0.03
KDD096	229.00	230.00	42.90
KDD096	230.00	231.00	77.40
KDD096	231.00	231.60	2.55
KDD096	231.60	232.10	0.34
KDD096	232.10	232.80	0.02
KDD096	232.80	233.80	0.72
KDD096	233.80	234.40	0.69
KDD096	238.60	239.60	0.64
KDD096	239.60	240.60	1.17
KDD096	240.60	241.60	1.37
KDD096	241.60	242.60	3.09
KDD096	242.60	243.60	0.25
KDD096	243.60	244.60	0.22
KDD096	244.60	245.20	0.46
KDD096	245.20	246.20	0.06
KDD096	246.20	247.20	0.02
KDD096	247.20	248.20	0.62
KDD096	248.20	248.70	0.03
KDD096	248.70	249.60	0.19
KDD096	249.60	250.10	0.34
KDD096	250.10	251.10	0.04
KDD096	251.10	252.10	0.23
KDD096	252.10	253.10	1.55
KDD096	253.10	253.60	1.81
KDD096	253.60	254.30	0.02
KDD096	254.30	255.20	0.53
KDD096	255.20	255.70	0.05
KDD096	255.70	256.70	0.70
KDD096	256.70	257.70	0.23
KDD096	257.70	258.70	0.52
KDD096	258.70	259.70	0.22
KDD096	259.70	260.70	1.82
KDD096	260.70	261.70	0.25
KDD096	261.70	262.70	0.18
KDD096	262.70	263.70	0.26
KDD096	263.70	264.70	0.60
KDD096	264.70	265.70	0.10
KDD096	265.70	266.70	0.14
KDD096	266.70	267.70	0.23
KDD096	267.70	268.70	0.20
KDD096	268.70	269.70	0.02
KDD096	269.70	270.70	0.52
KDD096	270.70	271.60	0.35
KDD096	271.60	272.10	0.16

Hole ID	From (m)	To (m)	Gold g/t
KDD096	272.10	272.70	0.01
KDD096	272.70	273.60	0.32
KDD096	273.60	274.10	0.06
KDD096	274.10	275.10	0.55
KDD096	282.10	283.00	0.51
KDD096	283.00	284.00	0.21
KDD096	284.00	285.00	0.09
KDD096	285.00	286.00	0.08
KDD096	286.00	287.00	0.33
KDD096	296.55	297.55	0.37
KDD096	297.55	298.55	0.04
KDD096	298.55	299.55	0.21
KDD096	299.55	300.55	0.38
KDD096	300.55	301.10	0.20
KDD096	301.10	302.40	0.01
KDD096	302.40	303.40	0.22
KDD097	321.70	322.70	0.41
KDD097	322.70	323.70	0.48
KDD097	323.70	324.70	0.35
KDD097	324.70	325.70	0.32
KDD097	325.70	326.70	0.08
KDD097	326.70	327.70	0.29
KDD097	335.80	336.80	1.27
KDD097	336.80	337.80	0.07
KDD097	337.80	338.80	6.13
KDD097	338.80	339.80	1.94
KDD097	339.80	340.80	0.23
KDD097	340.80	342.20	0.02
KDD097	342.20	343.20	0.10
KDD097	343.20	344.20	0.36
KDD097	421.60	422.60	0.30
KDD097	422.60	423.60	0.12
KDD097	423.60	424.60	2.07
KDD097	424.60	425.60	0.95
KDD097	425.60	426.60	0.58
KDD097	451.50	452.00	0.57
KDD097	452.00	453.00	0.70
KDD097	453.00	453.90	0.45
KDD097	453.90	455.30	0.02
KDD097	455.30	456.30	0.77
KDD097	456.30	456.80	1.11
KDD097	456.80	457.50	0.06
KDD097	457.50	458.50	0.42
KDD097	458.50	459.50	0.36
KDD097	459.50	460.50	1.46
KDD097	460.50	461.50	0.79
KDD097	461.50	462.50	2.13
KDD097	462.50	463.50	0.21
KDD097	463.50	464.50	3.21
KDD097	464.50	465.50	2.98
KDD097	465.50	466.20	1.71
KDD097	466.20	467.20	0.04
KDD097	467.20	468.00	0.08
KDD097	468.00	469.00	1.28
KDD097	469.00	470.00	0.44
KDD097	470.00	471.00	0.42
KDD097	471.00	472.00	0.22
KDD097	472.00	473.00	0.14
KDD097	473.00	474.00	0.26
KDD097	474.00	475.00	1.67
KDD097	475.00	476.00	6.36
KDD097	476.00	477.00	5.77
KDD097	477.00	478.00	1.02
KDD097	478.00	479.00	1.71
KDD097	479.00	480.00	0.41
KDD097	480.00	481.00	1.47
KDD097	481.00	482.00	0.52
KDD097	482.00	483.00	5.55
KDD097	483.00	484.00	0.26
KDD097	484.00	485.00	0.26
KDD097	485.00	486.00	0.76
KDD097	486.00	487.00	1.15
KDD097	487.00	488.00	1.47
KDD097	488.00	489.00	1.46
KDD097	489.00	490.00	6.10
KDD097	490.00	491.00	3.84
KDD097	491.00	492.00	7.98
KDD097	492.00	493.00	7.34
KDD097	493.00	494.00	1.90
KDD097	494.00	495.00	3.63

Hole ID	From (m)	To (m)	Gold g/t
KDD097	495.00	496.00	5.57
KDD097	496.00	497.00	3.52
KDD097	497.00	498.00	2.05
KDD097	498.00	499.00	10.95
KDD097	499.00	500.00	4.44
KDD097	500.00	501.00	2.12
KDD097	501.00	501.60	0.38
KDD097	501.60	502.10	0.20
KDD097	512.80	513.80	0.28
KDD097	513.80	514.70	0.63
KDD097	514.70	516.10	0.03
KDD097	516.10	517.10	0.60
KDD097	517.10	517.70	0.65
KDD097	571.00	572.00	0.28
KDD097	572.00	572.80	3.09
KDD097	572.80	573.30	0.33
KDD097	573.30	574.20	0.00
KDD097	574.20	575.20	0.48
KDD099	353.00	354.00	0.23
KDD099	354.00	355.00	1.76
KDD099	355.00	356.00	3.26
KDD099	356.00	357.00	0.50
KDD099	357.00	358.00	0.19
KDD099	358.00	359.00	0.66
KDD099	359.00	360.00	0.38
KDD099	467.28	468.00	0.31
KDD099	468.00	469.00	0.25
KDD099	469.00	469.57	0.32
KDD099	469.57	471.56	0.04
KDD099	471.56	472.22	0.30
KDD099	472.22	473.00	0.65
KDD099	473.00	473.90	0.09
KDD099	473.90	475.07	0.16
KDD099	475.07	476.00	0.73
KDD099	493.28	494.05	0.22
KDD099	494.05	494.55	0.05
KDD099	494.55	495.53	0.54
KDD099	495.53	496.04	0.49
KDD099	496.04	496.73	0.01
KDD099	496.73	497.71	0.68
KDD099	501.00	502.00	2.50
KDD099	502.00	503.00	0.84
KDD099	503.00	504.00	1.59
KDD099	504.00	505.00	0.22
KDD099	505.00	506.00	2.38
KDD099	506.00	507.00	0.27
KDD099	507.00	508.00	1.15
KDD099	508.00	508.53	0.76
KDD099	508.53	509.12	0.41
KDD099	509.12	510.00	0.46
KDD099	510.00	511.00	5.21
KDD099	511.00	512.00	1.27
KDD099	512.00	513.00	1.71
KDD099	513.00	514.00	0.28
KDD099	514.00	515.00	0.41
KDD100	520.40	521.30	0.30
KDD100	521.30	522.30	0.02
KDD100	522.30	523.30	0.17
KDD100	523.30	524.30	0.34
KDD100	524.30	525.30	0.25
KDD100	539.30	540.30	0.31
KDD100	540.30	541.30	1.32
KDD100	541.30	542.30	0.37
KDD100	542.30	543.30	2.91
KDD100	543.30	544.25	2.53
KDD100	544.25	545.23	0.47
KDD100	545.23	546.20	0.23
KDD100	588.00	589.00	1.19
KDD100	589.00	590.00	0.34
KDD100	590.00	591.00	0.88
KDD100	591.00	592.00	0.15
KDD100	592.00	593.00	3.26
KDD100	593.00	594.00	1.72
KDD100	594.00	595.00	3.43
KDD100	595.00	596.00	1.33
KDD100	596.00	597.00	0.36
KDD100	657.00	658.00	1.47
KDD100	658.00	659.00	1.41
KDD100	659.00	660.00	0.45
KDD100	660.00	661.00	0.24

Hole ID	From (m)	To (m)	Gold g/t
KDD100	661.00	662.00	0.74
KDD100	662.00	663.00	0.43
KDD100	663.00	664.00	0.14
KDD100	664.00	665.00	0.26
KDD100	665.00	666.00	0.10
KDD100	666.00	667.00	3.00
KDD100	667.00	668.00	0.07
KDD100	668.00	669.00	0.22
KDD100	669.00	670.00	0.06
KDD100	670.00	671.00	1.87
KDD100	671.00	672.00	0.59
KDD100	672.00	673.00	0.22
KDD100	673.00	674.00	1.47
KDD100	674.00	675.00	1.36
KDD100	675.00	676.00	0.33
KDD100	676.00	677.00	0.17
KDD100	677.00	678.00	0.21
KDD103	187.70	188.70	0.45
KDD103	188.70	189.50	0.26
KDD103	189.50	191.50	0.02
KDD103	191.50	193.40	0.00
KDD103	193.40	194.00	0.82
KDD103	194.00	194.50	0.39
KDD103	194.50	196.00	0.01
KDD103	196.00	196.90	0.01
KDD103	196.90	197.90	0.26
KDD103	197.90	198.70	0.03
KDD103	198.70	199.70	0.12
KDD103	199.70	200.70	0.24
KDD103	208.90	209.90	0.36
KDD103	209.90	210.90	0.04
KDD103	210.90	211.90	0.36
KDD103	211.90	212.90	0.87
KDD103	212.90	213.90	0.52
KDD103	213.90	214.90	0.04
KDD103	214.90	215.90	0.06
KDD103	215.90	216.90	0.56
KDD103	216.90	217.90	0.38
KDD103	230.70	231.70	0.32
KDD103	231.70	232.80	0.05
KDD103	232.80	233.80	0.28
KDD103	233.80	234.70	0.23
KDD103	234.70	235.20	0.16
KDD103	235.20	236.30	0.02
KDD103	236.30	236.90	0.51
KDD103	240.30	240.80	0.30
KDD103	240.80	242.10	0.02
KDD103	242.10	243.10	0.13
KDD103	243.10	244.10	0.26
KDD103	244.10	245.10	0.14
KDD103	245.10	246.10	2.21
KDD103	246.10	247.10	4.75
KDD103	247.10	248.10	1.58
KDD103	248.10	249.10	21.80
KDD103	249.10	250.10	3.50
KDD103	288.20	289.20	1.02
KDD103	289.20	290.20	3.11
KDD103	290.20	291.20	0.40
KDD103	291.20	292.20	11.15
KDD103	292.20	293.00	4.81
KDD103	293.00	293.50	0.06
KDD103	293.50	294.50	0.06
KDD103	294.50	295.50	2.77
KDD103	295.50	296.50	1.09
KDD103	296.50	297.50	0.51
KDD103	297.50	298.50	0.84
KDD103	298.50	299.50	4.17
KDD103	302.10	303.10	7.04
KDD103	303.10	304.10	0.65
KDD103	304.10	305.10	0.15
KDD103	305.10	306.10	15.45
KDD103	306.10	307.10	0.65
KDD103	307.10	308.10	6.56
KDD103	308.10	309.10	0.39
KDD103	309.10	310.10	0.59
KDD103	310.10	310.90	0.37
KDD103	310.90	311.40	0.10
KDD103	311.40	312.00	0.18
KDD103	312.00	312.90	1.11
KDD103	312.90	313.40	0.06

Hole ID	From (m)	To (m)	Gold g/t
KDD103	313.40	314.40	0.29
KDD103	314.40	315.40	0.21
KDD103	315.40	316.40	1.59
KDD103	316.40	317.40	0.06
KDD103	317.40	318.40	0.46
KDD103	318.40	319.40	0.05
KDD103	319.40	320.40	0.11
KDD103	320.40	321.40	0.39
KDD103	321.40	322.40	1.98
KDD103	322.40	323.40	0.63
KDD103	323.40	324.40	3.22
KDD103	324.40	325.40	0.15
KDD103	325.40	326.40	0.49
KDD103	326.40	326.90	0.24
KDD103	326.90	327.40	0.34
KDD103	327.40	328.40	1.32
KDD103	328.40	329.00	9.47
KDD103	329.00	330.00	0.18
KDD103	330.00	331.00	0.35
KDD103	331.00	332.00	0.58
KRC441	12.00	13.00	0.25
KRC441	13.00	14.00	0.27
KRC441	14.00	15.00	0.44
KRC441	15.00	16.00	0.13
KRC441	16.00	17.00	0.28
KRC441	17.00	18.00	0.63
KRC441	18.00	19.00	1.35
KRC441	19.00	20.00	1.07
KRC441	20.00	21.00	0.68
KRC441	21.00	22.00	0.76
KRC441	22.00	23.00	2.08
KRC441	23.00	24.00	1.56
KRC441	24.00	25.00	3.86
KRC441	25.00	26.00	1.37
KRC441	26.00	27.00	3.43
KRC441	27.00	28.00	1.35
KRC441	28.00	29.00	2.27
KRC441	29.00	30.00	0.98
KRC441	30.00	31.00	0.92
KRC441	31.00	32.00	1.97
KRC442	75.00	76.00	0.75
KRC442	76.00	77.00	0.19
KRC442	77.00	78.00	0.74
KRC442	78.00	79.00	0.20
KRC442	79.00	80.00	0.62
KRC442	80.00	81.00	0.40
KRC442	81.00	82.00	1.48
KRC442	82.00	83.00	0.49
KRC442	83.00	84.00	1.55
KRC442	84.00	85.00	1.77
KRC442	85.00	86.00	1.55
KRC442	86.00	87.00	1.26
KRC442	87.00	88.00	2.70
KRC442	88.00	89.00	1.39
KRC442	89.00	90.00	0.52
KRC442	90.00	91.00	0.66
KRC442	91.00	92.00	0.75
KRC442	92.00	93.00	0.43
KRC442	93.00	94.00	0.44
KRC442	94.00	95.00	0.78
KRC443	126.00	127.00	0.47
KRC443	127.00	128.00	0.25
KRC443	128.00	129.00	0.07
KRC443	129.00	130.00	0.87
KRC443	130.00	131.00	0.91
KRC443	131.00	132.00	0.36
KRC443	132.00	133.00	0.12
KRC443	133.00	134.00	9.22
KRC443	134.00	135.00	0.55
KRC443	135.00	136.00	0.53
KRC443	136.00	137.00	2.06
KRC443	137.00	138.00	1.93
KRC443	138.00	139.00	2.45
KRC443	139.00	140.00	2.06
KRC443	140.00	141.00	0.85
KRC443	141.00	142.00	1.28
KRC443	142.00	143.00	1.75
KRC443	143.00	144.00	0.96
KRC443	144.00	145.00	2.17
KRC443	145.00	146.00	0.23

Hole ID	From (m)	To (m)	Gold g/t
KRC443	146.00	147.00	0.71
KRC443	147.00	148.00	0.32
KRC444	5.00	6.00	0.59
KRC444	6.00	7.00	0.17
KRC444	7.00	8.00	0.20
KRC444	8.00	9.00	0.25
KRC444	9.00	10.00	0.07
KRC444	10.00	11.00	0.02
KRC444	11.00	12.00	0.59
KRC444	12.00	13.00	0.54
KRC444	13.00	14.00	0.12
KRC444	14.00	15.00	0.54
KRC444	15.00	16.00	1.48
KRC444	16.00	17.00	0.80
KRC444	17.00	18.00	0.85
KRC444	18.00	19.00	0.02
KRC444	19.00	20.00	0.29
KRC444	20.00	21.00	0.41
KRC444	21.00	22.00	1.89
KRC444	22.00	23.00	0.29
KRC444	23.00	24.00	0.18
KRC444	24.00	25.00	0.21
KRC444	25.00	26.00	2.38
KRC444	26.00	27.00	1.86
KRC444	27.00	28.00	1.97
KRC444	28.00	29.00	0.59
KRC444	29.00	30.00	0.27
KRC444	30.00	31.00	0.95
KRC444	31.00	32.00	1.33
KRC444	32.00	33.00	1.50
KRC444	33.00	34.00	0.33
KRC445	161.00	162.00	0.31
KRC445	162.00	163.00	0.85
KRC445	163.00	164.00	0.10
KRC445	164.00	165.00	0.14
KRC445	165.00	166.00	0.32
KRC445	166.00	167.00	0.17
KRC445	167.00	168.00	0.38
KRC445	168.00	169.00	0.18
KRC445	169.00	170.00	0.40
KRC445	170.00	171.00	0.33
KRC445	171.00	172.00	0.13
KRC445	172.00	173.00	1.09
KRC445	173.00	174.00	1.48
KRC445	174.00	175.00	1.81
KRC445	175.00	176.00	3.83
KRC445	176.00	177.00	2.07
KRC445	177.00	178.00	2.03
KRC445	178.00	179.00	3.95
KRC445	179.00	180.00	1.90
KRC445	180.00	181.00	0.48
KRC445	181.00	182.00	0.82
KRC445	182.00	183.00	0.50
KRC446	87.00	88.00	0.48
KRC446	88.00	89.00	0.20
KRC446	89.00	90.00	0.70
KRC446	90.00	91.00	0.09
KRC446	91.00	92.00	0.34
KRC446	92.00	93.00	0.55
KRC446	93.00	94.00	0.79
KRC446	94.00	95.00	0.51
KRC446	95.00	96.00	0.30
KRC446	96.00	97.00	0.13
KRC446	97.00	98.00	0.11
KRC446	98.00	99.00	0.55
KRC446	99.00	100.00	0.35
KRC446	100.00	101.00	0.86
KRC446	101.00	102.00	0.76
KRC446	102.00	103.00	0.50
KRC446	103.00	104.00	0.50
KRC446	104.00	105.00	0.06
KRC446	105.00	106.00	0.18
KRC446	106.00	107.00	0.22
KRC446	107.00	108.00	0.17
KRC446	108.00	109.00	0.21
KRC446	109.00	110.00	1.01
KRC446	110.00	111.00	1.96
KRC446	111.00	112.00	2.59
KRC446	112.00	113.00	2.01
KRC446	113.00	114.00	2.09

Hole ID	From (m)	To (m)	Gold g/t
KRC446	114.00	115.00	1.61
KRC446	115.00	116.00	3.38
KRC446	116.00	117.00	3.53
KRC446	117.00	118.00	1.67
KRC446	118.00	119.00	0.64
KRC446	119.00	120.00	0.21
KRC447	141.00	142.00	0.57
KRC447	142.00	143.00	0.19
KRC447	143.00	144.00	0.52
KRC447	144.00	145.00	0.26
KRC447	145.00	146.00	0.24
KRC447	146.00	147.00	0.65
KRC447	147.00	148.00	0.30
KRC447	148.00	149.00	0.36
KRC447	149.00	150.00	0.23
KRC447	150.00	151.00	0.36
KRC447	151.00	152.00	0.37
KRC447	152.00	153.00	0.75
KRC447	153.00	154.00	0.18
KRC447	154.00	155.00	0.63
KRC447	155.00	156.00	0.48
KRC447	156.00	157.00	0.13
KRC447	157.00	158.00	0.11
KRC447	158.00	159.00	1.24
KRC447	159.00	160.00	0.94
KRC447	160.00	161.00	1.87
KRC447	161.00	162.00	0.87
KRC447	162.00	163.00	1.85
KRC447	163.00	164.00	0.23
KRC447	164.00	165.00	0.11
KRC447	165.00	166.00	1.32
KRC447	166.00	167.00	1.94
KRC447	167.00	168.00	1.08
KRC447	168.00	169.00	0.90
KRC447	169.00	170.00	0.81
KRC447	170.00	171.00	0.82
KRC447	171.00	172.00	1.65
KRC448	8.00	9.00	0.31
KRC448	9.00	10.00	0.25
KRC448	10.00	11.00	0.21
KRC448	11.00	12.00	0.78
KRC448	15.00	16.00	0.35
KRC448	16.00	17.00	0.82
KRC448	17.00	18.00	0.79
KRC448	18.00	19.00	1.37
KRC448	19.00	20.00	3.39
KRC448	20.00	21.00	1.07
KRC448	21.00	22.00	0.22
KRC448	22.00	23.00	1.09
KRC448	23.00	24.00	0.30
KRC449	71.00	72.00	0.24
KRC449	72.00	73.00	0.23
KRC449	73.00	74.00	0.39
KRC449	74.00	75.00	0.21
KRC449	75.00	76.00	1.11
KRC449	76.00	77.00	0.59
KRC449	77.00	78.00	4.90
KRC449	78.00	79.00	2.67
KRC449	79.00	80.00	48.60
KRC449	80.00	81.00	1.69
KRC449	81.00	82.00	0.93
KRC449	82.00	83.00	0.82
KRC449	83.00	84.00	0.21
KRC450	115.00	116.00	0.40
KRC450	116.00	117.00	0.22
KRC450	117.00	118.00	0.27
KRC450	118.00	119.00	0.36
KRC450	119.00	120.00	1.08
KRC450	120.00	121.00	4.36
KRC450	121.00	122.00	1.88
KRC450	122.00	123.00	0.47
KRC450	123.00	124.00	1.63
KRC450	127.00	128.00	0.92
KRC450	128.00	129.00	0.24
KRC450	129.00	130.00	0.04
KRC450	130.00	131.00	0.21
KRC450	131.00	132.00	0.29
KRC451	113.00	114.00	0.25
KRC451	114.00	115.00	0.03
KRC451	115.00	116.00	0.10

Hole ID	From (m)	To (m)	Gold g/t
KRC451	116.00	117.00	0.24
KRC451	117.00	118.00	1.08
KRC451	118.00	119.00	0.64
KRC451	119.00	120.00	2.47
KRC451	120.00	121.00	1.31
KRC451	121.00	122.00	2.17
KRC451	122.00	123.00	1.36
KRC451	123.00	124.00	2.44
KRC451	124.00	125.00	0.45
KRC451	125.00	126.00	0.20
KRC451	126.00	127.00	0.44
KRC451	127.00	128.00	0.94
KRC451	128.00	129.00	0.32
KRC451	129.00	130.00	0.16
KRC451	130.00	131.00	0.11
KRC451	131.00	132.00	0.31
KRC451	132.00	133.00	0.12
KRC451	133.00	134.00	0.12
KRC451	134.00	135.00	0.24
KRC451	149.00	150.00	6.59
KRC451	150.00	151.00	3.92
KRC451	151.00	152.00	0.87
KRC451	152.00	153.00	0.24
KRC451	153.00	154.00	0.07
KRC451	154.00	155.00	0.08
KRC451	155.00	156.00	0.29
KRC451	156.00	157.00	1.93
KRC452	163.00	164.00	0.22
KRC452	164.00	165.00	0.33
KRC452	165.00	166.00	0.22
KRC452	166.00	167.00	0.29
KRC452	167.00	168.00	0.18
KRC452	168.00	169.00	0.28
KRC452	169.00	170.00	0.24
KRC452	170.00	171.00	0.50
KRC452	171.00	172.00	0.68
KRC452	172.00	173.00	1.11
KRC452	173.00	174.00	0.43
KRC452	174.00	175.00	1.93
KRC452	175.00	176.00	1.32
KRC452	176.00	177.00	0.85
KRC452	177.00	178.00	0.16
KRC452	178.00	179.00	0.30
KRC452	179.00	180.00	0.22
KRC453	40.00	41.00	1.64
KRC453	41.00	42.00	0.28
KRC453	42.00	43.00	0.13
KRC453	43.00	44.00	0.37
KRC453	44.00	45.00	1.62
KRC453	45.00	46.00	4.18
KRC453	46.00	47.00	1.60
KRC453	47.00	48.00	1.49
KRC453	48.00	49.00	0.90
KRC453	49.00	50.00	0.41
KRC453	50.00	51.00	0.08
KRC453	51.00	52.00	0.24
KRC453	52.00	53.00	0.12
KRC453	53.00	54.00	0.09
KRC453	54.00	55.00	0.22
KRC453	55.00	56.00	0.19
KRC453	56.00	57.00	0.39
KRC453	57.00	58.00	0.31
KRC454	146.00	147.00	0.67
KRC454	147.00	148.00	0.31
KRC454	148.00	149.00	0.68
KRC454	149.00	150.00	2.16
KRC454	150.00	151.00	0.98
KRC454	151.00	152.00	0.10
KRC454	152.00	153.00	1.47
KRC454	153.00	154.00	2.38
KRC454	154.00	155.00	3.04
KRC454	155.00	156.00	2.15
KRC454	156.00	157.00	0.94
KRC454	157.00	158.00	0.97
KRC454	158.00	159.00	0.54
KRC454	159.00	160.00	0.04
KRC454	160.00	161.00	0.04
KRC454	161.00	162.00	0.22
KRC454	162.00	163.00	0.10
KRC454	163.00	164.00	0.15

Hole ID	From (m)	To (m)	Gold g/t
KRC454	164.00	165.00	0.31
KRC455	19.00	20.00	0.31
KRC455	20.00	21.00	0.37
KRC455	21.00	22.00	0.31
KRC455	22.00	23.00	0.37
KRC455	23.00	24.00	1.20
KRC455	24.00	25.00	0.17
KRC455	25.00	26.00	0.16
KRC455	26.00	27.00	0.21
KRC455	27.00	28.00	0.21
KRC455	28.00	29.00	0.33
KRC455	29.00	30.00	0.23
KRC455	30.00	31.00	2.22
KRC455	34.00	35.00	0.80
KRC455	35.00	36.00	1.05
KRC455	36.00	37.00	2.01
KRC455	37.00	38.00	1.00
KRC455	38.00	39.00	2.27
KRC455	39.00	40.00	2.27
KRC455	40.00	41.00	1.58
KRC455	41.00	42.00	0.55
KRC455	42.00	43.00	0.72
KRC455	43.00	44.00	0.47
KRC455	44.00	45.00	2.62
KRC455	45.00	46.00	5.26
KRC455	46.00	47.00	0.48
KRC455	47.00	48.00	0.29
KRC455	48.00	49.00	0.70
KRC455	49.00	50.00	0.84
KRC455	50.00	51.00	0.09
KRC455	51.00	52.00	0.28
KRC455	52.00	53.00	0.94
KRC455	53.00	54.00	0.14
KRC455	54.00	55.00	0.39
KRC455	55.00	56.00	0.54
KRC455	56.00	57.00	0.30
KRC455	57.00	58.00	0.22
KRC455	58.00	59.00	0.08
KRC455	59.00	60.00	0.26
KRC456	72.00	73.00	1.25
KRC456	73.00	74.00	0.13
KRC456	74.00	75.00	0.16
KRC456	75.00	76.00	1.03
KRC456	76.00	77.00	0.17
KRC456	77.00	78.00	0.13
KRC456	78.00	79.00	0.85
KRC456	79.00	80.00	0.37
KRC456	80.00	81.00	0.16
KRC456	81.00	82.00	0.24
KRC456	82.00	83.00	1.55
KRC456	83.00	84.00	0.44
KRC456	84.00	85.00	0.09
KRC456	85.00	86.00	0.22
KRC456	86.00	87.00	0.36
KRC456	87.00	88.00	0.40
KRC456	88.00	89.00	0.52
KRC456	89.00	90.00	2.72
KRC456	90.00	91.00	2.64
KRC456	91.00	92.00	0.14
KRC456	92.00	93.00	1.75
KRC456	93.00	94.00	0.57
KRC456	94.00	95.00	0.77
KRC456	95.00	96.00	1.47
KRC456	96.00	97.00	0.69
KRC456	97.00	98.00	0.57
KRC456	98.00	99.00	4.04
KRC456	99.00	100.00	1.36
KRC456	100.00	101.00	0.41
KRC456	101.00	102.00	0.27
KRC456	102.00	103.00	0.09
KRC456	103.00	104.00	0.63
KRC457	138.00	139.00	0.55
KRC457	139.00	140.00	0.49
KRC457	140.00	141.00	0.22
KRC457	141.00	142.00	2.95
KRC457	142.00	143.00	0.75
KRC457	143.00	144.00	2.01
KRC457	144.00	145.00	1.74
KRC457	145.00	146.00	1.77
KRC457	146.00	147.00	1.52

Hole ID	From (m)	To (m)	Gold g/t
KRC457	147.00	148.00	1.82
KRC457	148.00	149.00	1.04
KRC457	149.00	150.00	4.04
KRC457	150.00	151.00	2.42
KRC457	151.00	152.00	2.01
KRC457	152.00	153.00	0.93
KRC457	153.00	154.00	0.30
KRC457	154.00	155.00	0.35
KRC457	155.00	156.00	0.18
KRC457	156.00	157.00	0.42
KRC458	25.00	26.00	0.44
KRC458	26.00	27.00	1.02
KRC458	27.00	28.00	0.59
KRC458	28.00	29.00	0.14
KRC458	29.00	30.00	1.33
KRC458	30.00	31.00	0.94
KRC458	31.00	32.00	0.37
KRC458	32.00	33.00	0.20
KRC458	33.00	34.00	0.59
KRC458	34.00	35.00	0.34
KRC458	35.00	36.00	0.36
KRC458	36.00	37.00	0.20
KRC458	37.00	38.00	0.28
KRC458	38.00	39.00	2.21
KRC458	39.00	40.00	7.74
KRC458	40.00	41.00	0.84
KRC458	41.00	42.00	0.23
KRC458	42.00	43.00	0.30
KRC458	43.00	44.00	0.20
KRC458	44.00	45.00	0.68
KRC458	48.00	49.00	0.22
KRC458	49.00	50.00	0.26
KRC458	50.00	51.00	0.53
KRC458	51.00	52.00	0.30
KRC458	52.00	53.00	0.20
KRC458	53.00	54.00	0.36
KRC458	54.00	55.00	0.49
KRC458	55.00	56.00	0.96
KRC459	80.00	81.00	0.56
KRC459	81.00	82.00	2.57
KRC459	82.00	83.00	4.10
KRC459	83.00	84.00	1.07
KRC459	84.00	85.00	2.20
KRC459	85.00	86.00	0.97
KRC459	86.00	87.00	0.81
KRC459	87.00	88.00	2.25
KRC459	88.00	89.00	2.04
KRC459	89.00	90.00	4.02
KRC459	90.00	91.00	0.45
KRC459	91.00	92.00	0.28
KRC459	92.00	93.00	0.71
KRC459	93.00	94.00	0.22
KRC459	94.00	95.00	0.28
KRC459	95.00	96.00	0.81
KRC459	96.00	97.00	1.78
KRC459	97.00	98.00	0.60
KRC459	98.00	99.00	0.20
KRC459	99.00	100.00	0.58
KRC459	100.00	101.00	0.24
KRC459	101.00	102.00	0.18
KRC459	102.00	103.00	0.23
KRC459	103.00	104.00	0.47
KRC459	104.00	105.00	0.62
KRC459	105.00	106.00	0.49
KRC459	106.00	107.00	0.23
KRC459	107.00	108.00	0.97
KRC459	108.00	109.00	0.52
KRC460	124.00	125.00	0.41
KRC460	125.00	126.00	0.86
KRC460	126.00	127.00	5.51
KRC460	127.00	128.00	1.92
KRC460	128.00	129.00	0.78
KRC460	129.00	130.00	1.19
KRC460	130.00	131.00	0.54
KRC460	131.00	132.00	0.49
KRC460	132.00	133.00	0.18
KRC460	133.00	134.00	0.38
KRC460	134.00	135.00	0.34
KRC460	135.00	136.00	0.35
KRC460	136.00	137.00	1.58

Hole ID	From (m)	To (m)	Gold g/t
KRC460	137.00	138.00	0.30
KRC460	138.00	139.00	0.16
KRC460	139.00	140.00	0.15
KRC460	140.00	141.00	0.35
KRC460	141.00	142.00	0.27
KRC460	142.00	143.00	0.70
KRC460	143.00	144.00	0.31
KRC460	144.00	145.00	6.79
KRC460	145.00	146.00	1.36
KRC460	146.00	147.00	1.21
KRC460	147.00	148.00	0.44
KRC460	148.00	149.00	0.92
KRC460	149.00	150.00	1.30
KRC460	150.00	151.00	0.26
KRC460	151.00	152.00	0.93
KRC460	152.00	153.00	0.21
KRC461	172.00	173.00	0.26
KRC461	173.00	174.00	0.25
KRC461	174.00	175.00	0.58
KRC461	175.00	176.00	1.07
KRC461	176.00	177.00	0.78
KRC461	177.00	178.00	2.98
KRC461	178.00	179.00	0.51
KRC461	179.00	180.00	1.13
KRC461	180.00	181.00	0.61
KRC461	181.00	182.00	0.35
KRC461	182.00	183.00	0.22
KRC461	183.00	184.00	0.12
KRC461	184.00	185.00	0.44
KRC461	185.00	186.00	0.99
KRC461	186.00	187.00	0.50
KRC461	187.00	188.00	0.48
KRC461	188.00	189.00	0.45
KRC461	189.00	190.00	0.42
KRC461	190.00	191.00	0.42
KRC461	191.00	192.00	0.74
KRC461	192.00	193.00	0.59
KRC461	193.00	194.00	0.44
KRC461	194.00	195.00	1.07
KRC461	195.00	196.00	1.47
KRC461	196.00	197.00	0.40
KRC461	197.00	198.00	0.47
KRC461	198.00	199.00	0.09
KRC461	199.00	200.00	0.29
KRC461	200.00	201.00	1.03
KRC461	201.00	202.00	0.36
KRC461	202.00	203.00	0.15
KRC461	203.00	204.00	0.27
KRC461	204.00	205.00	0.41
KRC462	156.00	157.00	0.20
KRC462	157.00	158.00	0.13
KRC462	158.00	159.00	0.17
KRC462	159.00	160.00	0.28
KRC462	160.00	161.00	0.20
KRC462	161.00	162.00	0.80
KRC462	162.00	163.00	0.16
KRC462	163.00	164.00	0.32
KRC462	164.00	165.00	0.58
KRC462	165.00	166.00	0.87
KRC462	166.00	167.00	1.63
KRC462	167.00	168.00	0.23
KRC462	168.00	169.00	0.08
KRC462	169.00	170.00	0.30
KRC462	170.00	171.00	0.75
KRC462	171.00	172.00	0.44
KRC462	172.00	173.00	0.14
KRC462	173.00	174.00	0.28
KRC462	174.00	175.00	1.06
KRC462	175.00	176.00	0.41
KRC462	176.00	177.00	0.71
KRC462	177.00	178.00	0.25
KRC462	178.00	179.00	0.43
KRC462	179.00	180.00	0.15
KRC462	180.00	181.00	0.20
KRC462	181.00	182.00	0.43
KRC462	182.00	183.00	0.57
KRC462	183.00	184.00	0.61
KRC462	184.00	185.00	0.38
KRC462	185.00	186.00	1.64
KRC462	189.00	190.00	0.23

Hole ID	From (m)	To (m)	Gold g/t
KRC462	190.00	191.00	0.26
KRC462	191.00	192.00	0.46
KRC462	192.00	193.00	0.10
KRC462	193.00	194.00	0.82
KRC462	199.00	200.00	0.39
KRC462	200.00	201.00	0.52
KRC462	201.00	202.00	0.16
KRC462	202.00	203.00	0.49
KRC462	203.00	204.00	0.53
KRC462	204.00	205.00	1.18
KRC462	205.00	206.00	0.45
KRC462	206.00	207.00	0.35
KRC462	207.00	208.00	9.49
KRC462	208.00	209.00	0.41
KRC462	209.00	210.00	0.14
KRC462	210.00	211.00	1.28
KRC462	211.00	212.00	1.05
KRC462	212.00	213.00	0.11
KRC462	213.00	214.00	0.33
KRC462	214.00	215.00	0.13
KRC462	215.00	216.00	0.15
KRC462	216.00	217.00	0.60
KRC462	217.00	218.00	3.69
KRC462	218.00	219.00	0.23
KRC462	219.00	220.00	0.29
KRC462	220.00	221.00	0.69
KRC462	221.00	222.00	0.52
KRC462	222.00	223.00	0.28
KRC462	223.00	224.00	0.31
KRC462	224.00	225.00	0.23
KRC464	161.00	162.00	1.35
KRC464	162.00	163.00	0.05
KRC464	163.00	164.00	0.15
KRC464	164.00	165.00	0.93
KRC464	165.00	166.00	0.19
KRC464	166.00	167.00	0.20
KRC464	167.00	168.00	0.40
KRC464	168.00	169.00	0.42
KRC464	169.00	170.00	2.67
KRC464	170.00	171.00	0.42
KRC464	171.00	172.00	0.90
KRC464	172.00	173.00	1.22
KRC464	173.00	174.00	0.78
KRC464	174.00	175.00	1.23
KRC464	175.00	176.00	0.68
KRC464	179.00	180.00	0.33
KRC464	180.00	181.00	0.27
KRC464	181.00	182.00	0.62
KRC464	182.00	183.00	0.33
KRC464	183.00	184.00	0.30
KRC464	184.00	185.00	0.32
KRC464	185.00	186.00	0.44
KRC464	186.00	187.00	0.27
KRC464	187.00	188.00	0.36
KRC464	188.00	189.00	1.98
KRC464	189.00	190.00	1.31
KRC464	190.00	191.00	0.34
KRC464	191.00	192.00	1.09
KRC464	192.00	193.00	0.16
KRC464	193.00	194.00	0.25
KRC464	194.00	195.00	0.46
KRC464	195.00	196.00	0.67
KRC464	196.00	197.00	2.73
KRC464	197.00	198.00	0.39
KRC464	198.00	199.00	0.53
KRC464	199.00	200.00	0.40
KRC464	200.00	201.00	0.22
KRC464	201.00	202.00	0.01
KRC464	202.00	203.00	0.33
KRC464	203.00	204.00	0.24
KRC464	204.00	205.00	0.13
KRC464	205.00	206.00	0.86
KRC465	19.00	20.00	0.94
KRC465	20.00	21.00	0.82
KRC465	21.00	22.00	0.63
KRC465	26.00	27.00	0.63
KRC465	27.00	28.00	0.10
KRC465	28.00	29.00	0.13
KRC465	29.00	30.00	0.31
KRC465	30.00	31.00	0.20

Hole ID	From (m)	To (m)	Gold g/t
KRC465	31.00	32.00	0.68
KRC465	32.00	33.00	0.96
KRC465	33.00	34.00	0.77
KRC465	34.00	35.00	0.30
KRC465	35.00	36.00	0.34
KRC465	36.00	37.00	0.05
KRC465	37.00	38.00	0.26
KRC465	38.00	39.00	1.10
KRC465	39.00	40.00	0.51
KRC465	40.00	41.00	0.30
KRC465	41.00	42.00	1.25
KRC465	42.00	43.00	0.72
KRC465	43.00	44.00	0.60
KRC465	44.00	45.00	0.15
KRC465	45.00	46.00	0.29
KRC466	74.00	75.00	0.56
KRC466	75.00	76.00	0.90
KRC466	76.00	77.00	0.71
KRC466	77.00	78.00	0.26
KRC466	78.00	79.00	0.34
KRC466	82.00	83.00	0.26
KRC466	83.00	84.00	0.45
KRC466	84.00	85.00	0.04
KRC466	85.00	86.00	0.17
KRC466	86.00	87.00	0.55
KRC466	87.00	88.00	1.71
KRC466	88.00	89.00	1.21
KRC466	89.00	90.00	0.79
KRC466	90.00	91.00	0.26
KRC466	91.00	92.00	0.85
KRC466	92.00	93.00	0.86
KRC466	93.00	94.00	0.34
KRC466	94.00	95.00	0.39
KRC466	95.00	96.00	0.21
KRC466	96.00	97.00	0.11
KRC466	97.00	98.00	0.34
KRC467	139.00	140.00	0.35
KRC467	140.00	141.00	0.54
KRC467	141.00	142.00	0.48
KRC467	142.00	143.00	0.20
KRC467	143.00	144.00	0.26
KRC467	144.00	145.00	0.13
KRC467	145.00	146.00	0.22
KRC467	146.00	147.00	0.15
KRC467	147.00	148.00	0.05
KRC467	148.00	149.00	0.50
KRC467	149.00	150.00	0.14
KRC467	150.00	151.00	0.79
KRC467	151.00	152.00	0.30
KRC467	152.00	153.00	0.30
KRC467	153.00	154.00	0.72
KRC467	154.00	155.00	0.47
KRC467	155.00	156.00	0.33
KRC467	156.00	157.00	0.34
KRC467	157.00	158.00	1.38
KRC467	158.00	159.00	0.21
KRC467	159.00	160.00	0.15
KRC467	160.00	161.00	0.63
KRC467	161.00	162.00	0.35
KRC467	162.00	163.00	1.25
KRC467	163.00	164.00	3.83
KRC467	164.00	165.00	0.51
KRC467	165.00	166.00	1.13
KRC468	23.00	24.00	0.22
KRC468	24.00	25.00	0.69
KRC468	25.00	26.00	2.86
KRC468	26.00	27.00	0.46
KRC468	27.00	28.00	0.22
KRC468	28.00	29.00	0.21
KRC468	29.00	30.00	0.22
KRC468	30.00	31.00	0.49
KRC468	31.00	32.00	0.27
KRC468	32.00	33.00	0.19
KRC468	33.00	34.00	0.21
KRC468	34.00	35.00	0.71
KRC468	35.00	36.00	0.85
KRC468	36.00	37.00	0.83
KRC468	37.00	38.00	0.45
KRC468	38.00	39.00	0.41
KRC468	39.00	40.00	0.26

Hole ID	From (m)	To (m)	Gold g/t
KRC469	147.00	148.00	0.31
KRC469	148.00	149.00	0.67
KRC469	149.00	150.00	0.21
KRC469	150.00	151.00	0.14
KRC469	151.00	152.00	0.22
KRC469	152.00	153.00	0.15
KRC469	153.00	154.00	0.18
KRC469	154.00	155.00	0.55
KRC469	155.00	156.00	0.72
KRC469	156.00	157.00	0.28
KRC469	157.00	158.00	0.48
KRC469	158.00	159.00	0.17
KRC469	159.00	160.00	0.61
KRC469	160.00	161.00	1.82
KRC469	161.00	162.00	0.32
KRC469	162.00	163.00	0.89
KRC469	163.00	164.00	0.19
KRC469	164.00	165.00	0.37
KRC469	165.00	166.00	0.14
KRC469	166.00	167.00	0.32
KRC470	179.00	180.00	0.51
KRC470	180.00	181.00	0.04
KRC470	181.00	182.00	0.24
KRC470	182.00	183.00	0.20
KRC470	183.00	184.00	0.20
KRC470	184.00	185.00	0.68
KRC470	185.00	186.00	0.43
KRC470	186.00	187.00	1.42
KRC470	187.00	188.00	0.11
KRC470	188.00	189.00	0.85
KRC470	189.00	190.00	0.89
KRC470	190.00	191.00	0.23
KRC470	191.00	192.00	0.85
KRC470	192.00	193.00	1.06
KRC470	193.00	194.00	0.75
KRC470	194.00	195.00	1.97
KRC470	195.00	196.00	0.26
KRC470	196.00	197.00	0.81
KRC470	197.00	198.00	0.93
KRC470	198.00	199.00	0.03
KRC470	199.00	200.00	0.38
KRC471	82.00	83.00	0.85
KRC471	83.00	84.00	0.35
KRC471	84.00	85.00	0.13
KRC471	85.00	86.00	1.03
KRC471	86.00	87.00	0.93
KRC471	87.00	88.00	0.39
KRC471	88.00	89.00	0.89
KRC471	89.00	90.00	0.77
KRC471	90.00	91.00	0.18
KRC471	91.00	92.00	0.64
KRC472	29.00	30.00	1.11
KRC472	30.00	31.00	0.40
KRC472	31.00	32.00	0.30
KRC472	32.00	33.00	0.32
KRC472	33.00	34.00	0.22
KRC472	34.00	35.00	0.96
KRC472	35.00	36.00	0.50
KRC472	36.00	37.00	0.34
KRC472	37.00	38.00	0.19
KRC472	38.00	39.00	0.03
KRC472	39.00	40.00	0.33
KRC472	40.00	41.00	0.40
KRC472	41.00	42.00	0.33
KRC472	42.00	43.00	0.28
KRC472	43.00	44.00	0.26
KRC473	5.00	6.00	0.37
KRC473	6.00	7.00	0.09
KRC473	7.00	8.00	0.12
KRC473	8.00	9.00	0.22
KRC473	9.00	10.00	0.50
KRC473	10.00	11.00	0.36
KRC473	19.00	20.00	2.51
KRC473	20.00	21.00	0.80
KRC473	21.00	22.00	0.16
KRC473	22.00	23.00	0.10
KRC473	23.00	24.00	2.17
KRC473	24.00	25.00	1.19
KRC473	25.00	26.00	0.13
KRC473	26.00	27.00	0.97

Hole ID	From (m)	To (m)	Gold g/t
KRC473	27.00	28.00	0.27
KRC473	28.00	29.00	0.37
KRC473	29.00	30.00	0.17
KRC473	30.00	31.00	1.07
KRC473	31.00	32.00	0.74
KRC473	32.00	33.00	0.67
KRC473	33.00	34.00	0.24
KRC473	34.00	35.00	2.20
KRC473	35.00	36.00	0.29
KRC473	36.00	37.00	0.28
KRC473	37.00	38.00	0.35
KRC473	38.00	39.00	0.63
KRC473	48.00	49.00	0.41
KRC473	49.00	50.00	0.85
KRC473	50.00	51.00	0.75
KRC473	51.00	52.00	0.33
KRC473	52.00	53.00	0.26
KRC474	47.00	48.00	0.31
KRC474	48.00	49.00	0.09
KRC474	49.00	50.00	0.02
KRC474	50.00	51.00	0.77
KRC474	51.00	52.00	0.11
KRC474	52.00	53.00	0.54
KRC474	53.00	54.00	0.14
KRC474	54.00	55.00	0.22
KRC474	55.00	56.00	0.27
KRC474	56.00	57.00	0.36
KRC474	63.00	64.00	0.27
KRC474	64.00	65.00	3.96
KRC474	65.00	66.00	2.60
KRC474	66.00	67.00	0.02
KRC474	67.00	68.00	0.50
KRC474	82.00	83.00	0.34
KRC474	83.00	84.00	0.25
KRC474	84.00	85.00	0.57
KRC474	85.00	86.00	0.25
KRC474	86.00	87.00	0.07
KRC474	87.00	88.00	0.35
KRC474	88.00	89.00	0.29
KRC474	89.00	90.00	0.10
KRC474	90.00	91.00	0.42
KRC474	91.00	92.00	0.17
KRC474	92.00	93.00	0.89
KRC474	93.00	94.00	0.35
KRC474	94.00	95.00	0.12
KRC474	95.00	96.00	3.94
KRC474	96.00	97.00	0.31
KRC474	97.00	98.00	0.32
KRC474	98.00	99.00	0.35
KRC474	99.00	100.00	0.13
KRC474	100.00	101.00	0.29
KRC474	101.00	102.00	0.15
KRC474	102.00	103.00	0.67
KRC474	103.00	104.00	0.56
KRC474	104.00	105.00	0.11
KRC474	105.00	106.00	0.51
KRC474	106.00	107.00	0.67
KRC474	107.00	108.00	0.35
KRC474	108.00	109.00	0.16
KRC474	109.00	110.00	1.02
KRC475	131.00	132.00	0.29
KRC475	132.00	133.00	0.66
KRC475	133.00	134.00	0.58
KRC475	134.00	135.00	0.15
KRC475	135.00	136.00	0.09
KRC475	136.00	137.00	0.66
KRC475	137.00	138.00	0.34
KRC475	138.00	139.00	0.68
KRC475	139.00	140.00	0.30
KRC475	140.00	141.00	0.40
KRC475	141.00	142.00	0.03
KRC475	142.00	143.00	0.20
KRC475	143.00	144.00	0.39
KRC475	144.00	145.00	1.00
KRC475	145.00	146.00	0.19
KRC475	146.00	147.00	0.11
KRC475	147.00	148.00	2.74
KRC475	148.00	149.00	0.24
KRC475	159.00	160.00	0.22
KRC475	160.00	161.00	0.98

Hole ID	From (m)	To (m)	Gold g/t
KRC475	161.00	162.00	0.36
KRC475	162.00	163.00	0.16
KRC475	163.00	164.00	0.32
KRC475	164.00	165.00	1.07
KRC475	165.00	166.00	0.69
KRC475	166.00	167.00	0.69
KRC475	167.00	168.00	2.35
KRC475	168.00	169.00	0.71
KRC475	169.00	170.00	0.27
KRC475	170.00	171.00	2.26
KRC475	171.00	172.00	0.95
KRC475	172.00	173.00	0.32
KRC475	173.00	174.00	0.41
KRC475	174.00	175.00	0.45
KRC475	178.00	179.00	0.20
KRC475	179.00	180.00	0.64
KRC475	180.00	181.00	0.02
KRC475	181.00	182.00	0.44
KRC475	182.00	183.00	0.48
KRC475	183.00	184.00	0.78
KRC475	184.00	185.00	0.22
KRC475	185.00	186.00	0.22
KRC475	186.00	187.00	0.19
KRC475	187.00	188.00	0.39
KRC476	14.00	15.00	0.71
KRC476	15.00	16.00	0.25
KRC476	16.00	17.00	0.89
KRC476	17.00	18.00	1.45
KRC476	39.00	40.00	1.74
KRC476	40.00	41.00	0.41
KRC476	41.00	42.00	0.38
KRC476	42.00	43.00	0.74
KRC476	43.00	44.00	0.41
KRC476	44.00	45.00	0.32
KRC476	45.00	46.00	0.12
KRC476	46.00	47.00	0.40
KRC476	47.00	48.00	0.10
KRC476	48.00	49.00	0.22
KRC476	49.00	50.00	0.34
KRC476	50.00	51.00	0.05
KRC476	51.00	52.00	0.21
KRC476	52.00	53.00	0.31
KRC476	53.00	54.00	0.34
KRC476	54.00	55.00	0.59
KRC476	55.00	56.00	0.89
KRC476	56.00	57.00	3.29
KRC476	57.00	58.00	0.55
KRC476	58.00	59.00	1.12
KRC476	59.00	60.00	0.83
KRC476	60.00	61.00	1.01
KRC476	61.00	62.00	0.16
KRC476	62.00	63.00	0.72
KRC476	63.00	64.00	0.92
KRC476	64.00	65.00	0.13
KRC476	65.00	66.00	0.53
KRC476	66.00	67.00	0.71
KRC476	67.00	68.00	0.76
KRC476	68.00	69.00	0.28
KRC476	69.00	70.00	0.12
KRC476	70.00	71.00	0.10
KRC476	71.00	72.00	0.37
KRC477	101.00	102.00	0.21
KRC477	102.00	103.00	0.25
KRC477	103.00	104.00	0.78
KRC477	104.00	105.00	0.65
KRC477	105.00	106.00	0.31
KRC477	106.00	107.00	0.08
KRC477	107.00	108.00	0.87
KRC477	108.00	109.00	0.35
KRC477	109.00	110.00	4.28
KRC477	110.00	111.00	1.10
KRC477	111.00	112.00	0.19
KRC477	112.00	113.00	0.17
KRC477	113.00	114.00	0.40
KRC477	114.00	115.00	0.12
KRC477	115.00	116.00	0.22
KRC477	116.00	117.00	0.26
KRC477	117.00	118.00	0.30
KRC477	118.00	119.00	0.24
KRC477	119.00	120.00	0.41

Hole ID	From (m)	To (m)	Gold g/t
KRC477	120.00	121.00	0.16
KRC477	121.00	122.00	0.61
KRC477	122.00	123.00	0.41
KRC477	123.00	124.00	0.48
KRC477	124.00	125.00	0.27
KRC477	125.00	126.00	0.49
KRC477	126.00	127.00	0.40
KRC477	127.00	128.00	1.71
KRC477	128.00	129.00	0.30
KRC477	129.00	130.00	0.63
KRC477	130.00	131.00	0.61
KRC477	131.00	132.00	0.27
KRC477	132.00	133.00	0.33
KRC477	133.00	134.00	0.53
KRC477	134.00	135.00	0.48
KRC477	135.00	136.00	0.52
KRC477	136.00	137.00	0.16
KRC477	137.00	138.00	0.21
KRC477	138.00	139.00	0.06
KRC477	139.00	140.00	0.22
KRC477	140.00	141.00	0.30
KRC478	78.00	79.00	0.36
KRC478	79.00	80.00	0.64
KRC478	80.00	81.00	0.60
KRC478	81.00	82.00	0.50
KRC478	82.00	83.00	0.37
KRC478	83.00	84.00	0.40
KRC478	135.00	136.00	0.22
KRC478	136.00	137.00	0.03
KRC478	137.00	138.00	0.85
KRC478	138.00	139.00	0.03
KRC478	139.00	140.00	0.16
KRC478	140.00	141.00	0.84
KRC478	141.00	142.00	0.07
KRC478	142.00	143.00	0.19
KRC478	143.00	144.00	0.21
KRC478	159.00	160.00	0.27
KRC478	160.00	161.00	0.41
KRC478	161.00	162.00	0.99
KRC478	162.00	163.00	0.05
KRC478	163.00	164.00	0.07
KRC478	164.00	165.00	0.36
KRC478	165.00	166.00	0.12
KRC478	166.00	167.00	0.93
KRC478	167.00	168.00	1.74
KRC478	168.00	169.00	0.09
KRC478	169.00	170.00	0.14
KRC478	170.00	171.00	0.41
KRC478	171.00	172.00	0.08
KRC478	172.00	173.00	0.51
KRC478	173.00	174.00	0.39
KRC478	174.00	175.00	0.19
KRC478	175.00	176.00	0.12
KRC478	176.00	177.00	0.22
KRC478	177.00	178.00	0.40
KRC478	178.00	179.00	0.86
KRC478	179.00	180.00	0.62
KRC478	180.00	181.00	0.83
KRC478	181.00	182.00	1.05
KRC478	182.00	183.00	0.43
KRC478	183.00	184.00	0.37
KRC478	184.00	185.00	2.16
KRC478	185.00	186.00	0.51
KRC478	186.00	187.00	1.09
KRC478	187.00	188.00	0.88
KRC478	188.00	189.00	0.39
KRC478	189.00	190.00	0.83
KRC478	190.00	191.00	0.24
KRC478	191.00	192.00	0.10
KRC478	192.00	193.00	0.32
KRC478	193.00	194.00	0.26
KRC478	194.00	195.00	0.15
KRC478	195.00	196.00	0.48
KRC479	59.00	60.00	0.33
KRC479	60.00	61.00	0.13
KRC479	61.00	62.00	0.26
KRC479	62.00	63.00	0.94
KRC479	63.00	64.00	0.25
KRC479	64.00	65.00	0.35
KRC479	65.00	66.00	0.98

Hole ID	From (m)	To (m)	Gold g/t
KRC479	66.00	67.00	1.19
KRC479	67.00	68.00	0.80
KRC479	68.00	69.00	0.29
KRC479	69.00	70.00	0.71
KRC479	70.00	71.00	0.66
KRC479	71.00	72.00	0.93
KRC479	72.00	73.00	0.59
KRC479	73.00	74.00	0.31
KRC479	74.00	75.00	0.72
KRC479	78.00	79.00	0.20
KRC479	79.00	80.00	0.17
KRC479	80.00	81.00	0.54
KRC479	81.00	82.00	0.14
KRC479	82.00	83.00	0.63
KRC479	83.00	84.00	0.43
KRC479	84.00	85.00	0.46
KRC479	85.00	86.00	0.33
KRC479	86.00	87.00	0.94
KRC479	87.00	88.00	0.54
KRC479	88.00	89.00	0.88
KRC479	89.00	90.00	0.37
KRC479	90.00	91.00	0.11
KRC479	91.00	92.00	0.12
KRC479	92.00	93.00	0.21
KRC479	93.00	94.00	0.69
KRC479	94.00	95.00	0.29
KRC479	95.00	96.00	0.17
KRC479	96.00	97.00	0.53
KRC479	97.00	98.00	0.20
KRC479	98.00	99.00	0.25
KRC479	99.00	100.00	0.23
KRC480	35.00	36.00	0.27
KRC480	36.00	37.00	0.22
KRC480	37.00	38.00	0.07
KRC480	38.00	39.00	0.80
KRC480	39.00	40.00	0.34
KRC480	40.00	41.00	0.14
KRC480	41.00	42.00	0.59
KRC480	42.00	43.00	0.25
KRC480	43.00	44.00	0.53
KRC480	44.00	45.00	0.31
KRC480	45.00	46.00	2.10
KRC480	46.00	47.00	0.78
KRC480	47.00	48.00	0.41
KRC480	48.00	49.00	1.13
KRC480	49.00	50.00	5.80
KRC480	50.00	51.00	5.06
KRC480	51.00	52.00	3.54
KRC480	52.00	53.00	11.70
KRC480	53.00	54.00	0.77
KRC480	119.00	120.00	0.29
KRC480	120.00	121.00	0.10
KRC480	121.00	122.00	0.67
KRC480	122.00	123.00	0.28
KRC480	123.00	124.00	1.08
KRC480	124.00	125.00	1.80
KRC480	125.00	126.00	1.04
KRC480	126.00	127.00	0.98
KRC480	127.00	128.00	1.75
KRC480	128.00	129.00	0.69
KRC480	129.00	130.00	0.82
KRC480	130.00	131.00	0.47
KRC480	136.00	137.00	0.23
KRC480	137.00	138.00	0.63
KRC480	138.00	139.00	0.22
KRC480	139.00	140.00	0.24
KRC480	140.00	141.00	1.32
KRC480	141.00	142.00	0.23
KRC480	142.00	143.00	0.33
KRC480	143.00	144.00	0.34
KRC480	144.00	145.00	0.95
KRC480	145.00	146.00	0.60
KRC480	146.00	147.00	0.79
KRC480	147.00	148.00	0.34
KRC480	148.00	149.00	0.34
KRC480	149.00	150.00	1.91
KRC480	150.00	151.00	0.17
KRC480	151.00	152.00	0.44
KRC480	152.00	153.00	0.28
KRC480	153.00	154.00	0.48

Hole ID	From (m)	To (m)	Gold g/t
KRC480	154.00	155.00	0.30
KRC480	155.00	156.00	0.62
KRC480	156.00	157.00	0.36
KRC481	58.00	59.00	0.30
KRC481	59.00	60.00	1.53
KRC481	60.00	61.00	0.07
KRC481	61.00	62.00	0.80
KRC481	62.00	63.00	0.21
KRC481	63.00	64.00	0.20
KRC481	64.00	65.00	0.18
KRC481	65.00	66.00	0.23
KRC481	66.00	67.00	0.22
KRC481	67.00	68.00	0.36
KRC481	68.00	69.00	0.14
KRC481	69.00	70.00	0.51
KRC481	70.00	71.00	0.19
KRC481	71.00	72.00	0.77
KRC481	72.00	73.00	1.27
KRC481	73.00	74.00	0.45
KRC481	74.00	75.00	0.44
KRC481	75.00	76.00	0.09
KRC481	76.00	77.00	0.28
KRC481	96.00	97.00	1.58
KRC481	97.00	98.00	2.69
KRC481	98.00	99.00	0.60
KRC481	99.00	100.00	1.26
KRC481	100.00	101.00	0.34
KRC481	101.00	102.00	0.10
KRC481	102.00	103.00	0.85
KRC481	103.00	104.00	0.30
KRC481	104.00	105.00	0.09
KRC481	105.00	106.00	0.23
KRC481	106.00	107.00	0.14
KRC481	107.00	108.00	0.70
KRC481	108.00	109.00	0.84
KRC481	109.00	110.00	0.82
KRC481	110.00	111.00	0.60
KRC481	111.00	112.00	0.99
KRC481	112.00	113.00	0.90
KRC481	113.00	114.00	0.87
KRC481	114.00	115.00	0.29
KRC481	115.00	116.00	0.36
KRC481	116.00	117.00	0.40
KRC481	117.00	118.00	0.34
KRC481	118.00	119.00	0.20
KRC481	119.00	120.00	0.28
KRC482	7.00	8.00	0.94
KRC482	8.00	9.00	0.19
KRC482	9.00	10.00	0.32
KRC482	10.00	11.00	0.21
KRC482	11.00	12.00	0.25
KRC482	12.00	13.00	0.14
KRC482	13.00	14.00	0.12
KRC482	14.00	15.00	0.61
KRC482	15.00	16.00	4.48
KRC482	16.00	17.00	2.86
KRC482	34.00	35.00	0.47
KRC482	35.00	36.00	0.37
KRC482	36.00	37.00	0.19
KRC482	37.00	38.00	0.30
KRC482	38.00	39.00	0.14
KRC482	39.00	40.00	0.27
KRC482	43.00	44.00	0.43
KRC482	44.00	45.00	0.77
KRC482	45.00	46.00	2.10
KRC482	46.00	47.00	0.43
KRC482	47.00	48.00	0.58
KRC482	48.00	49.00	0.71
KRC482	49.00	50.00	0.22
KRC482	139.00	140.00	2.00
KRC482	140.00	141.00	1.49
KRC482	141.00	142.00	0.69
KRC482	142.00	143.00	0.51
KRC482	143.00	144.00	0.99
KRC482	144.00	145.00	0.40
KRC482	145.00	146.00	1.76
KRC482	146.00	147.00	1.27
KRC482	147.00	148.00	1.75
KRC482	148.00	149.00	1.25
KRC482	149.00	150.00	0.51

Hole ID	From (m)	To (m)	Gold g/t
KRC482	150.00	151.00	3.33
KRC482	151.00	152.00	0.64
KRC482	152.00	153.00	0.26
KRC482	153.00	154.00	0.18
KRC482	154.00	155.00	0.54
KRC482	155.00	156.00	0.92
KRC482	156.00	157.00	0.53
KRC482	157.00	158.00	0.86
KRC482	158.00	159.00	1.43
KRC482	159.00	160.00	0.67
KRC482	160.00	161.00	0.29
KRC482	161.00	162.00	0.59
KRC482	162.00	163.00	0.19
KRC482	163.00	164.00	0.35
KRC482	164.00	165.00	0.32
KRC482	165.00	166.00	0.34
KRC482	166.00	167.00	0.21
KRC482	167.00	168.00	0.37
KRC485	104.00	105.00	0.60
KRC485	105.00	106.00	0.19
KRC485	106.00	107.00	2.06
KRC485	107.00	108.00	0.29
KRC485	108.00	109.00	0.22
KRC485	109.00	110.00	0.26
KRC486	199.00	200.00	0.26
KRC486	200.00	201.00	0.66
KRC486	201.00	202.00	0.21
KRC486	202.00	203.00	0.35
KRC488	19.00	20.00	0.23
KRC488	20.00	21.00	0.40
KRC488	21.00	22.00	0.55
KRC488	22.00	23.00	0.51
KRC488	23.00	24.00	0.04
KRC488	24.00	25.00	0.30
KRC488	25.00	26.00	0.09
KRC488	26.00	27.00	0.17
KRC488	27.00	28.00	0.38
KRC488	39.00	40.00	0.88
KRC488	40.00	41.00	0.07
KRC488	41.00	42.00	0.94
KRC488	42.00	43.00	0.01
KRC488	43.00	44.00	0.33
KRC488	44.00	45.00	0.02
KRC488	45.00	46.00	0.58
KRC488	46.00	47.00	0.26
KRC488	47.00	48.00	0.13
KRC488	48.00	49.00	0.41
KRC488	49.00	50.00	0.20
KRC488	50.00	51.00	0.46
KRC488	54.00	55.00	0.68
KRC488	55.00	56.00	0.31
KRC488	56.00	57.00	1.48
KRC488	57.00	58.00	0.61
KRC488	58.00	59.00	0.24
KRC488	82.00	83.00	0.58
KRC488	83.00	84.00	0.55
KRC488	84.00	85.00	0.40
KRC488	93.00	94.00	0.65
KRC488	94.00	95.00	0.54
KRC488	95.00	96.00	1.41
KRC489	43.00	44.00	0.78
KRC489	44.00	45.00	0.29
KRC489	45.00	46.00	0.66
KRC489	46.00	47.00	0.84
KRC489	138.00	139.00	0.32
KRC489	139.00	140.00	1.37
KRC489	140.00	141.00	0.62
KRC489	141.00	142.00	2.84
KRC489	142.00	143.00	8.76
KRC489	143.00	144.00	1.03
KRC489	144.00	145.00	0.12
KRC489	145.00	146.00	0.09
KRC489	146.00	147.00	0.89
KRC489	147.00	148.00	3.95
KRC489	148.00	149.00	1.35
KRC489	149.00	150.00	0.43
KRC489	150.00	151.00	0.44
KRC489	151.00	152.00	5.33
KRC489	152.00	153.00	3.40
KRC489	153.00	154.00	3.79

Hole ID	From (m)	To (m)	Gold g/t
KRC489	154.00	155.00	1.67
KRC489	155.00	156.00	1.38
KRC489	156.00	157.00	0.06
KRC489	157.00	158.00	0.10
KRC489	158.00	159.00	0.54
KRC489	180.00	181.00	0.29
KRC489	181.00	182.00	1.05
KRC489	182.00	183.00	0.32
KRC489	183.00	184.00	0.49
KRC489	184.00	185.00	0.08
KRC489	185.00	186.00	0.51
KRC490	56.00	57.00	0.70
KRC490	57.00	58.00	0.16
KRC490	58.00	59.00	0.29
KRC490	59.00	60.00	0.40
KRC490	60.00	61.00	0.21
KRC490	89.00	90.00	0.24
KRC490	90.00	91.00	0.27
KRC490	91.00	92.00	0.03
KRC490	92.00	93.00	0.02
KRC490	93.00	94.00	0.51
KRC490	94.00	95.00	1.57
KRC490	102.00	103.00	1.84
KRC490	103.00	104.00	0.93
KRC490	104.00	105.00	1.55
KRC490	105.00	106.00	0.92
KRC490	106.00	107.00	1.68
KRC490	107.00	108.00	0.14
KRC490	108.00	109.00	0.53
KRC490	114.00	115.00	0.38
KRC490	115.00	116.00	1.35
KRC490	116.00	117.00	0.62
KRC490	117.00	118.00	3.06
KRC490	118.00	119.00	0.07
KRC490	119.00	120.00	0.38
KRC490	120.00	121.00	3.83
KRC490	121.00	122.00	7.14
KRC490	122.00	123.00	0.11
KRC490	123.00	124.00	0.44
KRC490	124.00	125.00	0.22
KRC490	125.00	126.00	0.14
KRC490	126.00	127.00	0.48
KRC490	127.00	128.00	0.36
KRC490	128.00	129.00	0.57
KRC491	139.00	140.00	0.52
KRC491	140.00	141.00	0.04
KRC491	141.00	142.00	0.20
KRC491	142.00	143.00	0.19
KRC491	143.00	144.00	0.29
KRC491	144.00	145.00	0.03
KRC491	145.00	146.00	0.02
KRC491	146.00	147.00	0.87
KRC491	151.00	152.00	0.59
KRC491	152.00	153.00	2.48
KRC491	153.00	154.00	0.68
KRC491	154.00	155.00	0.95
KRC491	166.00	167.00	1.00
KRC491	167.00	168.00	1.92
KRC491	168.00	169.00	1.13
KRC491	169.00	170.00	0.30
KRC491	170.00	171.00	0.82
KRC491	171.00	172.00	0.25
KRC491	172.00	173.00	0.22
KRC491	173.00	174.00	0.97
KRC492	69.00	70.00	0.23
KRC492	70.00	71.00	0.11
KRC492	71.00	72.00	0.83
KRC492	72.00	73.00	0.22
KRC492	86.00	87.00	0.36
KRC492	87.00	88.00	0.31
KRC492	88.00	89.00	0.01
KRC492	89.00	90.00	0.01
KRC492	90.00	91.00	0.34
KRC492	91.00	92.00	0.04
KRC492	92.00	93.00	0.35
KRC492	93.00	94.00	0.14
KRC492	94.00	95.00	0.11
KRC492	95.00	96.00	0.09
KRC492	96.00	97.00	0.30
KRC492	97.00	98.00	0.25

Hole ID	From (m)	To (m)	Gold g/t
KRC492	98.00	99.00	0.72
KRC492	99.00	100.00	0.24
KRC492	133.00	134.00	0.38
KRC492	134.00	135.00	0.73
KRC492	135.00	136.00	0.80
KRC492	136.00	137.00	3.51
KRC492	137.00	138.00	2.21
KRC492	138.00	139.00	1.54
KRC492	139.00	140.00	2.11
KRC492	143.00	144.00	2.21
KRC492	144.00	145.00	0.04
KRC492	145.00	146.00	0.04
KRC492	146.00	147.00	2.52
KRC492	147.00	148.00	4.41
KRC492	148.00	149.00	0.68
KRC492	149.00	150.00	0.83
KRC492	150.00	151.00	0.04
KRC492	151.00	152.00	1.26
KRC492	152.00	153.00	1.31
KRC492	164.00	165.00	6.67
KRC492	165.00	166.00	0.57
KRC492	166.00	167.00	0.24
KRC493	23.00	24.00	0.41
KRC493	24.00	25.00	0.13
KRC493	25.00	26.00	0.13
KRC493	26.00	27.00	0.45
KRC493	27.00	28.00	1.12
KRC493	28.00	29.00	0.12
KRC493	29.00	30.00	0.22
KRC493	30.00	31.00	0.84
KRC493	31.00	32.00	0.95
KRC493	32.00	33.00	0.70
KRC493	33.00	34.00	1.20
KRC493	34.00	35.00	0.42
KRC495	27.00	28.00	0.35
KRC495	28.00	29.00	0.17
KRC495	29.00	30.00	0.12
KRC495	30.00	31.00	0.47
KRC495	31.00	32.00	0.06
KRC495	32.00	33.00	0.44
KRC495	33.00	34.00	0.64
KRC495	34.00	35.00	0.54
KRC495	35.00	36.00	2.95
KRC495	36.00	37.00	0.26
KRC497	33.00	34.00	0.34
KRC497	34.00	35.00	1.26
KRC497	35.00	36.00	0.66
KRC497	36.00	37.00	0.56
KRC498	48.00	49.00	0.26
KRC498	49.00	50.00	0.29
KRC498	50.00	51.00	0.91
KRC498	51.00	52.00	0.25
KRC498	52.00	53.00	0.34
KRC498	53.00	54.00	0.60
KRC498	54.00	55.00	0.53
KRC499	0.00	1.00	0.58
KRC499	1.00	2.00	0.79
KRC499	2.00	3.00	0.13
KRC499	3.00	4.00	0.43
KRC499	33.00	34.00	0.29
KRC499	34.00	35.00	2.83
KRC499	35.00	36.00	1.04
KRC499	36.00	37.00	1.12
KRC499	37.00	38.00	0.26
KRC500	30.00	31.00	0.41
KRC500	31.00	32.00	0.17
KRC500	32.00	33.00	0.24
KRC500	33.00	34.00	0.09
KRC500	34.00	35.00	0.14
KRC500	35.00	36.00	1.97
KRC500	36.00	37.00	0.33
KRC501	28.00	29.00	0.21
KRC501	29.00	30.00	0.09
KRC501	30.00	31.00	0.32
KRC501	31.00	32.00	0.35
KRC501	37.00	38.00	0.49
KRC501	38.00	39.00	0.76
KRC501	39.00	40.00	0.08
KRC501	40.00	41.00	0.92
KRC501	41.00	42.00	0.15

Hole ID	From (m)	To (m)	Gold g/t
KRC501	42.00	43.00	0.32
KRC501	43.00	44.00	0.48
KRC501	44.00	45.00	0.84
KRC501	45.00	46.00	0.15
KRC501	46.00	47.00	0.59
KRC501	47.00	48.00	0.35
KRC501	48.00	49.00	0.40
KRC501	49.00	50.00	0.06
KRC501	50.00	51.00	0.24
KRC501	51.00	52.00	0.27
KRC501	52.00	53.00	0.39
KRC501	53.00	54.00	0.04
KRC501	54.00	55.00	0.17
KRC502	0.00	1.00	0.44
KRC502	1.00	2.00	0.52
KRC502	20.00	21.00	0.24
KRC502	21.00	22.00	1.81
KRC502	22.00	23.00	0.08
KRC502	23.00	24.00	0.04
KRC502	24.00	25.00	0.21
KRC502	25.00	26.00	0.34
KRC502	34.00	35.00	0.21
KRC502	35.00	36.00	0.13
KRC502	36.00	37.00	0.34
KRC502	37.00	38.00	0.20
KRC502	38.00	39.00	0.12
KRC502	39.00	40.00	0.67
KRC502	40.00	41.00	1.00
KRC502	41.00	42.00	4.88
KRC502	42.00	43.00	0.29
KRC503	36.00	37.00	0.38
KRC503	37.00	38.00	9.60
KRC503	38.00	39.00	2.50
KRC503	39.00	40.00	0.49
KRC503	40.00	41.00	0.04
KRC503	41.00	42.00	0.45
KRC503	46.00	47.00	0.40
KRC503	47.00	48.00	0.34
KRC503	48.00	49.00	0.20
KRC503	53.00	54.00	1.00
KRC503	54.00	55.00	0.27
KRC504	0.00	1.00	2.83
KRC504	1.00	2.00	1.42
KRC504	2.00	3.00	1.61
KRC504	3.00	4.00	0.35
KRC504	4.00	5.00	0.04
KRC504	5.00	6.00	0.44
KRC504	40.00	41.00	0.87
KRC504	41.00	42.00	0.75
KRC504	42.00	43.00	0.88
KRC504	43.00	44.00	1.38
KRC504	44.00	45.00	2.49
KRC505	28.00	29.00	0.25
KRC505	29.00	30.00	2.03
KRC505	30.00	31.00	0.18
KRC505	31.00	32.00	0.72
KRC505	32.00	33.00	0.21
KRC505	33.00	34.00	0.82
KRC505	48.00	49.00	1.00
KRC505	49.00	50.00	0.97
KRC505	50.00	51.00	0.45
KRC505	51.00	52.00	1.79
KRC505	52.00	53.00	0.23
KRC505	53.00	54.00	2.09
KRC505	54.00	55.00	0.26
KRC506	0.00	1.00	0.48
KRC506	1.00	2.00	0.34
KRC506	2.00	3.00	2.71
KRC506	3.00	4.00	0.61
KRC506	4.00	5.00	0.60
KRC506	5.00	6.00	1.24
KRC506	6.00	7.00	1.20
KRC506	7.00	8.00	1.36
KRC506	8.00	9.00	1.22
KRC506	9.00	10.00	0.40
KRC506	25.00	26.00	0.34
KRC506	26.00	27.00	0.06
KRC506	27.00	28.00	0.35
KRC506	28.00	29.00	0.54
KRC506	29.00	30.00	1.38

Hole ID	From (m)	To (m)	Gold g/t
KRC506	30.00	31.00	0.10
KRC506	31.00	32.00	0.35
KRC506	32.00	33.00	1.69
KRC506	33.00	34.00	0.48
KRC506	40.00	41.00	0.84
KRC506	41.00	42.00	0.40
KRC506	42.00	43.00	0.11
KRC506	43.00	44.00	0.19
KRC506	44.00	45.00	0.48
KRC507	19.00	20.00	0.43
KRC507	20.00	21.00	0.08
KRC507	21.00	22.00	0.15
KRC507	22.00	23.00	0.34
KRC507	23.00	24.00	0.20
KRC507	24.00	25.00	0.27
KRC507	30.00	31.00	3.27
KRC507	31.00	32.00	0.27
KRC507	32.00	33.00	0.78
KRC507	33.00	34.00	0.59
KRC507	41.00	42.00	0.28
KRC507	42.00	43.00	0.90
KRC507	43.00	44.00	0.30
KRC507	44.00	45.00	0.28
KRC507	45.00	46.00	2.84
KRC507	46.00	47.00	0.85
KRC507	47.00	48.00	0.51
KRC507	48.00	49.00	0.22
KRC507	49.00	50.00	0.83
KRC507	50.00	51.00	0.26
KRC507	51.00	52.00	1.73
KRC507	52.00	53.00	1.72
KRC507	53.00	54.00	0.77
KRC507	54.00	55.00	1.22
KRC508	0.00	1.00	0.46
KRC508	1.00	2.00	0.50
KRC508	2.00	3.00	0.38
KRC508	3.00	4.00	0.45
KRC508	4.00	5.00	0.81
KRC508	5.00	6.00	1.46
KRC508	6.00	7.00	2.92
KRC508	7.00	8.00	1.03
KRC508	8.00	9.00	0.40
KRC508	9.00	10.00	1.64
KRC508	10.00	11.00	2.07
KRC508	11.00	12.00	1.83
KRC508	12.00	13.00	2.54
KRC508	13.00	14.00	2.03
KRC508	14.00	15.00	0.41
KRC508	31.00	32.00	0.81
KRC508	32.00	33.00	0.34
KRC508	33.00	34.00	0.53
KRC508	34.00	35.00	0.04
KRC508	35.00	36.00	0.04
KRC508	36.00	37.00	2.17
KRC508	37.00	38.00	1.01
KRC508	38.00	39.00	0.57
KRC509	10.00	11.00	0.30
KRC509	11.00	12.00	0.31
KRC509	12.00	13.00	0.23
KRC509	13.00	14.00	0.30
KRC509	14.00	15.00	1.54
KRC509	15.00	16.00	0.51
KRC509	16.00	17.00	0.33
KRC509	17.00	18.00	0.39
KRC509	18.00	19.00	0.74
KRC509	19.00	20.00	0.28
KRC509	20.00	21.00	0.26
KRC509	28.00	29.00	0.65
KRC509	29.00	30.00	0.85
KRC509	30.00	31.00	0.01
KRC509	31.00	32.00	0.26
KRC509	32.00	33.00	0.09
KRC509	33.00	34.00	0.01
KRC509	34.00	35.00	0.37
KRC509	35.00	36.00	0.04
KRC509	36.00	37.00	0.04
KRC509	37.00	38.00	0.33
KRC509	38.00	39.00	0.74
KRC509	39.00	40.00	0.46
KRC509	40.00	41.00	0.10

Hole ID	From (m)	To (m)	Gold g/t
KRC509	41.00	42.00	0.96
KRC509	42.00	43.00	0.22
KRC509	43.00	44.00	0.39
KRC509	44.00	45.00	0.44
KRC509	45.00	46.00	0.34
KRC509	46.00	47.00	0.21
KRC509	47.00	48.00	0.80
KRC509	48.00	49.00	0.50
KRC509	49.00	50.00	0.12
KRC509	50.00	51.00	2.78
KRC509	51.00	52.00	2.93
KRC509	52.00	53.00	0.72
KRC509	53.00	54.00	0.60
KRC509	54.00	55.00	0.85
KRC510	0.00	1.00	0.91
KRC510	1.00	2.00	1.07
KRC510	2.00	3.00	1.12
KRC510	3.00	4.00	1.04
KRC510	4.00	5.00	0.50
KRC510	5.00	6.00	1.27
KRC510	6.00	7.00	0.50
KRC510	7.00	8.00	0.41
KRC510	8.00	9.00	0.18
KRC510	9.00	10.00	1.56
KRC510	10.00	11.00	0.69
KRC510	11.00	12.00	0.85
KRC510	12.00	13.00	0.59
KRC510	13.00	14.00	1.01
KRC510	14.00	15.00	1.58
KRC510	15.00	16.00	0.97
KRC510	16.00	17.00	0.55
KRC510	17.00	18.00	1.02
KRC510	18.00	19.00	0.50
KRC510	19.00	20.00	0.22
KRC510	20.00	21.00	0.05
KRC510	21.00	22.00	0.12
KRC510	22.00	23.00	0.20
KRC510	49.00	50.00	0.20
KRC510	50.00	51.00	0.05
KRC510	51.00	52.00	0.03
KRC511	0.00	1.00	0.86
KRC511	1.00	2.00	0.72
KRC511	2.00	3.00	1.13
KRC511	3.00	4.00	0.41
KRC511	4.00	5.00	0.32
KRC511	5.00	6.00	0.57
KRC511	6.00	7.00	1.63
KRC511	7.00	8.00	1.72
KRC511	8.00	9.00	1.20
KRC511	9.00	10.00	0.62
KRC511	10.00	11.00	0.27
KRC511	11.00	12.00	1.00
KRC511	12.00	13.00	0.20
KRC511	13.00	14.00	1.37
KRC511	14.00	15.00	0.37
KRC511	15.00	16.00	1.11
KRC511	16.00	17.00	0.96
KRC511	17.00	18.00	0.79
KRC511	18.00	19.00	0.38
KRC511	19.00	20.00	1.64
KRC511	20.00	21.00	2.58
KRC511	21.00	22.00	3.03
KRC511	22.00	23.00	3.28
KRC511	23.00	24.00	1.50
KRC511	24.00	25.00	0.57
KRC511	25.00	26.00	0.23
KRC511	26.00	27.00	0.14
KRC511	27.00	28.00	0.05
KRC511	28.00	29.00	0.40
KRC511	43.00	44.00	0.97
KRC511	44.00	45.00	0.14
KRC511	45.00	46.00	0.24
KRC511	46.00	47.00	0.26
KRC511	47.00	48.00	0.04
KRC511	48.00	49.00	0.06
KRC511	49.00	50.00	0.38
KRC512	5.00	6.00	0.25
KRC512	6.00	7.00	0.28
KRC512	7.00	8.00	0.53
KRC512	8.00	9.00	0.09

Hole ID	From (m)	To (m)	Gold g/t
KRC512	9.00	10.00	0.14
KRC512	10.00	11.00	0.72
KRC512	11.00	12.00	1.06
KRC512	12.00	13.00	0.66
KRC512	13.00	14.00	0.48
KRC512	14.00	15.00	0.44
KRC512	15.00	16.00	0.07
KRC512	16.00	17.00	0.13
KRC512	17.00	18.00	0.28
KRC512	18.00	19.00	0.07
KRC512	19.00	20.00	0.50
KRC512	20.00	21.00	1.31
KRC512	21.00	22.00	1.48
KRC512	22.00	23.00	0.13
KRC512	23.00	24.00	0.29
KRC512	32.00	33.00	0.34
KRC512	33.00	34.00	0.22
KRC512	34.00	35.00	0.91
KRC512	35.00	36.00	0.36
KRC512	36.00	37.00	2.28
KRC512	37.00	38.00	0.24
KRC512	38.00	39.00	0.67
KRC512	39.00	40.00	1.16
KRC512	40.00	41.00	0.37
KRC512	41.00	42.00	0.29
KRC512	42.00	43.00	0.93
KRC512	43.00	44.00	1.13
KRC512	44.00	45.00	2.75
KRC512	45.00	46.00	2.60
KRC512	46.00	47.00	0.45
KRC512	47.00	48.00	0.55
KRC512	48.00	49.00	0.49
KRC512	49.00	50.00	0.28
KRC512	50.00	51.00	2.96
KRC512	51.00	52.00	0.21
KRC512	52.00	53.00	0.06
KRC512	53.00	54.00	3.63
KRC513	0.00	1.00	0.28
KRC513	1.00	2.00	0.22
KRC513	2.00	3.00	0.62
KRC513	3.00	4.00	0.65
KRC513	4.00	5.00	0.10
KRC513	5.00	6.00	0.38
KRC513	6.00	7.00	3.01
KRC513	7.00	8.00	4.42
KRC513	8.00	9.00	3.57
KRC513	9.00	10.00	0.34
KRC513	10.00	11.00	0.95
KRC513	11.00	12.00	1.43
KRC513	12.00	13.00	0.80
KRC513	13.00	14.00	0.42
KRC513	14.00	15.00	4.14
KRC513	15.00	16.00	7.60
KRC513	16.00	17.00	1.36
KRC513	17.00	18.00	0.94
KRC513	18.00	19.00	0.15
KRC513	19.00	20.00	0.18
KRC513	20.00	21.00	0.23
KRC513	21.00	22.00	0.73
KRC513	22.00	23.00	0.36
KRC513	23.00	24.00	1.31
KRC513	24.00	25.00	2.14
KRC513	25.00	26.00	1.82
KRC513	26.00	27.00	1.03
KRC513	27.00	28.00	1.11
KRC513	28.00	29.00	3.94
KRC513	29.00	30.00	1.83
KRC513	30.00	31.00	4.02
KRC513	31.00	32.00	3.48
KRC513	32.00	33.00	0.66
KRC513	33.00	34.00	0.10
KRC513	34.00	35.00	0.50
KRC513	35.00	36.00	0.30
KRC513	36.00	37.00	0.16
KRC513	37.00	38.00	0.79
KRC514	0.00	1.00	0.95
KRC514	1.00	2.00	0.36
KRC514	2.00	3.00	1.43
KRC514	3.00	4.00	0.66
KRC514	4.00	5.00	0.12

Hole ID	From (m)	To (m)	Gold g/t
KRC514	5.00	6.00	1.26
KRC514	6.00	7.00	3.64
KRC514	7.00	8.00	0.57
KRC514	8.00	9.00	2.19
KRC514	9.00	10.00	0.09
KRC514	10.00	11.00	0.05
KRC514	11.00	12.00	0.21
KRC514	12.00	13.00	0.22
KRC514	13.00	14.00	0.30
KRC514	26.00	27.00	1.45
KRC514	27.00	28.00	0.36
KRC514	28.00	29.00	0.66
KRC514	29.00	30.00	0.23
KRC514	30.00	31.00	0.12
KRC514	31.00	32.00	1.79
KRC514	32.00	33.00	1.04
KRC514	33.00	34.00	0.96
KRC514	34.00	35.00	0.46
KRC514	35.00	36.00	0.17
KRC514	36.00	37.00	1.43
KRC514	37.00	38.00	0.73
KRC514	38.00	39.00	0.16
KRC514	39.00	40.00	0.32
KRC514	40.00	41.00	0.39
KRC514	41.00	42.00	1.08
KRC514	42.00	43.00	1.26
KRC514	43.00	44.00	2.64
KRC514	44.00	45.00	3.24
KRC514	45.00	46.00	1.74
KRC514	46.00	47.00	0.80
KRC514	47.00	48.00	0.33
KRC514	48.00	49.00	0.25
KRC514	49.00	50.00	0.41
KRC514	50.00	51.00	8.37
KRC514	51.00	52.00	0.50
KRC514	52.00	53.00	2.19
KRC514	53.00	54.00	1.84
KRC515	0.00	1.00	1.87
KRC515	1.00	2.00	0.54
KRC515	2.00	3.00	0.31
KRC515	3.00	4.00	0.11
KRC515	4.00	5.00	0.57
KRC515	5.00	6.00	1.04
KRC515	6.00	7.00	0.15
KRC515	7.00	8.00	0.69
KRC515	8.00	9.00	0.48
KRC515	9.00	10.00	0.48
KRC515	10.00	11.00	3.86
KRC515	11.00	12.00	1.19
KRC515	12.00	13.00	0.79
KRC515	13.00	14.00	0.17
KRC515	14.00	15.00	0.90
KRC515	15.00	16.00	0.17
KRC515	16.00	17.00	0.82
KRC515	17.00	18.00	2.09
KRC515	18.00	19.00	0.48
KRC515	19.00	20.00	0.66
KRC515	20.00	21.00	0.59
KRC515	21.00	22.00	3.24
KRC515	22.00	23.00	1.88
KRC515	23.00	24.00	2.13
KRC515	24.00	25.00	2.25
KRC515	25.00	26.00	0.83
KRC515	26.00	27.00	0.11
KRC515	27.00	28.00	0.43
KRC515	28.00	29.00	0.55
KRC515	29.00	30.00	0.21
KRC515	30.00	31.00	1.27
KRC515	31.00	32.00	1.88
KRC515	32.00	33.00	1.33
KRC515	33.00	34.00	1.30
KRC515	34.00	35.00	1.33
KRC515	35.00	36.00	1.47
KRC515	36.00	37.00	1.73
KRC515	37.00	38.00	2.23
KRC515	38.00	39.00	1.19
KRC516	2.00	3.00	0.25
KRC516	3.00	4.00	0.12
KRC516	4.00	5.00	1.38
KRC516	5.00	6.00	0.31

Hole ID	From (m)	To (m)	Gold g/t
KRC516	6.00	7.00	0.49
KRC516	7.00	8.00	0.20
KRC516	8.00	9.00	0.64
KRC516	9.00	10.00	0.02
KRC516	10.00	11.00	0.02
KRC516	11.00	12.00	0.65
KRC516	12.00	13.00	0.75
KRC516	13.00	14.00	0.54
KRC516	20.00	21.00	0.85
KRC516	21.00	22.00	0.39
KRC516	22.00	23.00	0.97
KRC516	23.00	24.00	0.50
KRC516	24.00	25.00	3.27
KRC516	25.00	26.00	0.60
KRC516	26.00	27.00	0.11
KRC516	27.00	28.00	0.25
KRC516	28.00	29.00	2.69
KRC516	29.00	30.00	0.61
KRC516	30.00	31.00	0.40
KRC516	31.00	32.00	1.66
KRC516	32.00	33.00	0.70
KRC516	33.00	34.00	0.31
KRC516	34.00	35.00	0.69
KRC516	35.00	36.00	1.51
KRC516	36.00	37.00	8.98
KRC516	37.00	38.00	1.63
KRC516	38.00	39.00	2.60
KRC516	39.00	40.00	22.90
KRC516	40.00	41.00	0.44
KRC516	41.00	42.00	1.11
KRC516	42.00	43.00	1.98
KRC516	43.00	44.00	0.38
KRC516	44.00	45.00	0.30
KRC516	45.00	46.00	0.46
KRC516	46.00	47.00	3.13
KRC516	47.00	48.00	2.09
KRC516	48.00	49.00	2.78
KRC516	49.00	50.00	0.78
KRC516	50.00	51.00	0.22
KRC516	51.00	52.00	0.76
KRC516	52.00	53.00	1.47
KRC516	53.00	54.00	4.99
KRC517	0.00	1.00	0.17
KRC517	1.00	2.00	0.13
KRC517	2.00	3.00	5.33
KRC517	3.00	4.00	0.25
KRC517	4.00	5.00	3.65
KRC517	5.00	6.00	2.86
KRC517	6.00	7.00	1.64
KRC517	7.00	8.00	5.71
KRC517	8.00	9.00	4.68
KRC517	9.00	10.00	0.40
KRC517	10.00	11.00	0.27
KRC517	11.00	12.00	0.15
KRC517	12.00	13.00	0.17
KRC517	13.00	14.00	0.57
KRC517	14.00	15.00	1.05
KRC517	15.00	16.00	2.99
KRC517	16.00	17.00	0.94
KRC517	17.00	18.00	1.56
KRC517	18.00	19.00	0.41
KRC517	19.00	20.00	1.18
KRC517	20.00	21.00	0.28
KRC517	21.00	22.00	0.21
KRC517	22.00	23.00	0.09
KRC517	23.00	24.00	0.20
KRC517	24.00	25.00	0.97
KRC517	25.00	26.00	0.06
KRC517	26.00	27.00	3.08
KRC517	27.00	28.00	1.47
KRC517	28.00	29.00	2.83
KRC517	29.00	30.00	0.67
KRC517	30.00	31.00	0.46
KRC517	31.00	32.00	1.48
KRC517	32.00	33.00	1.07
KRC517	33.00	34.00	0.73
KRC517	34.00	35.00	1.47
KRC517	35.00	36.00	0.55
KRC517	36.00	37.00	0.81
KRC517	37.00	38.00	0.18

Hole ID	From (m)	To (m)	Gold g/t
KRC517	38.00	39.00	0.67
KRC517	39.00	40.00	0.89
KRC517	40.00	41.00	1.88
KRC517	41.00	42.00	0.72
KRC517	42.00	43.00	0.70
KRC517	43.00	44.00	0.60
KRC517	44.00	45.00	3.67
KRC517	45.00	46.00	2.10
KRC517	46.00	47.00	1.14
KRC517	47.00	48.00	1.23
KRC517	48.00	49.00	15.30
KRC517	49.00	50.00	1.18
KRC517	50.00	51.00	0.13
KRC517	51.00	52.00	0.28
KRC517	52.00	53.00	0.09
KRC518	0.00	1.00	1.40
KRC518	1.00	2.00	0.41
KRC518	2.00	3.00	0.23
KRC518	3.00	4.00	0.35
KRC518	4.00	5.00	0.04
KRC518	5.00	6.00	0.13
KRC518	6.00	7.00	0.27
KRC518	15.00	16.00	0.44
KRC518	16.00	17.00	0.49
KRC518	17.00	18.00	0.33
KRC518	18.00	19.00	0.61
KRC518	19.00	20.00	1.04
KRC518	20.00	21.00	1.09
KRC518	21.00	22.00	0.67
KRC518	22.00	23.00	2.85
KRC518	23.00	24.00	0.56
KRC518	24.00	25.00	0.15
KRC518	25.00	26.00	1.08
KRC518	26.00	27.00	0.58
KRC518	27.00	28.00	0.16
KRC518	28.00	29.00	0.92
KRC518	29.00	30.00	1.55
KRC518	30.00	31.00	0.20
KRC518	31.00	32.00	2.95
KRC518	32.00	33.00	9.01
KRC518	33.00	34.00	1.24
KRC518	34.00	35.00	0.40
KRC518	35.00	36.00	1.72
KRC518	36.00	37.00	0.49
KRC518	37.00	38.00	1.35
KRC518	38.00	39.00	0.29
KRC518	39.00	40.00	1.28
KRC518	40.00	41.00	1.03
KRC518	41.00	42.00	2.12
KRC518	42.00	43.00	1.03
KRC518	43.00	44.00	0.53
KRC518	44.00	45.00	1.52
KRC518	45.00	46.00	0.87
KRC518	46.00	47.00	1.07
KRC518	47.00	48.00	1.27
KRC518	48.00	49.00	0.96
KRC518	49.00	50.00	0.62
KRC518	50.00	51.00	0.23
KRC518	51.00	52.00	0.96
KRC518	52.00	53.00	1.32
KRC518	53.00	54.00	1.12
KRC519	6.00	7.00	0.59
KRC519	7.00	8.00	0.42
KRC519	8.00	9.00	0.99
KRC519	9.00	10.00	0.14
KRC519	10.00	11.00	2.75
KRC519	11.00	12.00	1.04
KRC519	12.00	13.00	0.50
KRC519	13.00	14.00	2.71
KRC519	14.00	15.00	2.67
KRC519	15.00	16.00	0.33
KRC519	16.00	17.00	0.15
KRC519	17.00	18.00	0.69
KRC519	18.00	19.00	0.60
KRC519	19.00	20.00	0.29
KRC519	20.00	21.00	0.78
KRC519	21.00	22.00	1.73
KRC519	22.00	23.00	8.33
KRC519	23.00	24.00	1.72
KRC519	24.00	25.00	0.41

Hole ID	From (m)	To (m)	Gold g/t
KRC519	25.00	26.00	1.20
KRC519	26.00	27.00	3.11
KRC519	27.00	28.00	0.51
KRC519	28.00	29.00	0.26
KRC519	29.00	30.00	1.58
KRC519	30.00	31.00	2.83
KRC519	31.00	32.00	0.65
KRC519	32.00	33.00	0.17
KRC519	33.00	34.00	1.96
KRC519	34.00	35.00	0.84
KRC519	35.00	36.00	1.07
KRC519	36.00	37.00	0.18
KRC519	37.00	38.00	0.80
KRC519	38.00	39.00	1.67
KRC519	39.00	40.00	0.18
KRC519	40.00	41.00	0.19
KRC519	41.00	42.00	0.93
KRC519	42.00	43.00	1.24
KRC519	43.00	44.00	0.67
KRC519	44.00	45.00	0.45
KRC519	45.00	46.00	2.20
KRC519	46.00	47.00	1.81
KRC519	47.00	48.00	8.84
KRC519	48.00	49.00	0.47
KRC519	49.00	50.00	0.65
KRC519	50.00	51.00	0.80
KRC520	5.00	6.00	0.61
KRC520	6.00	7.00	0.61
KRC520	7.00	8.00	0.42
KRC520	8.00	9.00	0.30
KRC520	9.00	10.00	0.16
KRC520	10.00	11.00	0.15
KRC520	11.00	12.00	1.31
KRC520	12.00	13.00	1.23
KRC520	13.00	14.00	0.19
KRC520	14.00	15.00	0.42
KRC520	15.00	16.00	1.85
KRC520	16.00	17.00	1.02
KRC520	17.00	18.00	0.19
KRC520	18.00	19.00	0.23
KRC520	19.00	20.00	0.06
KRC520	20.00	21.00	0.24
KRC520	21.00	22.00	0.07
KRC520	22.00	23.00	0.30
KRC520	23.00	24.00	0.58
KRC520	24.00	25.00	3.25
KRC520	25.00	26.00	2.83
KRC520	26.00	27.00	1.92
KRC520	27.00	28.00	0.55
KRC520	28.00	29.00	0.10
KRC520	29.00	30.00	1.19
KRC520	30.00	31.00	1.05
KRC520	31.00	32.00	1.71
KRC520	32.00	33.00	2.59
KRC520	33.00	34.00	3.56
KRC520	34.00	35.00	2.33
KRC520	35.00	36.00	0.59
KRC520	36.00	37.00	0.25
KRC520	37.00	38.00	0.71
KRC520	38.00	39.00	1.03
KRC520	39.00	40.00	1.01
KRC520	40.00	41.00	1.79
KRC520	41.00	42.00	1.12
KRC520	42.00	43.00	0.22
KRC520	43.00	44.00	0.29
KRC520	44.00	45.00	0.72
KRC520	45.00	46.00	0.63
KRC520	46.00	47.00	2.13
KRC520	47.00	48.00	1.67
KRC520	48.00	49.00	1.57
KRC520	49.00	50.00	0.85
KRC520	50.00	51.00	1.58
KRC520	51.00	52.00	1.27
KRC520	52.00	53.00	1.62
KRC521	0.00	1.00	0.31
KRC521	1.00	2.00	0.35
KRC521	14.00	15.00	0.51
KRC521	15.00	16.00	0.59
KRC521	16.00	17.00	0.47
KRC521	17.00	18.00	0.24

Hole ID	From (m)	To (m)	Gold g/t
KRC521	18.00	19.00	0.54
KRC521	19.00	20.00	1.47
KRC521	20.00	21.00	0.80
KRC521	21.00	22.00	2.87
KRC521	22.00	23.00	0.07
KRC521	23.00	24.00	0.62
KRC521	24.00	25.00	0.22
KRC521	25.00	26.00	0.71
KRC521	26.00	27.00	2.06
KRC521	27.00	28.00	1.40
KRC521	28.00	29.00	3.57
KRC521	29.00	30.00	1.00
KRC521	30.00	31.00	0.54
KRC521	31.00	32.00	0.42
KRC521	32.00	33.00	0.06
KRC521	33.00	34.00	0.31
KRC521	34.00	35.00	0.75
KRC521	35.00	36.00	1.94
KRC521	36.00	37.00	2.52
KRC521	37.00	38.00	3.26
KRC521	38.00	39.00	0.55
KRC521	39.00	40.00	0.51
KRC521	40.00	41.00	1.24
KRC521	41.00	42.00	0.89
KRC521	42.00	43.00	1.12
KRC521	43.00	44.00	0.75
KRC521	44.00	45.00	0.40
KRC521	45.00	46.00	1.57
KRC521	46.00	47.00	1.59
KRC521	47.00	48.00	0.30
KRC521	48.00	49.00	1.26
KRC521	49.00	50.00	2.30
KRC521	50.00	51.00	2.55
KRC521	51.00	52.00	2.07
KRC521	52.00	53.00	4.27
KRC522	0.00	1.00	0.08
KRC522	1.00	2.00	0.26
KRC522	2.00	3.00	0.36
KRC522	3.00	4.00	0.16
KRC522	4.00	5.00	0.69
KRC522	5.00	6.00	0.48
KRC522	6.00	7.00	0.30
KRC522	7.00	8.00	1.86
KRC522	8.00	9.00	0.72
KRC522	9.00	10.00	1.19
KRC522	10.00	11.00	0.24
KRC522	11.00	12.00	1.17
KRC522	12.00	13.00	0.09
KRC522	13.00	14.00	0.08
KRC522	14.00	15.00	0.23
KRC522	15.00	16.00	0.12
KRC522	16.00	17.00	0.91
KRC522	17.00	18.00	2.57
KRC522	18.00	19.00	1.91
KRC522	19.00	20.00	1.04
KRC522	20.00	21.00	0.58
KRC522	21.00	22.00	0.52
KRC522	22.00	23.00	2.17
KRC522	23.00	24.00	0.84
KRC522	24.00	25.00	0.83
KRC522	25.00	26.00	0.93
KRC522	26.00	27.00	0.17
KRC522	27.00	28.00	0.24
KRC522	28.00	29.00	1.56
KRC522	29.00	30.00	0.27
KRC522	30.00	31.00	0.25
KRC522	31.00	32.00	0.66
KRC522	32.00	33.00	0.65
KRC522	33.00	34.00	1.35
KRC522	34.00	35.00	1.45
KRC522	35.00	36.00	0.14
KRC522	36.00	37.00	0.47
KRC522	37.00	38.00	2.78
KRC522	38.00	39.00	0.77
KRC522	39.00	40.00	2.32
KRC522	40.00	41.00	0.72
KRC522	41.00	42.00	1.24
KRC522	42.00	43.00	11.80
KRC522	43.00	44.00	2.14
KRC522	44.00	45.00	1.57

Hole ID	From (m)	To (m)	Gold g/t
KRC522	45.00	46.00	1.76
KRC522	46.00	47.00	1.08
KRC522	47.00	48.00	0.69
KRC522	48.00	49.00	0.21
KRC523	0.00	1.00	0.20
KRC523	1.00	2.00	0.49
KRC523	2.00	3.00	0.19
KRC523	3.00	4.00	0.43
KRC523	4.00	5.00	0.10
KRC523	5.00	6.00	0.06
KRC523	6.00	7.00	0.97
KRC523	7.00	8.00	0.73
KRC523	8.00	9.00	1.71
KRC523	9.00	10.00	0.25
KRC523	10.00	11.00	0.40
KRC523	11.00	12.00	0.37
KRC523	12.00	13.00	0.41
KRC523	13.00	14.00	0.06
KRC523	14.00	15.00	0.24
KRC523	18.00	19.00	0.30
KRC523	19.00	20.00	0.51
KRC523	20.00	21.00	1.78
KRC523	21.00	22.00	0.29
KRC523	22.00	23.00	1.97
KRC523	23.00	24.00	0.29
KRC523	24.00	25.00	0.56
KRC523	25.00	26.00	0.08
KRC523	26.00	27.00	0.23
KRC523	27.00	28.00	0.40
KRC523	28.00	29.00	0.23
KRC523	29.00	30.00	0.48
KRC523	30.00	31.00	0.73
KRC523	31.00	32.00	1.13
KRC523	32.00	33.00	0.18
KRC523	33.00	34.00	0.31
KRC523	34.00	35.00	0.12
KRC523	35.00	36.00	0.97
KRC523	36.00	37.00	0.50
KRC523	37.00	38.00	1.39
KRC523	38.00	39.00	1.55
KRC523	39.00	40.00	0.45
KRC523	40.00	41.00	1.82
KRC523	41.00	42.00	0.85
KRC523	42.00	43.00	1.90
KRC523	43.00	44.00	2.93
KRC523	44.00	45.00	5.73
KRC523	45.00	46.00	0.27
KRC523	46.00	47.00	0.65
KRC523	47.00	48.00	1.13
KRC523	48.00	49.00	0.98
KRC523	49.00	50.00	1.02
KRC523	50.00	51.00	1.07
KRC523	51.00	52.00	1.30
KRC523	52.00	53.00	4.99
KRC523	53.00	54.00	1.31
KRC524	13.00	14.00	0.38
KRC524	14.00	15.00	0.16
KRC524	15.00	16.00	0.35
KRC524	16.00	17.00	0.12
KRC524	17.00	18.00	0.11
KRC524	18.00	19.00	0.73
KRC524	19.00	20.00	0.36
KRC524	20.00	21.00	0.44
KRC524	28.00	29.00	0.21
KRC524	29.00	30.00	1.22
KRC524	30.00	31.00	0.32
KRC524	31.00	32.00	2.59
KRC524	32.00	33.00	0.21
KRC524	33.00	34.00	1.62
KRC524	34.00	35.00	0.34
KRC524	35.00	36.00	2.97
KRC524	36.00	37.00	0.87
KRC524	37.00	38.00	0.21
KRC524	38.00	39.00	0.70
KRC524	39.00	40.00	0.41
KRC524	40.00	41.00	3.36
KRC524	41.00	42.00	2.82
KRC524	42.00	43.00	0.49
KRC524	43.00	44.00	0.36
KRC524	44.00	45.00	0.94

Hole ID	From (m)	To (m)	Gold g/t
KRC524	45.00	46.00	0.71
KRC524	46.00	47.00	0.50
KRC524	47.00	48.00	1.67
KRC524	48.00	49.00	1.45
KRC524	49.00	50.00	0.77
KRC524	50.00	51.00	3.00
KRC524	51.00	52.00	1.23
KRC524	52.00	53.00	3.00
KRC524	53.00	54.00	1.12
KRC525	0.00	1.00	0.78
KRC525	1.00	2.00	0.05
KRC525	2.00	3.00	0.49
KRC525	3.00	4.00	0.04
KRC525	4.00	5.00	0.14
KRC525	5.00	6.00	0.67
KRC525	6.00	7.00	0.51
KRC525	7.00	8.00	0.58
KRC525	8.00	9.00	1.55
KRC525	9.00	10.00	9.77
KRC525	10.00	11.00	1.60
KRC525	11.00	12.00	0.36
KRC525	12.00	13.00	0.56
KRC525	13.00	14.00	0.88
KRC525	14.00	15.00	1.66
KRC525	15.00	16.00	0.21
KRC525	19.00	20.00	3.08
KRC525	20.00	21.00	1.20
KRC525	21.00	22.00	1.01
KRC525	22.00	23.00	0.32
KRC525	23.00	24.00	0.51
KRC525	24.00	25.00	0.63
KRC525	25.00	26.00	3.00
KRC525	26.00	27.00	0.75
KRC525	27.00	28.00	0.68
KRC525	28.00	29.00	2.17
KRC525	29.00	30.00	1.74
KRC525	30.00	31.00	0.85
KRC525	31.00	32.00	0.44
KRC525	32.00	33.00	0.17
KRC525	33.00	34.00	0.44
KRC525	34.00	35.00	0.16
KRC525	35.00	36.00	0.54
KRC525	36.00	37.00	0.20
KRC525	46.00	47.00	0.85
KRC525	47.00	48.00	0.29
KRC525	48.00	49.00	0.22
KRC526	11.00	12.00	1.08
KRC526	12.00	13.00	0.27
KRC526	13.00	14.00	0.17
KRC526	14.00	15.00	1.08
KRC526	22.00	23.00	1.23
KRC526	23.00	24.00	0.50
KRC526	24.00	25.00	0.21
KRC526	25.00	26.00	0.70
KRC526	26.00	27.00	0.20
KRC526	27.00	28.00	0.78
KRC526	28.00	29.00	0.15
KRC526	29.00	30.00	0.09
KRC526	30.00	31.00	1.38
KRC526	31.00	32.00	0.28
KRC526	32.00	33.00	0.46
KRC526	37.00	38.00	0.77
KRC526	38.00	39.00	0.94
KRC526	39.00	40.00	1.38
KRC526	40.00	41.00	0.64
KRC526	41.00	42.00	0.14
KRC526	42.00	43.00	0.40
KRC526	43.00	44.00	0.23
KRC526	44.00	45.00	0.18
KRC526	45.00	46.00	1.50
KRC526	46.00	47.00	0.43
KRC526	47.00	48.00	0.63
KRC526	48.00	49.00	0.16
KRC526	49.00	50.00	1.92
KRC526	50.00	51.00	3.96
KRC526	51.00	52.00	0.88
KRC526	52.00	53.00	0.92
KRC526	53.00	54.00	0.40
KRC526	54.00	55.00	1.55
KRC527	0.00	1.00	0.48

Hole ID	From (m)	To (m)	Gold g/t
KRC527	1.00	2.00	1.56
KRC527	2.00	3.00	5.32
KRC527	3.00	4.00	1.09
KRC527	4.00	5.00	0.61
KRC527	5.00	6.00	0.50
KRC527	6.00	7.00	1.28
KRC527	7.00	8.00	1.49
KRC527	8.00	9.00	0.37
KRC527	9.00	10.00	0.06
KRC527	10.00	11.00	0.37
KRC527	11.00	12.00	1.27
KRC527	12.00	13.00	0.16
KRC527	13.00	14.00	0.25
KRC527	14.00	15.00	0.11
KRC527	15.00	16.00	0.11
KRC527	16.00	17.00	0.27
KRC527	17.00	18.00	0.83
KRC527	18.00	19.00	1.13
KRC527	19.00	20.00	1.09
KRC527	20.00	21.00	1.16
KRC527	21.00	22.00	3.32
KRC527	22.00	23.00	2.14
KRC527	50.00	51.00	0.47
KRC527	51.00	52.00	0.08
KRC527	52.00	53.00	0.06
KRC528	0.00	1.00	0.51
KRC528	1.00	2.00	1.62
KRC528	2.00	3.00	1.29
KRC528	3.00	4.00	0.87
KRC528	4.00	5.00	0.79
KRC528	5.00	6.00	0.66
KRC528	6.00	7.00	0.54
KRC528	7.00	8.00	0.38
KRC528	8.00	9.00	0.45
KRC528	9.00	10.00	1.94
KRC528	10.00	11.00	0.51
KRC528	11.00	12.00	0.08
KRC528	12.00	13.00	0.29
KRC528	13.00	14.00	0.18
KRC528	14.00	15.00	0.77
KRC528	15.00	16.00	2.16
KRC528	16.00	17.00	0.77
KRC528	17.00	18.00	0.21
KRC528	18.00	19.00	0.28
KRC528	19.00	20.00	0.06
KRC528	20.00	21.00	0.37
KRC529	32.00	33.00	0.20
KRC529	33.00	34.00	0.20
KRC529	34.00	35.00	0.08
KRC529	35.00	36.00	0.61
KRC529	36.00	37.00	0.40
KRC529	37.00	38.00	0.17
KRC529	38.00	39.00	0.86
KRC529	39.00	40.00	0.32
KRC529	40.00	41.00	0.07
KRC529	41.00	42.00	0.32
KRC529	42.00	43.00	0.26
KRC529	43.00	44.00	0.29
KRC529	48.00	49.00	1.91
KRC529	49.00	50.00	1.26
KRC529	50.00	51.00	0.60
KRC529	51.00	52.00	0.20
KRC529	52.00	53.00	0.58
KRC529	53.00	54.00	0.84
KRC529	54.00	55.00	0.24
KRC530	41.00	42.00	0.28
KRC530	42.00	43.00	0.20
KRC530	43.00	44.00	0.47
KRC530	44.00	45.00	0.31
KRC530	45.00	46.00	1.11
KRC530	46.00	47.00	3.33
KRC530	47.00	48.00	0.31
KRC530	48.00	49.00	0.18
KRC530	49.00	50.00	0.23
KRC530	50.00	51.00	0.39
KRC531	0.00	1.00	0.59
KRC531	1.00	2.00	1.30
KRC531	2.00	3.00	0.82
KRC531	3.00	4.00	0.23
KRC531	4.00	5.00	0.83

Hole ID	From (m)	To (m)	Gold g/t
KRC531	5.00	6.00	2.36
KRC531	6.00	7.00	0.78
KRC531	7.00	8.00	0.43
KRC531	8.00	9.00	0.41
KRC531	9.00	10.00	3.90
KRC531	10.00	11.00	5.75
KRC531	11.00	12.00	4.68
KRC531	12.00	13.00	1.38
KRC531	13.00	14.00	0.92
KRC531	14.00	15.00	0.42
KRC531	15.00	16.00	0.25
KRC531	16.00	17.00	0.27
KRC531	32.00	33.00	0.48
KRC531	33.00	34.00	0.06
KRC531	34.00	35.00	0.22
KRC531	35.00	36.00	0.10
KRC531	36.00	37.00	0.27
KRC531	37.00	38.00	0.07
KRC531	38.00	39.00	0.03
KRC531	39.00	40.00	0.39
KRC531	40.00	41.00	0.31
KRC531	41.00	42.00	0.13
KRC531	42.00	43.00	0.20
KRC531	43.00	44.00	0.09
KRC531	44.00	45.00	0.26
KRC531	45.00	46.00	17.15
KRC531	46.00	47.00	0.28
KRC531	47.00	48.00	0.24
KRC531	48.00	49.00	0.05
KRC531	49.00	50.00	0.46
KRC532	50.00	51.00	0.26
KRC532	51.00	52.00	0.10
KRC532	52.00	53.00	0.57
KRC532	53.00	54.00	0.97
KRC532	54.00	55.00	0.74
KRC533	0.00	1.00	0.38
KRC533	1.00	2.00	0.38
KRC533	2.00	3.00	0.13
KRC533	3.00	4.00	0.35
KRC533	4.00	5.00	2.74
KRC533	5.00	6.00	1.45
KRC533	6.00	7.00	0.54
KRC533	7.00	8.00	0.36
KRC533	8.00	9.00	0.67
KRC533	9.00	10.00	3.51
KRC533	10.00	11.00	1.20
KRC533	11.00	12.00	5.22
KRC533	12.00	13.00	1.06
KRC533	13.00	14.00	0.64
KRC533	14.00	15.00	0.73
KRC533	37.00	38.00	0.65
KRC533	38.00	39.00	0.31
KRC533	39.00	40.00	0.34
KRC533	40.00	41.00	0.12
KRC533	41.00	42.00	1.17
KRC533	42.00	43.00	0.10
KRC533	43.00	44.00	1.11
KRC534	39.00	40.00	0.41
KRC534	40.00	41.00	0.37
KRC534	41.00	42.00	0.22
KRC534	42.00	43.00	0.19
KRC534	43.00	44.00	0.24
KRC534	44.00	45.00	0.52
KRC534	45.00	46.00	0.61
KRC534	46.00	47.00	0.53
KRC534	47.00	48.00	0.50
KRC534	48.00	49.00	0.41
KRC534	53.00	54.00	1.41
KRC534	54.00	55.00	1.01
KRC535	0.00	1.00	0.91
KRC535	1.00	2.00	1.03
KRC535	2.00	3.00	1.06
KRC535	3.00	4.00	1.35
KRC535	4.00	5.00	4.34
KRC535	5.00	6.00	0.55
KRC535	6.00	7.00	0.76
KRC535	7.00	8.00	0.41
KRC535	8.00	9.00	0.66
KRC535	9.00	10.00	0.30
KRC535	10.00	11.00	0.31

Hole ID	From (m)	To (m)	Gold g/t
KRC535	25.00	26.00	1.07
KRC535	26.00	27.00	0.66
KRC535	27.00	28.00	3.22
KRC535	28.00	29.00	0.19
KRC535	29.00	30.00	0.25
KRC535	30.00	31.00	0.24
KRC535	34.00	35.00	0.54
KRC535	35.00	36.00	0.18
KRC535	36.00	37.00	0.16
KRC535	37.00	38.00	2.51
KRC535	38.00	39.00	0.38
KRC536	31.00	32.00	0.38
KRC536	32.00	33.00	0.26
KRC536	33.00	34.00	0.04
KRC536	34.00	35.00	0.60
KRC536	35.00	36.00	0.32
KRC536	36.00	37.00	0.52
KRC536	37.00	38.00	0.43
KRC536	38.00	39.00	0.19
KRC536	39.00	40.00	0.08
KRC536	40.00	41.00	0.32
KRC536	46.00	47.00	0.50
KRC536	47.00	48.00	0.36
KRC536	48.00	49.00	0.39
KRC536	49.00	50.00	1.08
KRC536	50.00	51.00	0.79
KRC536	51.00	52.00	2.15
KRC536	52.00	53.00	0.14
KRC536	53.00	54.00	0.79
KRC536	54.00	55.00	0.14
KRC536	55.00	56.00	1.17
KRC537	0.00	1.00	0.16
KRC537	1.00	2.00	0.18
KRC537	2.00	3.00	0.63
KRC537	3.00	4.00	0.30
KRC537	4.00	5.00	0.19
KRC537	5.00	6.00	0.31
KRC537	6.00	7.00	0.12
KRC537	7.00	8.00	0.24
KRC537	24.00	25.00	0.49
KRC537	25.00	26.00	0.10
KRC537	26.00	27.00	2.63
KRC537	27.00	28.00	0.84
KRC537	28.00	29.00	0.45
KRC537	29.00	30.00	0.23
KRC537	30.00	31.00	0.22
KRC538	18.00	19.00	0.34
KRC538	19.00	20.00	0.18
KRC538	20.00	21.00	0.22
KRC538	21.00	22.00	0.44
KRC538	22.00	23.00	0.32
KRC538	23.00	24.00	0.63
KRC538	37.00	38.00	0.82
KRC538	38.00	39.00	0.31
KRC538	39.00	40.00	0.37
KRC538	40.00	41.00	0.80
KRC538	41.00	42.00	0.29
KRC538	42.00	43.00	0.31
KRC538	43.00	44.00	0.13
KRC538	44.00	45.00	0.71
KRC538	45.00	46.00	0.45
KRC538	49.00	50.00	0.39
KRC538	50.00	51.00	0.77
KRC538	51.00	52.00	0.31
KRC538	52.00	53.00	0.08
KRC538	53.00	54.00	0.62
KRC538	54.00	55.00	0.76
KRC539	0.00	1.00	0.48
KRC539	1.00	2.00	0.36
KRC539	2.00	3.00	0.70
KRC539	3.00	4.00	0.90
KRC539	4.00	5.00	0.73
KRC539	5.00	6.00	0.36
KRC539	6.00	7.00	0.45
KRC539	7.00	8.00	0.26
KRC539	8.00	9.00	0.62
KRC539	9.00	10.00	1.87
KRC539	10.00	11.00	0.58
KRC539	11.00	12.00	0.39
KRC539	12.00	13.00	3.53

Hole ID	From (m)	To (m)	Gold g/t
KRC539	13.00	14.00	2.41
KRC539	14.00	15.00	0.95
KRC539	15.00	16.00	0.50
KRC539	16.00	17.00	2.62
KRC539	17.00	18.00	2.86
KRC539	18.00	19.00	1.81
KRC539	19.00	20.00	1.79
KRC539	20.00	21.00	0.56
KRC539	21.00	22.00	0.48
KRC539	22.00	23.00	0.53
KRC539	23.00	24.00	1.60
KRC539	24.00	25.00	0.74
KRC539	25.00	26.00	0.38
KRC539	26.00	27.00	0.38
KRC539	27.00	28.00	0.13
KRC539	28.00	29.00	0.11
KRC539	29.00	30.00	0.44
KRC540	5.00	6.00	0.40
KRC540	6.00	7.00	0.11
KRC540	7.00	8.00	0.20
KRC540	8.00	9.00	0.17
KRC540	9.00	10.00	0.12
KRC540	10.00	11.00	0.51
KRC540	11.00	12.00	0.11
KRC540	12.00	13.00	0.14
KRC540	13.00	14.00	0.32
KRC540	14.00	15.00	0.11
KRC540	15.00	16.00	0.27
KRC540	16.00	17.00	0.22
KRC540	17.00	18.00	0.52
KRC540	18.00	19.00	0.27
KRC540	29.00	30.00	0.48
KRC540	30.00	31.00	0.88
KRC540	31.00	32.00	0.37
KRC540	32.00	33.00	2.35
KRC540	33.00	34.00	0.68
KRC540	34.00	35.00	1.33
KRC540	35.00	36.00	2.46
KRC540	36.00	37.00	0.09
KRC540	37.00	38.00	0.04
KRC540	38.00	39.00	0.71
KRC540	39.00	40.00	0.37
KRC540	40.00	41.00	0.34
KRC540	41.00	42.00	1.40
KRC540	42.00	43.00	3.74
KRC540	43.00	44.00	0.77
KRC540	44.00	45.00	0.87
KRC540	45.00	46.00	0.09
KRC540	46.00	47.00	0.13
KRC540	47.00	48.00	0.22
KRC540	48.00	49.00	1.80
KRC540	49.00	50.00	1.25
KRC540	50.00	51.00	1.30
KRC540	51.00	52.00	2.58
KRC540	52.00	53.00	1.38
KRC540	53.00	54.00	8.40
KRC540	54.00	55.00	2.02
KRC541	0.00	1.00	0.11
KRC541	1.00	2.00	0.27
KRC541	2.00	3.00	0.30
KRC541	3.00	4.00	1.00
KRC541	4.00	5.00	1.48
KRC541	5.00	6.00	1.14
KRC541	6.00	7.00	2.08
KRC541	7.00	8.00	0.97
KRC541	8.00	9.00	9.18
KRC541	9.00	10.00	1.41
KRC541	10.00	11.00	3.06
KRC541	11.00	12.00	0.56
KRC541	12.00	13.00	0.81
KRC541	13.00	14.00	0.50
KRC541	14.00	15.00	3.48
KRC541	15.00	16.00	0.21
KRC541	16.00	17.00	3.76
KRC541	17.00	18.00	0.97
KRC541	18.00	19.00	0.59
KRC541	19.00	20.00	0.31
KRC541	20.00	21.00	0.17
KRC541	21.00	22.00	0.24
KRC541	22.00	23.00	0.24

Hole ID	From (m)	To (m)	Gold g/t
KRC541	23.00	24.00	0.36
KRC541	24.00	25.00	0.24
KRC541	25.00	26.00	4.03
KRC541	26.00	27.00	1.89
KRC541	27.00	28.00	0.79
KRC541	28.00	29.00	0.80
KRC541	29.00	30.00	1.02
KRC541	30.00	31.00	1.05
KRC541	31.00	32.00	0.97
KRC541	32.00	33.00	0.10
KRC541	33.00	34.00	0.53
KRC541	34.00	35.00	0.63
KRC541	35.00	36.00	0.44
KRC541	36.00	37.00	0.21
KRC541	37.00	38.00	0.28
KRC541	38.00	39.00	0.13
KRC541	39.00	40.00	0.10
KRC541	40.00	41.00	0.21
KRC541	50.00	51.00	0.86
KRC541	51.00	52.00	0.38
KRC542	0.00	1.00	0.78
KRC542	1.00	2.00	0.52
KRC542	10.00	11.00	1.46
KRC542	11.00	12.00	0.33
KRC542	12.00	13.00	0.12
KRC542	13.00	14.00	0.50
KRC542	14.00	15.00	0.46
KRC542	15.00	16.00	0.67
KRC542	16.00	17.00	0.40
KRC542	17.00	18.00	0.84
KRC542	18.00	19.00	0.13
KRC542	19.00	20.00	0.76
KRC542	20.00	21.00	0.15
KRC542	21.00	22.00	0.24
KRC542	22.00	23.00	2.66
KRC542	23.00	24.00	0.54
KRC542	28.00	29.00	0.82
KRC542	29.00	30.00	0.35
KRC542	30.00	31.00	0.39
KRC542	31.00	32.00	0.33
KRC542	32.00	33.00	0.28
KRC542	33.00	34.00	1.88
KRC542	34.00	35.00	0.35
KRC542	35.00	36.00	0.39
KRC542	36.00	37.00	0.93
KRC542	37.00	38.00	3.32
KRC542	38.00	39.00	1.79
KRC542	39.00	40.00	2.81
KRC542	40.00	41.00	0.81
KRC542	41.00	42.00	0.90
KRC542	42.00	43.00	1.05
KRC542	43.00	44.00	1.94
KRC542	44.00	45.00	0.93
KRC542	45.00	46.00	0.53
KRC542	46.00	47.00	0.76
KRC542	47.00	48.00	1.41
KRC542	48.00	49.00	1.61
KRC542	49.00	50.00	0.70
KRC542	50.00	51.00	0.53
KRC542	51.00	52.00	2.40
KRC542	52.00	53.00	1.76
KRC542	53.00	54.00	0.78
KRC542	54.00	55.00	0.87
KRC543	0.00	1.00	0.30
KRC543	1.00	2.00	0.40
KRC543	2.00	3.00	0.48
KRC543	3.00	4.00	2.38
KRC543	4.00	5.00	1.00
KRC543	5.00	6.00	0.82
KRC543	6.00	7.00	3.27
KRC543	7.00	8.00	1.54
KRC543	8.00	9.00	0.59
KRC543	9.00	10.00	1.89
KRC543	10.00	11.00	2.60
KRC543	11.00	12.00	1.76
KRC543	12.00	13.00	0.97
KRC543	13.00	14.00	2.29
KRC543	14.00	15.00	1.31
KRC543	15.00	16.00	1.38
KRC543	16.00	17.00	0.29

Hole ID	From (m)	To (m)	Gold g/t
KRC543	17.00	18.00	0.25
KRC543	18.00	19.00	0.57
KRC543	19.00	20.00	0.14
KRC543	20.00	21.00	0.10
KRC543	21.00	22.00	0.44
KRC543	22.00	23.00	1.03
KRC543	23.00	24.00	5.13
KRC543	24.00	25.00	1.97
KRC543	25.00	26.00	0.48
KRC543	26.00	27.00	0.50
KRC543	27.00	28.00	2.58
KRC543	28.00	29.00	1.72
KRC543	29.00	30.00	1.12
KRC543	30.00	31.00	0.42
KRC543	31.00	32.00	0.57
KRC543	47.00	48.00	3.04
KRC543	48.00	49.00	0.52
KRC543	49.00	50.00	0.28
KRC543	50.00	51.00	0.11
KRC543	51.00	52.00	0.02
KRC543	52.00	53.00	0.47
KRC544	0.00	1.00	0.22
KRC544	1.00	2.00	0.16
KRC544	2.00	3.00	0.38
KRC544	3.00	4.00	0.54
KRC544	4.00	5.00	1.06
KRC544	5.00	6.00	0.46
KRC544	6.00	7.00	0.05
KRC544	7.00	8.00	0.76
KRC544	8.00	9.00	0.27
KRC544	9.00	10.00	2.64
KRC544	10.00	11.00	0.30
KRC544	11.00	12.00	0.16
KRC544	12.00	13.00	0.32
KRC544	13.00	14.00	1.11
KRC544	14.00	15.00	4.26
KRC544	15.00	16.00	4.95
KRC544	16.00	17.00	3.69
KRC544	17.00	18.00	1.19
KRC544	18.00	19.00	0.72
KRC544	19.00	20.00	1.52
KRC544	20.00	21.00	1.10
KRC544	21.00	22.00	0.40
KRC544	22.00	23.00	1.55
KRC544	23.00	24.00	0.65
KRC544	24.00	25.00	0.40
KRC544	25.00	26.00	0.53
KRC544	26.00	27.00	0.84
KRC544	27.00	28.00	0.44
KRC544	28.00	29.00	0.30
KRC544	29.00	30.00	0.40
KRC544	30.00	31.00	0.11
KRC544	31.00	32.00	0.27
KRC544	32.00	33.00	1.50
KRC544	33.00	34.00	0.28
KRC544	34.00	35.00	1.46
KRC544	35.00	36.00	0.81
KRC544	36.00	37.00	1.43
KRC544	37.00	38.00	2.27
KRC544	38.00	39.00	2.81
KRC544	39.00	40.00	8.06
KRC544	40.00	41.00	1.84
KRC544	41.00	42.00	1.86
KRC544	42.00	43.00	1.48
KRC544	43.00	44.00	0.95
KRC544	44.00	45.00	0.78
KRC544	45.00	46.00	0.25
KRC544	46.00	47.00	0.08
KRC544	47.00	48.00	0.48
KRC545	0.00	1.00	0.25
KRC545	1.00	2.00	0.24
KRC545	2.00	3.00	0.20
KRC545	3.00	4.00	0.19
KRC545	4.00	5.00	0.48
KRC545	5.00	6.00	0.25
KRC545	17.00	18.00	1.32
KRC545	18.00	19.00	0.39
KRC545	19.00	20.00	0.15
KRC545	20.00	21.00	0.49
KRC545	21.00	22.00	0.09

Hole ID	From (m)	To (m)	Gold g/t
KRC545	22.00	23.00	0.35
KRC545	23.00	24.00	0.72
KRC545	24.00	25.00	0.38
KRC545	25.00	26.00	0.68
KRC545	26.00	27.00	1.82
KRC545	27.00	28.00	1.83
KRC545	28.00	29.00	1.66
KRC545	29.00	30.00	1.59
KRC545	30.00	31.00	0.36
KRC545	31.00	32.00	0.67
KRC545	32.00	33.00	0.51
KRC545	33.00	34.00	0.43
KRC545	34.00	35.00	0.13
KRC545	35.00	36.00	0.03
KRC545	36.00	37.00	0.29
KRC545	37.00	38.00	0.50
KRC545	38.00	39.00	0.60
KRC545	39.00	40.00	3.15
KRC545	40.00	41.00	5.48
KRC545	41.00	42.00	0.81
KRC545	42.00	43.00	0.25
KRC545	43.00	44.00	0.82
KRC545	44.00	45.00	2.61
KRC545	45.00	46.00	3.51
KRC545	46.00	47.00	2.90
KRC545	47.00	48.00	1.65
KRC545	48.00	49.00	0.75
KRC545	49.00	50.00	0.37
KRC545	50.00	51.00	0.89
KRC545	51.00	52.00	0.12
KRC545	52.00	53.00	0.05
KRC546	0.00	1.00	0.52
KRC546	1.00	2.00	0.68
KRC546	2.00	3.00	0.39
KRC546	3.00	4.00	2.11
KRC546	4.00	5.00	0.64
KRC546	5.00	6.00	0.96
KRC546	6.00	7.00	0.74
KRC546	7.00	8.00	2.86
KRC546	8.00	9.00	1.02
KRC546	9.00	10.00	1.25
KRC546	10.00	11.00	0.91
KRC546	11.00	12.00	1.34
KRC546	12.00	13.00	0.97
KRC546	13.00	14.00	0.69
KRC546	14.00	15.00	0.37
KRC546	15.00	16.00	1.11
KRC546	16.00	17.00	0.30
KRC546	17.00	18.00	0.25
KRC546	18.00	19.00	3.29
KRC546	19.00	20.00	0.72
KRC546	20.00	21.00	1.38
KRC546	21.00	22.00	0.68
KRC546	22.00	23.00	0.46
KRC546	23.00	24.00	1.83
KRC546	24.00	25.00	7.17
KRC546	25.00	26.00	3.00
KRC546	26.00	27.00	1.06
KRC546	27.00	28.00	0.23
KRC546	28.00	29.00	0.52
KRC546	45.00	46.00	0.32
KRC546	46.00	47.00	1.03
KRC546	47.00	48.00	0.19
KRC546	48.00	49.00	0.14
KRC546	49.00	50.00	0.42
KRC546	50.00	51.00	0.08
KRC546	51.00	52.00	0.08
KRC547	0.00	1.00	0.69
KRC547	4.00	5.00	0.55
KRC547	5.00	6.00	1.84
KRC547	6.00	7.00	0.94
KRC547	7.00	8.00	0.37
KRC547	11.00	12.00	0.54
KRC547	12.00	13.00	0.52
KRC547	13.00	14.00	0.48
KRC547	14.00	15.00	0.48
KRC547	15.00	16.00	0.05
KRC547	16.00	17.00	0.52
KRC547	17.00	18.00	0.14
KRC547	18.00	19.00	0.47

Hole ID	From (m)	To (m)	Gold g/t
KRC547	19.00	20.00	0.90
KRC547	20.00	21.00	0.23
KRC547	21.00	22.00	0.13
KRC547	22.00	23.00	0.52
KRC547	23.00	24.00	0.67
KRC547	24.00	25.00	0.30
KRC547	25.00	26.00	1.10
KRC547	26.00	27.00	0.91
KRC547	27.00	28.00	2.31
KRC547	28.00	29.00	0.99
KRC547	29.00	30.00	2.31
KRC547	30.00	31.00	0.61
KRC547	31.00	32.00	0.44
KRC547	32.00	33.00	0.51
KRC547	33.00	34.00	0.31
KRC547	34.00	35.00	0.06
KRC547	35.00	36.00	0.78
KRC547	36.00	37.00	0.35
KRC547	37.00	38.00	0.12
KRC547	38.00	39.00	0.15
KRC547	39.00	40.00	1.52
KRC547	40.00	41.00	0.57
KRC547	41.00	42.00	2.53
KRC547	42.00	43.00	4.99
KRC547	43.00	44.00	0.29
KRC547	44.00	45.00	0.88
KRC547	45.00	46.00	1.45
KRC547	46.00	47.00	1.21
KRC547	47.00	48.00	2.06
KRC547	48.00	49.00	1.68
KRC547	49.00	50.00	0.82
KRC547	50.00	51.00	1.03
KRC547	51.00	52.00	0.18
KRC547	52.00	53.00	0.09
KRC548	0.00	1.00	1.64
KRC548	1.00	2.00	3.14
KRC548	2.00	3.00	0.93
KRC548	3.00	4.00	1.23
KRC548	4.00	5.00	1.04
KRC548	5.00	6.00	0.70
KRC548	6.00	7.00	1.09
KRC548	7.00	8.00	1.17
KRC548	8.00	9.00	1.08
KRC548	9.00	10.00	1.25
KRC548	10.00	11.00	4.99
KRC548	11.00	12.00	2.77
KRC548	12.00	13.00	0.94
KRC548	13.00	14.00	1.21
KRC548	14.00	15.00	1.24
KRC548	15.00	16.00	0.66
KRC548	16.00	17.00	0.41
KRC548	17.00	18.00	0.80
KRC548	18.00	19.00	1.40
KRC548	19.00	20.00	3.35
KRC548	20.00	21.00	2.10
KRC548	21.00	22.00	0.19
KRC548	22.00	23.00	0.85
KRC548	23.00	24.00	1.01
KRC548	24.00	25.00	1.35
KRC548	25.00	26.00	2.22
KRC548	26.00	27.00	1.13
KRC548	27.00	28.00	0.47
KRC548	28.00	29.00	0.29
KRC548	29.00	30.00	0.35
KRC549	8.00	9.00	0.22
KRC549	9.00	10.00	0.34
KRC549	10.00	11.00	0.25
KRC549	11.00	12.00	0.14
KRC549	12.00	13.00	0.07
KRC549	13.00	14.00	0.98
KRC549	14.00	15.00	0.38
KRC549	15.00	16.00	0.40
KRC549	16.00	17.00	0.57
KRC549	17.00	18.00	0.49
KRC549	18.00	19.00	0.36
KRC549	19.00	20.00	0.35
KRC549	20.00	21.00	0.13
KRC549	21.00	22.00	0.05
KRC549	22.00	23.00	0.21
KRC549	23.00	24.00	0.05

Hole ID	From (m)	To (m)	Gold g/t
KRC549	24.00	25.00	0.41
KRC549	25.00	26.00	0.65
KRC549	26.00	27.00	0.71
KRC549	27.00	28.00	0.71
KRC549	28.00	29.00	4.22
KRC549	29.00	30.00	1.12
KRC549	30.00	31.00	2.57
KRC549	31.00	32.00	0.51
KRC549	32.00	33.00	0.81
KRC549	33.00	34.00	1.83
KRC549	34.00	35.00	1.52
KRC549	35.00	36.00	0.65
KRC549	36.00	37.00	0.18
KRC549	37.00	38.00	0.97
KRC549	38.00	39.00	0.24
KRC549	39.00	40.00	0.37
KRC549	40.00	41.00	0.20
KRC549	41.00	42.00	1.27
KRC549	42.00	43.00	1.31
KRC549	43.00	44.00	0.88
KRC549	44.00	45.00	1.46
KRC549	45.00	46.00	3.30
KRC549	46.00	47.00	0.62
KRC549	47.00	48.00	1.24
KRC549	48.00	49.00	0.80
KRC549	49.00	50.00	2.48
KRC549	50.00	51.00	1.91
KRC549	51.00	52.00	1.43
KRC549	52.00	53.00	1.05
KRC549	53.00	54.00	0.36
KRC550	0.00	1.00	0.82
KRC550	1.00	2.00	0.89
KRC550	2.00	3.00	1.23
KRC550	3.00	4.00	1.52
KRC550	4.00	5.00	1.70
KRC550	5.00	6.00	1.01
KRC550	6.00	7.00	1.18
KRC550	7.00	8.00	0.64
KRC550	8.00	9.00	0.90
KRC550	9.00	10.00	0.58
KRC550	10.00	11.00	0.54
KRC550	11.00	12.00	0.33
KRC550	12.00	13.00	0.62
KRC550	13.00	14.00	0.21
KRC550	14.00	15.00	0.95
KRC550	15.00	16.00	0.14
KRC550	16.00	17.00	0.14
KRC550	17.00	18.00	3.81
KRC550	18.00	19.00	3.16
KRC550	19.00	20.00	3.11
KRC550	20.00	21.00	1.26
KRC550	21.00	22.00	0.58
KRC550	22.00	23.00	0.57
KRC550	23.00	24.00	0.96
KRC550	24.00	25.00	0.41
KRC550	25.00	26.00	1.58
KRC550	26.00	27.00	0.75
KRC550	27.00	28.00	2.14
KRC550	28.00	29.00	0.34
KRC550	29.00	30.00	0.22
KRC550	30.00	31.00	0.12
KRC550	31.00	32.00	0.28
KRC550	32.00	33.00	0.24
KRC550	34.00	48.00	0.36
KRC550	48.00	49.00	0.12
KRC550	49.00	50.00	0.18
KRC550	50.00	51.00	0.84
KRC551	8.00	9.00	0.22
KRC551	9.00	10.00	0.06
KRC551	10.00	11.00	0.05
KRC551	11.00	12.00	0.22
KRC551	12.00	13.00	0.01
KRC551	13.00	14.00	0.29
KRC551	14.00	15.00	0.42
KRC551	15.00	16.00	1.26
KRC551	16.00	17.00	0.98
KRC551	17.00	18.00	0.27
KRC551	21.00	22.00	0.27
KRC551	22.00	23.00	0.02
KRC551	23.00	24.00	0.39

Hole ID	From (m)	To (m)	Gold g/t
KRC551	24.00	25.00	1.03
KRC551	25.00	26.00	1.00
KRC551	26.00	27.00	0.27
KRC551	27.00	28.00	3.33
KRC551	28.00	29.00	1.22
KRC551	29.00	30.00	1.85
KRC551	30.00	31.00	2.15
KRC551	31.00	32.00	1.91
KRC551	32.00	33.00	2.87
KRC551	33.00	34.00	2.47
KRC551	34.00	35.00	1.33
KRC551	35.00	36.00	0.40
KRC551	36.00	37.00	5.78
KRC551	37.00	38.00	0.95
KRC551	38.00	39.00	0.59
KRC551	39.00	40.00	0.96
KRC551	40.00	41.00	1.88
KRC551	41.00	42.00	0.85
KRC551	42.00	43.00	0.12
KRC551	43.00	44.00	0.03
KRC551	44.00	45.00	0.80
KRC551	45.00	46.00	0.45
KRC551	46.00	47.00	0.39
KRC551	47.00	48.00	1.01
KRC551	48.00	49.00	1.12
KRC551	49.00	50.00	0.94
KRC551	50.00	51.00	1.27
KRC551	51.00	52.00	1.94
KRC551	52.00	53.00	1.85
KRC551	53.00	54.00	0.72
KRC552	0.00	1.00	0.42
KRC552	1.00	2.00	1.41
KRC552	2.00	3.00	1.10
KRC552	3.00	4.00	1.02
KRC552	4.00	5.00	0.60
KRC552	5.00	6.00	0.74
KRC552	6.00	7.00	1.20
KRC552	7.00	8.00	0.92
KRC552	8.00	9.00	0.37
KRC552	9.00	10.00	0.93
KRC552	10.00	11.00	0.54
KRC552	11.00	12.00	0.28
KRC552	12.00	13.00	0.32
KRC552	13.00	14.00	0.30
KRC552	14.00	15.00	0.35
KRC552	15.00	16.00	0.42
KRC552	16.00	17.00	0.55
KRC552	17.00	18.00	0.66
KRC552	18.00	19.00	0.78
KRC552	19.00	20.00	1.38
KRC552	20.00	21.00	0.53
KRC552	21.00	22.00	0.17
KRC552	22.00	23.00	1.10
KRC552	23.00	24.00	0.93
KRC552	24.00	25.00	1.20
KRC552	25.00	26.00	0.67
KRC552	26.00	27.00	1.24
KRC552	27.00	28.00	1.00
KRC552	28.00	29.00	0.85
KRC552	29.00	30.00	0.56
KRC552	30.00	31.00	0.22
KRC552	31.00	32.00	0.13
KRC552	32.00	33.00	1.03
KRC553	0.00	1.00	0.23
KRC553	1.00	2.00	0.21
KRC553	2.00	3.00	0.06
KRC553	3.00	4.00	0.45
KRC553	4.00	5.00	1.06
KRC553	5.00	6.00	2.12
KRC553	6.00	7.00	0.87
KRC553	7.00	8.00	0.85
KRC553	8.00	9.00	2.02
KRC553	9.00	10.00	0.90
KRC553	10.00	11.00	1.15
KRC553	11.00	12.00	0.88
KRC553	12.00	13.00	1.15
KRC553	13.00	14.00	1.31
KRC553	14.00	15.00	0.82
KRC553	15.00	16.00	0.34
KRC553	16.00	17.00	0.17

Hole ID	From (m)	To (m)	Gold g/t
KRC553	17.00	18.00	0.23
KRC554	0.00	1.00	0.53
KRC554	1.00	2.00	0.67
KRC554	2.00	3.00	0.37
KRC554	3.00	4.00	1.21
KRC554	4.00	5.00	0.93
KRC554	5.00	6.00	0.34
KRC554	6.00	7.00	0.18
KRC554	7.00	8.00	0.50
KRC554	8.00	9.00	0.16
KRC554	9.00	10.00	0.25
KRC554	10.00	11.00	0.71
KRC554	11.00	12.00	0.83
KRC554	12.00	13.00	2.43
KRC554	13.00	14.00	5.37
KRC554	14.00	15.00	0.93
KRC554	15.00	16.00	0.56
KRC554	16.00	17.00	1.26
KRC554	17.00	18.00	2.19
KRC554	18.00	19.00	0.74
KRC554	19.00	20.00	0.81
KRC554	20.00	21.00	1.95
KRC554	21.00	22.00	1.70
KRC554	22.00	23.00	0.54
KRC554	23.00	24.00	0.64
KRC554	24.00	25.00	2.72
KRC554	25.00	26.00	0.96
KRC554	26.00	27.00	0.87
KRC554	27.00	28.00	0.12
KRC554	28.00	29.00	0.26
KRC554	29.00	30.00	2.64
KRC555	0.00	1.00	0.29
KRC555	1.00	2.00	1.08
KRC555	2.00	3.00	1.32
KRC555	3.00	4.00	1.35
KRC555	4.00	5.00	1.20
KRC555	5.00	6.00	1.02
KRC555	6.00	7.00	1.10
KRC555	7.00	8.00	3.03
KRC555	8.00	9.00	0.62
KRC555	9.00	10.00	1.08
KRC555	10.00	11.00	1.08
KRC555	11.00	12.00	0.70
KRC555	12.00	13.00	0.60
KRC555	13.00	14.00	0.84
KRC555	14.00	15.00	0.53
KRC555	15.00	16.00	0.76
KRC555	16.00	17.00	0.41
KRC555	17.00	18.00	0.32
KRC555	18.00	19.00	0.16
KRC555	19.00	20.00	0.29
KRC555	20.00	21.00	0.54
KRC555	21.00	22.00	1.17
KRC555	22.00	23.00	1.01
KRC555	23.00	24.00	1.82
KRC555	24.00	25.00	6.81
KRC555	25.00	26.00	1.18
KRC555	26.00	27.00	0.72
KRC555	27.00	28.00	0.41
KRC555	28.00	29.00	0.33
KRC555	29.00	30.00	1.84
KRC555	30.00	31.00	1.54
KRC555	31.00	32.00	1.28
KRC555	32.00	33.00	0.54
KRC555	33.00	34.00	1.42
KRC555	34.00	35.00	1.35
KRC555	35.00	36.00	1.47
KRC555	36.00	37.00	0.26
KRC556	0.00	1.00	0.31
KRC556	1.00	2.00	0.39
KRC556	2.00	3.00	0.12
KRC556	3.00	4.00	0.30
KRC556	4.00	5.00	0.93
KRC556	5.00	6.00	0.68
KRC556	6.00	7.00	0.27
KRC556	7.00	8.00	0.83
KRC556	8.00	9.00	0.96
KRC556	9.00	10.00	0.38
KRC556	10.00	11.00	0.20
KRC556	15.00	16.00	0.52

Hole ID	From (m)	To (m)	Gold g/t
KRC556	16.00	17.00	0.63
KRC556	17.00	18.00	1.04
KRC556	18.00	19.00	0.67
KRC556	19.00	20.00	0.93
KRC556	20.00	21.00	1.01
KRC556	21.00	22.00	2.22
KRC556	22.00	23.00	1.48
KRC556	23.00	24.00	1.45
KRC556	24.00	25.00	1.57
KRC556	25.00	26.00	1.63
KRC556	26.00	27.00	0.24
KRC556	27.00	28.00	0.43
KRC556	28.00	29.00	1.18
KRC556	29.00	30.00	0.41
KRC556	30.00	31.00	0.24
KRC556	31.00	32.00	0.67
KRC556	32.00	33.00	0.43
KRC556	33.00	34.00	0.11
KRC556	34.00	35.00	0.24
KRC556	35.00	36.00	0.42
KRC556	36.00	37.00	5.72
KRC556	37.00	38.00	2.54
KRC556	38.00	39.00	0.87
KRC556	39.00	40.00	1.17
KRC556	40.00	41.00	2.41
KRC556	41.00	42.00	1.03
KRC556	42.00	43.00	0.46
KRC556	43.00	44.00	1.74
KRC556	44.00	45.00	2.74
KRC556	45.00	46.00	1.39
KRC556	46.00	47.00	1.98
KRC556	47.00	48.00	0.33
KRC556	48.00	49.00	1.55
KRC556	49.00	50.00	1.53
KRC556	50.00	51.00	0.25
KRC556	51.00	52.00	0.16
KRC556	52.00	53.00	0.25
KRC558	183.00	184.00	0.71
KRC558	184.00	185.00	0.04
KRC558	185.00	186.00	0.05
KRC558	186.00	187.00	0.20
KRC558	187.00	188.00	0.43
KRC558	188.00	189.00	1.20
KRC558	189.00	190.00	0.08
KRC558	190.00	191.00	0.25
KRC558	199.00	200.00	0.25
KRC558	200.00	201.00	0.48
KRC558	201.00	202.00	1.05
KRC558	202.00	203.00	0.14
KRC558	203.00	204.00	1.17
KRC558	204.00	205.00	0.15
KRC558	205.00	206.00	1.36
KRC558	206.00	207.00	0.22
KRC558	207.00	208.00	0.84
KRC558	208.00	209.00	0.90
KRC558	209.00	210.00	0.05
KRC558	210.00	211.00	0.15
KRC558	211.00	212.00	0.22
KRC558	212.00	213.00	0.27
KRC558	213.00	214.00	0.28
KRC558	214.00	215.00	0.06
KRC558	215.00	216.00	0.16
KRC558	216.00	217.00	1.14
KRC558	220.00	221.00	0.33
KRC558	221.00	222.00	0.41
KRC558	222.00	223.00	0.21
KRC558	223.00	224.00	0.01
KRC558	224.00	225.00	0.05
KRC558	225.00	226.00	2.58
KRC558	226.00	227.00	0.51
KRC558	227.00	228.00	1.26
KRC558	228.00	229.00	0.23
KRC558	229.00	230.00	0.24
KRC558	230.00	231.00	0.20
KRC558	231.00	232.00	0.18
KRC558	232.00	233.00	0.42
KRC558	233.00	234.00	0.91
KRC558	234.00	235.00	0.26
KRC558	235.00	236.00	0.17
KRC558	236.00	237.00	0.45

Hole ID	From (m)	To (m)	Gold g/t
KRC558	237.00	238.00	0.81
KRC558	238.00	239.00	0.64
KRC558	239.00	240.00	0.54
KRC558	240.00	241.00	1.16
KRC558	241.00	242.00	4.12
KRC558	242.00	243.00	2.00
KRC558	243.00	244.00	0.26
KRC558	244.00	245.00	0.23
KRC558	245.00	246.00	0.13
KRC558	246.00	247.00	1.48
KRC558	247.00	248.00	0.26
KRC558	248.00	249.00	0.45
KRC558	249.00	250.00	0.18
KRC558	250.00	251.00	0.18
KRC558	251.00	252.00	0.26
KRC558	252.00	253.00	0.74
KRC558	253.00	254.00	0.19
KRC558	254.00	255.00	0.27
KRC558	255.00	256.00	0.36
KRC558	256.00	257.00	0.18
KRC558	257.00	258.00	0.27
KRC559	18.00	19.00	0.81
KRC559	19.00	20.00	0.38
KRC559	20.00	21.00	0.30
KRC559	21.00	22.00	0.26
KRC559	26.00	27.00	0.29
KRC559	27.00	28.00	0.40
KRC559	28.00	29.00	0.02
KRC559	29.00	30.00	0.28
KRC559	30.00	31.00	1.05
KRC559	31.00	32.00	0.99
KRC559	32.00	33.00	0.74
KRC559	33.00	34.00	0.24
KRC559	38.00	39.00	0.20

Hole ID	From (m)	To (m)	Gold g/t
KRC559	39.00	40.00	0.96
KRC559	40.00	41.00	0.47
KRC559	41.00	42.00	0.95
KRC559	42.00	43.00	1.14
KRC559	43.00	44.00	0.58
KRC559	44.00	45.00	1.59
KRC559	45.00	46.00	1.50
KRC559	46.00	47.00	2.05
KRC559	47.00	48.00	2.29
KRC559	48.00	49.00	1.14
KRC559	49.00	50.00	0.46
KRC559	50.00	51.00	0.61
KRC559	51.00	52.00	0.39
KRC559	52.00	53.00	1.69
KRC559	53.00	54.00	0.44
KRC559	54.00	55.00	0.81
KRD139	444.20	445.00	0.37
KRD139	445.00	446.00	0.26
KRD139	446.00	447.00	2.87
KRD139	447.00	448.00	2.57
KRD139	448.00	449.00	1.28
KRD139	449.00	450.00	0.51
KRD139	450.00	450.70	0.16
KRD139	450.70	451.55	3.09
KRD139	451.55	452.16	0.54
KRD139	452.16	453.00	4.72
KRD139	453.00	454.00	4.06
KRD139	454.00	455.00	7.01
KRD139	455.00	456.00	1.12
KRD139	460.83	462.00	0.57
KRD139	462.00	463.00	0.03
KRD139	463.00	464.00	0.31

Appendix 3. JORC Table 1 Reporting

Section 1 Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	<i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i> <i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i> <i>Aspects of the determination of mineralisation that are Material to the Public Report.</i> <i>In cases where ‘industry standard’ work has been done this would be relatively simple (eg ‘reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay’). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i>	- Reverse circulation (RC) drilling was completed using a dedicated RC rig. - RC samples were collected from the drill rig cyclone over 1 m down-hole intervals and subsampled by cone-splitting; full length of the drill holes was sampled. - Samples are typically circa 2-4kg weight. A duplicate sample was retained on site for future reference. - Diamond drilling was completed using a dedicated diamond rig. Drillholes were angled at -60° from surface. - Diamond core was cut in half using a core saw for HQ diameters; NQ diameters were sampled full core. Sampling intervals are decided by a Company Geologist, based on the lithological contacts and on any change in alteration or mineralisation style. - Core sample length vary between 0.5m and 1.4m. The half core sampling is done by a Company Geologist.
Drilling techniques	<i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i>	- RC drilling utilised 140 mm (5.5 inch) face sampling bits. - Diamond drilling was undertaken at HQ (drill holes from surface) or NQ (from surface or as diamond tails) diameters, and oriented using the Reflex Act III digital core orientation equipment.
Drill sample recovery	<i>Method of recording and assessing core and chip sample recoveries and results assessed.</i> <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i> <i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i>	- RC recoveries were determined by weighting each drill metre bag. Samples are sieved and logged by supervising Geologist; sample weight, quality, moisture and any contamination are recorded. - RC samples quality and recovery was excellent, with dry samples and consistent weight obtained. - Drill core recoveries were recorded at the drill rig. Core recoveries were excellent for all the drill programs. - Sample bias is not expected with the cut core.
Logging	<i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource</i>	The entire length of all RC and diamond holes were logged by Company geologists using industry standard methods, including recording of lithology, alteration, mineralisation and

Criteria	JORC Code explanation	Commentary
	<i>estimation, mining studies and metallurgical studies.</i> <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i> <i>The total length and percentage of the relevant intersections logged.</i>	weathering. Sieved RC sample collected for logging were stored in chip trays for future geological reference and all core was routinely photographed. All core was geotechnically logged, including recording of RQD and fracture frequency. The logging is qualitative and quantitative in nature and is of appropriate detail for support the current Mineral Resource estimates.
Sub-sampling techniques and sample preparation	<i>If core, whether cut or sawn and whether quarter, half or all core taken.</i> <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i> <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i> <i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i> <i>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</i> <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i>	- The RC samples were collected from the rig cyclone and passed through a riffle splitter to reduce sample weight to a circa 2-4kg. - The sampling technique is considered industry standard and effective for this style of drilling. - Samples were crushed and pulverized at the ALS laboratory in Okahandja before being shipped to Johannesburg for assay. - RC samples were assayed using method Au-AA24 for gold. - The sample preparation procedures carried out are considered acceptable. Blanks, standards (CRM) and duplicates are used to monitor Quality Control and representativeness of samples. - The diamond core was cut longitudinally using a core saw on HQ diameters, to sample half core; NQ diameters were sampled full core. - Core samples were collected by a Company Geologist and sent off to the laboratory for assay. - Core samples were crushed and pulverized at the ALS laboratory in Okahandja before being shipped to Johannesburg for assay. - Drilling samples were assayed using methods Au-AA24 for gold. - The sample preparation procedures carried out are considered acceptable. Blanks and standards (CRM) are used to monitor Quality Control and representativeness of samples.
Quality of assay data and laboratory tests	<i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i> <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i> <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i>	- RC samples and core samples were assayed by 50g Lead collection fire assay in new pots and analysed by Atomic Absorption Spectroscopy (AAS) for gold. - Industry best practice procedures were followed and included submitting blanks, field duplicates and Certified Reference Material. Acceptable levels of accuracy and precision have been confirmed.

Criteria	JORC Code explanation	Commentary
Verification of sampling and assaying	- The verification of significant intersections by either independent or alternative company personnel. - The use of twinned holes. - Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. - Discuss any adjustment to assay data.	- At this stage, the intersections have been verified by the Company Geologists. - All field data is manually collected, entered into excel spreadsheets, validated and loaded into a database. - Electronic data is stored on a cloud server and routinely backed up. - Data is exported from the database for processing in a number of software packages.
Location of data points	- Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. - Specification of the grid system used. - Quality and adequacy of topographic control.	- Drill holes collar locations were recorded at the completion of each hole by hand-held GPS. - Coordinates collected are in the WGS84 Zone 33S grid system
Data spacing and distribution	- Data spacing for reporting of Exploration Results. - Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. - Whether sample compositing has been applied.	- The data spacing and distribution of sampling is sufficient to establish the degree of geological and grade continuity appropriate for Mineral Resource estimation procedures. - Drill holes were planned on localised set grids with spacing varying between 25m and 100m; depending on the sections. - The grade control trial grid was set at a 6m x 10m grid.
Orientation of data in relation to geological structure	- Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. - If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	Drill holes were positioned using geological information collected from the trenches and from the detailed mapping completed over the prospect. They are positioned perpendicular to the main schistosity and so to the inferred mineralisation main controls.
Sample security	The measures taken to ensure sample security.	Sampling is supervised by Wia geologists and all samples are bagged and sealed on site prior to delivery to the laboratory in Okahandja by company staff. No other personnel are permitted un-supervised access to the samples prior to delivery to ALS.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	No reviews or audits have been conducted on the drilling reported in this announcement.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties,	The Damaran Project comprises 11 exclusive prospecting licenses (EPLs 6226, 4833, 8039, 7246, 4818, 4953, 6534, 6535, 8249, 7980, 8709) and located in central Namibia. EPL6226 is 100% held by Wia Gold in the

Criteria	JORC Code explanation	Commentary
	<i>native title interests, historical sites, wilderness or national park and environmental settings.</i> <i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i>	name of Aloe Investments One Hundred and Ninety Two (Pty) Ltd. EPL4833, 4818, 7246, 8039 and 8249 are held under an 80% earn-in and joint venture agreement with Epangelo Mining Limited, a private mining investment company with the Government of the Republic of Namibia as the sole shareholder. - EPL6534, 6535, and 4953 are held under a company called Gazina Investments which is owned 90% by Wia and 10% by the vendor. - EPL7980 is 100% held by WiaGold in the name of Damaran Exploration Namibia (PTY) Ltd
Exploration done by other parties	<i>Acknowledgment and appraisal of exploration by other parties.</i>	- Work completed prior to WiaGold includes stream sediment sampling, mapping, soil and rock chip sampling by Teck Cominco Namibia but data is unavailable. - This work did not cover the Okombahe permit (EPL4818), host of the Kokoseb deposit.
Geology	<i>Deposit type, geological setting and style of mineralisation.</i>	- The Kokoseb Gold Project lies within the Northern Central Zone of the Pan-African Damaran Orogenic Belt. The project area is underlain by neo-Proterozoic metasediments, including the Kuiseb schist formation, host of Kokoseb, Twin Hills and Ondundu gold deposits in Namibia. Known gold deposits, including Kokoseb, are orogenic type deposits by nature. - Kokoseb gold mineralisation is hosted by the Kuiseb schist formation, biotite-schists (metasediments) which have been intruded by several granitic phases. The gold mineralised zone appears as a contact like aureole around a central granitic pluton, with a diameter of approximately 3km in each direction. - Gold mineralisation is present as native gold grains and lesser silver bearing gold grains that are spatially associated with sulphides dominated by pyrrhotite, löllingite and arsenopyrite. Gold grains have developed at the contact between löllingite and arsenopyrite following a retrograde reaction.
Drill hole Information	<i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> <i>easting and northing of the drill hole collar</i> <i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i> <i>dip and azimuth of the hole</i> <i>down hole length and interception depth</i> <i>hole length.</i> <i>If the exclusion of this information is</i>	see tables in the appendix.

Criteria	JORC Code explanation	Commentary
	<i>justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i>	
Data aggregation methods	<i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</i> <i>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i> <i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i>	Reported intercepts are calculated using weighted average at a cut-off grade of 0.5 g/t Au and allowing internal dilution of maximum 2m consecutive low-grade material.
Relationship between mineralisation widths and intercept lengths	<i>These relationships are particularly important in the reporting of Exploration Results.</i> <i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i> <i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</i>	- Drill holes are inclined at around 55 to 60 degrees, with azimuths generally perpendicular to local mineralisation trends, implying a true thickness around half the down-hole intercept lengths. - Intercepts are reported as they appear from the sampling.
Diagrams	<i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i>	Plan view maps of all drillhole are included.
Balanced reporting	<i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i>	All samples with assays have been reported.
Other substantive exploration data	<i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock</i>	No other exploration data is being reported at this time.

Criteria	JORC Code explanation	Commentary
	<i>characteristics; potential deleterious or contaminating substances.</i>	
Further work	<i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i> <i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i>	Refer to the text in the announcement for information on follow-up and/or next work programs.