

09 July 2025

## ASX ANNOUNCEMENT

### Bousquet Diamond Drilling Program Extended

#### Highlights

- The Bousquet Project is located on the Cadillac Break in Quebec, Canada, a regional structure associated with world-class gold mines (>110 Moz Au<sup>1</sup>)
- Current program will be extended to include more drillholes at the Amadee Prospect, which is interpreted to occur on the same structure as the Paquin Prospect
- Outcrops at Amadee reveal mineralised smoky quartz veins similar to those that host high grade gold mineralisation at Paquin
- Historical drilling at Amadee intersected widespread gold mineralisation including 1.52m @ 6.8g/t from 16.8m<sup>ii</sup>
- First assay results from current drill program expected from mid-July

#### Olympio's Managing Director, Sean Delaney, commented:


*"Our geological team see strong similarities between the Amadee Prospect and the nearby high-grade Paquin Prospect, where we recently drilled visible gold<sup>iii</sup>. Given what we have seen to date in our maiden drill program at the Bousquet Project we want to keep the momentum going and will continue to drill a number of exciting targets, including Amadee, while we wait for the first assays."*

*"Historical drill intercepts and surface sampling suggest the Amadee mineralisation extends for more than 200m along strike at surface and we are keen to test if Paquin and Amadee are part of the same structure extending for more than 1km."*

*"Drilling is underway at Amadee to test the Prospect beyond the very shallow historical drilling and we are looking forward to getting the assays over the coming weeks."*

**Olympio Metals Limited (ASX:OLY) (Olympio or the Company)** is pleased to announce that drilling will continue beyond the original planned Phase 1 of 2400m at the Bousquet Project in Quebec where Olympio has an option to earn an 80% interest from Bullion Gold Resources. Drilling has commenced at the Amadee Prospect to the immediate west of the high grade Paquin Prospect where visible gold was recently drilled<sup>iii</sup> (**Figure 1**). Recent inspection of the stripped outcrop at Amadee by the Olympio exploration team revealed numerous smoky quartz veins that appeared very similar to the gold bearing smoky quartz veining identified in the Paquin Prospect drill core. Based on these observations, together with the confirmation of the location of the majority of the historical drill collars in the field at Amadee and Paquin, the Amadee Prospect has been elevated in exploration priority.

Historical drilling suggests that both Paquin and Amadee occur on the same moderately north dipping (~50°) structure, however Amadee is located closer to a conglomerate/wacke contact zone. At both Prospects, gold mineralisation is associated with stacked and stockwork smoky quartz veins of varying density.



**Figure 1: Proposed drilling, historical drilling and surface sampling at the Amadee Prospect, and context relative to the Paquin Prospect**

The Amadee Prospect was historically explored with 14 shallow drillholes in 1940, intersecting encouraging gold grades including **1.52m @ 6.8 g/t Au** from 16.8m (PA-3) and **1.52m @ 5.6g/t Au** from 44.9m (PA-1)<sup>ii</sup>. Significantly deeper drilling in 1945<sup>iv</sup> confirmed the Amadee gold mineralisation extends at depth, however the shallower zones of the prospect have not been drilled since 1940. Detailed mapping, rock chip sampling and channel sampling of Amadee Prospect in 1996<sup>v</sup> confirmed gold mineralisation up to 6.6 g/t Au (grab sample), and 8.0 g/t Au (channel sampling) (**Figure 1**). The Amadee mineralisation appears to extend over >200m strike, and may represent a western extension of the Paquin mineralisation. Further drilling will be required to assess these aspects.

To date, 8 holes (898m) have been drilled at Amadee. Drilling has identified multiple zones of smoky quartz veining and associated sulphides from surface to 80m, particularly in the western holes at Amadee (**Figure 1**). Based on these observations, three further holes have been proposed at Amadee to test the westerly extent of the mineralisation (**Figure 1**). These holes are planned to be drilled in the current campaign.

Beyond Amadee-Paquin, the Company has several drill targets including the Decoeur Extension, where a large IP anomaly occurs on an under-explored Archaean regional sub-province bounding structure (Bousquet Fault), see previous ASX release 10<sup>th</sup> April 2025<sup>vi</sup>. Three holes for 450m are proposed at this target.

First assays will be available from mid-July and Olympio looks forward to keeping the market updated on drilling progress.




Figure 2 Proposed drilling overview, Bousquet Project, July 2025




Figure 3: Setting of the Bousquet Project relative to working mines and mineral resources along the Cadillac Break




Figure 4: Mineralised structures and selected intervals within advanced gold prospects, Bousquet Gold Project




Figure 5: Dufay and Bousquet Project Locations

**- ENDS -**

This announcement is approved by the Board of Olympio Metals Limited.

**For further information:**

**Sean Delaney**

Managing Director

T: +61 409 084 771

E: [sdelaney@olympiometals.com.au](mailto:sdelaney@olympiometals.com.au)

**Jason Mack**

White Noise Communications

T: +61 400 643 799

E: [jason@whitenoisecomms.com](mailto:jason@whitenoisecomms.com)

**Competent Person's Statement**

The information in this announcement that relates to exploration results is based on information compiled by Mr. Neal Leggo, a Competent Person who is a Member of the Australian Institute of Geoscientists and a consultant to Olympio Metals Limited. Mr. Leggo has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the "Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Leggo consents to the inclusion in this announcement of the matters based on this information in the form and context in which it appears.

**Forward Looking Statements**

This announcement may contain certain "forward looking statements" which may not have been based solely on historical facts, but rather may be based on the Company's current expectations about future events and results. Where the Company expresses or implies an expectation or belief as to future events or results, such expectation or belief is expressed in good faith and believed to have a reasonable basis.

However, forward looking statements are subject to risks, uncertainties, assumptions, and other factors which could cause actual results to differ materially from future results expressed, projected or implied by such forward looking statements. Such risks include, but are not limited to exploration risk, Mineral Resource risk, metal price volatility, currency fluctuations, increased production costs and variances in ore grade or recovery rates from those assumed in mining plans, as well as political and operational risks in the countries and states in which we sell our product to, and government regulation and judicial outcomes.

Readers should not place undue reliance on forward looking information. The Company does not undertake any obligation to release publicly any revisions to any "forward looking statement" to reflect events or circumstances after the date of this announcement, or to reflect the occurrence of unanticipated events, except as may be required under applicable securities laws.

**References**

<sup>i</sup> Poulsen, K., 2017 The Larder Lake-Cadillac Break and Its Gold Districts, Economic Geology, v. 19, pp. 133-167

<sup>ii</sup> Examination Report and drill logs, Paquin Claims, July 5 1941 GM07020

<sup>iii</sup> ASX Release 24<sup>th</sup> June 2025, VISIBLE GOLD OBSERVED IN FIRST DRILLHOLE OF MAIDEN PROGRAM AT BOUSQUET GOLD PROJECT, <https://api.investi.com.au/api/announcements/oly/66ba43bd-83c.pdf>

<sup>iv</sup> Report and Drill Logs, Normar Gold Mines Ltd, 8 July 1945 GM07013A

<sup>v</sup> 1996 MECHANICAL STRIPPING REPORT, NORMAR PROPERTY, Breakwater Resources, GM54371.

<sup>vi</sup> ASX release 10<sup>th</sup> April 2025 Dufay Drilling Completed and Bousquet Targets Confirmed  
<https://api.investi.com.au/api/announcements/oly/0f7c0f12-5ad.pdf>

## JORC Code - Table 1

### Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

| Criteria              | Explanation                                                                                                                                                                                                                                                                                | Comment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Sampling techniques   | <i>Nature and quality of sampling.</i>                                                                                                                                                                                                                                                     | <b>Current Exploration</b> <ul style="list-style-type: none"> <li>• Diamond core samples (NQ) were collected in timber core trays, sequence checked, metre marked and oriented at the drill site.</li> <li>• The drill core was logged in at Explo-logik core shack in Val D'Or by Quebec qualified geologists.</li> </ul> <b>Historical Exploration</b> <b>Surface Sampling</b> <p>Breakwater Resources conducted surface sampling (grab sampling and channel sampling) in 1995 (GM53814) and 1996 (GM54371). The channel sampling was highly detailed, and mapped carefully.</p> <b>Diamond Drilling</b> <p>Diamond drilling to produce core samples is the only sampling technique reported. The drilling data included in this release comes from a range of historical drilling programs. These are grouped in 3 sets as follows:</p> <p><b>BG Drilling:</b> Sampling techniques from <b>Bullion Gold</b> drilling 2021 to 2023 (Hole series BO-21 and BO-22, GM73520) is described in detail.</p> <p><b>TM Drilling:</b> Sampling techniques from <b>Twin Mining</b> drilling 2003 to 20xx (Hole series TMN, GM61411) are described in detail.</p> <p><b>20thC Drilling:</b> Sampling techniques from all other drilling programs (mostly pre-1947) typically have no details recorded in historical records and reports.</p> |
|                       | <i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i>                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                       | <i>Aspects of the determination of mineralisation that are Material to the Public Report.</i>                                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Drilling techniques   | <i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i> | <b>Current Exploration</b> <p>All drill core is NQ.<br/> All downhole surveying is done with an OMNIX42 (every 30m), rig alignment with a TN14 Gyro, and core orientation with a Reflex ACTIII every 6m or less.</p> <b>Historical Exploration</b> <p>All drilling within the project area has been diamond core.</p> <p><b>BG, TM &amp; 20thC:</b><br/> No records of any oriented core<br/> The drill core size is not specified for the majority of drill holes.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Drill sample recovery | <i>Method of recording and assessing core and chip sample recoveries and results assessed.</i>                                                                                                                                                                                             | <b>Current Exploration</b> <ul style="list-style-type: none"> <li>• Sample recovery are logged as "CNR" = "carrote non retournez". No core loss has been identified to date.</li> </ul> <b>Historical Exploration</b> <p><b>BG, TM &amp; 20thC:</b><br/> Core recovery is not recorded for the majority of drill holes.<br/> The measures taken by previous explorer to maximise recovery is not recorded.<br/> With no recovery data available, no comment about any recovery/grade relationship is possible.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                       | <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i>                                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                       | <i>Whether a relationship exists between sample recovery and grade ...</i>                                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Logging               | <i>Whether core and chip samples have been logged .....</i>                                                                                                                                                                                                                                | <b>Current Exploration</b> <p>All drill core was qualitatively logged by the core-shack geologist.</p> <ul style="list-style-type: none"> <li>•</li> <li>• Core is qualitatively logged to record lithology, mineralisation, alteration, veining, structure and core recovery</li> <li>•</li> </ul> <b>Historical Exploration</b> <p><b>BG Drilling:</b> All drilling has drill logs available. The drill core was logged and marked for sampling by a professional geologist. Sample lengths ranged from 0.3 to 2.0m. The main criterion for sample selection was based on the presence of one of the visible features of the</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                       | <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i>                                                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|                       | <i>The total length and percentage of the relevant intersections logged.</i>                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

|                                                       |                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                       |                                                                                                                                                                                                                     | <p>mineralised zones (sulphides, visible gold, alteration, blue quartz). Logging is qualitative. The majority of the core has been core has been logged. All descriptive logs are in French summary logging is in English.</p> <p><b>TM Drilling:</b> All drilling has drill logs available. Logging is qualitative. All core has been logged. All descriptive logs are in English.</p> <p><b>20thC Drilling:</b> Drill logs are available for some drill holes with a range of detail/quality. Measurements are generally in imperial units (feet) and logs in either French or English.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Sub-sampling techniques and sample preparation</b> | <i>If core, whether cut or sawn and whether quarter, half or all core taken.</i>                                                                                                                                    | <p><b>Current Exploration</b><br/>No sampling or assaying has been undertaken yet.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                                                       | <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i>                                                                                                                | <p><b>Historical Exploration</b><br/><b>Surface Sampling</b><br/>Sample collection and sample preparation details are not recorded for Breakwater sampling 1995 (GM53814) and 1996 (GM54371), however detailed sample location maps are provided for the channels sampling.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|                                                       | <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i>                                                                                                           | <p><b>BG Drilling:</b> Core samples were collected by sawing each sample interval in half lengthwise with a bench rock saw. One half of the interval was returned to the core box, and the other half was placed in a plastic bag with a tag. The tag number was marked in indelible ink on the outside of the bag, and the bag was sealed with a plastic tie-wrap.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                                                       | <i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i>                                                                                                        | <p>Sample preparation was undertaken at the Lab Expert facility in Rouyn-Noranda. The half core samples were crushed to 70% passing 2mm and then riffle split to a 250g sub-sample that was pulverised to pulp 85% passing 75µm. All analyses were done using a 50g fire assay fusion (FA) with Atomic Absorption Spectroscopy (AAS) finish. Assays exceeding 3g/t Au were checked by re-assaying using FA with gravimetric finish. Where the logging geologist deemed appropriate, the sample was analysed using metallic screen assay techniques.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                                                       | <i>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</i>                                     | <p>Lab Expert protocols were considered by the Qualified Person (for GM73520) to be consistent, in general, with industry standards.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                                                       | <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i>                                                                                                                        | <p><b>TM Drilling:</b> Drill core was split by hydraulic splitter, and approximately half the cores sampled. Sample preparation methods are not recorded.</p> <p><b>20thC Drilling:</b> Core sampling techniques of historical drilling other than BG and TM is unknown.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Quality of assay data and laboratory tests</b>     | <i>The nature, quality and appropriateness of the assaying and laboratory procedures used</i>                                                                                                                       | <p><b>Current Exploration</b><br/>No sampling or assaying has been undertaken yet.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                                                       | <i>For geophysical tools, spectrometers, handheld XRF instruments, etc,</i>                                                                                                                                         | <p><b>Historical Exploration</b><br/><b>Surface Sampling</b><br/>Assay certificates are provided for the Breakwater 1995 (GM53814) and 1996 (GM54371) sampling (SGS Canada), however the assay method is not detailed.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                                                       | <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i> | <p><b>BG Drilling:</b> All analyses were done using a 50g fire assay fusion (FA) with Atomic Absorption Spectroscopy (AAS) finish. Assays exceeding 3g/t Au were checked by re-assaying using FA with gravimetric finish. Where the logging geologist deemed appropriate, the sample was analysed using metallic screen assay techniques.</p> <p>One certified reference material (CRM) standard and one blank were included in each batch of 20 samples (inserted at 1/19 samples). CRM used were SF85, SF100, SG102, SG115, SG81. 58% of the CRM assay results were reported higher than 3 standard deviations from the certified value, which is considered a poor performance from the lab. It was recommended to review the assay certificates and re-assay the pulps before and after the failed standards.</p> <p><b>TM Drilling:</b> Hole series TMN- (Twin Mining GM61411) was assayed at ALS Vancouver using a fire assay with a 30g split, AAS finish, 5ppb detection limit. Assays over 1g/t Au were re-assayed. Twin Mining reported that no quality assurance/quality control checks were performed.</p> <p><b>20thC Drilling:</b> Procedures for other historical drilling are unknown. No QA/QC data is recorded.</p> |
| <b>Verification of sampling and assaying</b>          | <i>The verification of significant intersections by independent or alternative company personnel.</i>                                                                                                               | <p><b>Current Exploration</b><br/>No sampling or assaying has been undertaken yet.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|                                                       | <i>The use of twinned holes.</i>                                                                                                                                                                                    | <p><b>Historical Exploration</b><br/><b>Surface Sampling</b><br/>No verification of sampling and assaying of Breakwater 1995 (GM53814) and 1996 (GM54371) sampling is available.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|                                                       | <i>Documentation of primary data, data entry procedures, data verification, data storage protocols.</i>                                                                                                             | <p><b>BG Drilling:</b><br/>No independent verification or twinned holes have been used. Adequate documentation of the drill data is available. No adjustments of data are recorded.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|                                                       | <i>Discuss any adjustment to assay data.</i>                                                                                                                                                                        | <p><b>TM Drilling:</b></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

|                                                                |                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|----------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                |                                                                                                                                                                                    | <p>No independent verification or twinned holes have been used.<br/>Adequate documentation of basic aspects of the drill data is available. No adjustments of data are recorded.</p> <p><b>20thC Drilling:</b><br/>No independent verification or twinned holes have been used.<br/>For the majority of historical drill holes, the data is not well documented. Translation from imperial to metric system measurements has been made in the database.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Location of data points</b>                                 | <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i> | <p><b>Current Exploration</b><br/>All drillholes are located using handheld GPS, accuracy ~ +/-10m.</p> <p><b>Historical Exploration</b><br/><b>Surface Sampling</b><br/>Location of sampling is accurately located relative to old drill collars, which have been located in recent work by Olympio, for Breakwater 1995 (GM53814) and 1996 (GM54371) sampling. The channel sampling is mapped in great detail on maps provided, and can be seen in the field on stripped outcrops.</p> <p><b>BG, TM &amp; 20thC:</b><br/>The accuracy and location method of exploration data including historical drill holes is not recorded in the reports, logs and databases available.</p> <p>Grid system used is NAD83 / UTM zone 17N in accordance with the National Topographic System or NTS used by Natural Resources Canada for mapping.</p> <p>Topographic control is satisfactory for the exploration phase at which the project is at.</p> |
|                                                                | <i>Specification of the grid system used.</i>                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                                                                | <i>Quality and adequacy of topographic control.</i>                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Data spacing and distribution</b>                           | <i>Data spacing for reporting of Exploration Results.</i>                                                                                                                          | <p><b>Current Exploration</b><br/>Completed and planned drilling is consistent with spacing used in previous drill programs, and appropriate for the mineralisation targeted, typically 25m drill hole spacing minimum.</p> <p><b>Historical Exploration</b><br/><b>Surface Sampling</b><br/>The channel sampling and grab sampling for Breakwater 1995 (GM53814) and 1996 (GM54371) is detailed, and very appropriate for the style of gold mineralisation.</p> <p><b>BG, TM &amp; 20thC:</b><br/>The historical drilling data has been drilled at a range of spacing, azimuth and dip to intersect the interpreted mineralised horizons.<br/>Spacing is currently insufficient for resource estimation work.</p> <p>No sample compositing has been applied.</p>                                                                                                                                                                           |
|                                                                | <i>Whether .... appropriate for the Mineral Resource ... estimation procedure(s) ...</i>                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                                                                | <i>Whether sample compositing has been applied.</i>                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Orientation of data in relation to geological structure</b> | <i>Whether the orientation of sampling achieves unbiased sampling ....</i>                                                                                                         | <p><b>Current Exploration</b><br/>The drilling orientation is consistent with previous drilling and designed to maximise exposure to structural elements see in surface mapping.</p> <p><b>Historical Exploration</b><br/><b>Surface Sampling</b><br/>The channel sampling and grab sampling for Breakwater 1995 (GM53814) and 1996 (GM54371) is appropriate for the trend and style of mineralisation.</p> <p><b>BG, TM &amp; 20thC:</b><br/>The drill hole sampling orientation is considered appropriate to test the mineralised target horizons. The strike of the mineralised structures targeted is generally determined with drill holes set back and angled, producing intersections across the strike, thus reducing bias.</p>                                                                                                                                                                                                     |
|                                                                | <i>relationship between the drilling orientation and structures is considered to have introduced a sampling bias.</i>                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Sample security</b>                                         | <i>The measures taken to ensure sample security.</i>                                                                                                                               | <p><b>Current Exploration</b><br/>No sampling or assaying has been undertaken yet.</p> <p><b>Historical Exploration</b><br/><b>Surface Sampling</b><br/>The security of channel sampling and grab sampling for Breakwater 1995 (GM53814) and 1996 (GM54371) is not described.</p> <p><b>BG:</b> For shipping, samples were placed in rice bags that were individually sealed with numbered, tamper-proof security tags. The rice bags were sent to Lab Expert in Rouyn-Noranda.</p> <p><b>TM:</b> The selected core intervals were split under the direction and supervision of the senior geologist. All samples were hand delivered by the senior geologist or approved project technical personnel to the ALS Chemex sample preparation laboratory in Val d'Or, Quebec.</p> <p><b>20thC:</b><br/>No information about the sample security measures is present in the historical exploration reports.</p>                                 |

|                          |                                                                              |                                    |
|--------------------------|------------------------------------------------------------------------------|------------------------------------|
| <b>Audits or reviews</b> | <i>The results of any audits or reviews of sampling techniques and data.</i> | No reviews or audits are recorded. |
|--------------------------|------------------------------------------------------------------------------|------------------------------------|

## Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

| Criteria                                       | Explanation                                                                                                                                                                                                                                                                                                                                                                                                                                       | Comment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Mineral tenement and land tenure status</b> | <p><i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i></p> <p><i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i></p> | <p>The Bousquet Project is a mineral property which consists of 71 claims (registered with the Quebec provincial government) covering (23.69 km<sup>2</sup>). The Property is located 30km east of the historic mining town of Rouyn-Noranda, in the province of Quebec, Canada. The property consists of a contiguous package of wholly owned tenements held under title by Bullion Gold Resources Corp and under option for purchase by Olympio. The tenements are current and in good standing with the Quebec Provincial government.</p> <p>A list of claim IDs is provided in Table 3 of previous ASX release 19th March 2025.</p> <p>Olympio are not aware of any known impediments to obtaining a licence to operate in the area.</p> <p>Numerous gold and base metal mines are currently operating in the district. New mining operations have recently been brought into production through established protocols of Quebec and Canadian authorities. No development studies have been undertaken on the Bousquet project to date.</p> <p>A royalty applies to any future mineral production. In the event that the Project is brought to commercial production, Falco will receive a 1.5% NSR royalty on the claims sold to Bullion Gold. In certain claims located in the Bousquet Township, there a number of companies holding various royalty interest. On the original Normar block, Barrick Gold and Atlanta Gold (bankrupted) each hold a 1% NSR ("Net Smelter Return") royalty while Delfer Gold Mine holds a 5% Net Profit Interest. On the Blackfly Block, Atlanta Gold holds a 1% NSR on certain claims and Globex Resources hold a 0.5% Gross Mineral Profit on 8 claims.</p>                                                                                                                                                                                                                                                                                          |
| <b>Exploration done by other parties</b>       | <i>Acknowledgment and appraisal of exploration by other parties.</i>                                                                                                                                                                                                                                                                                                                                                                              | <p>No mining has occurred on the property, according to available records.</p> <p>There have been 4 eras of active exploration on the property.</p> <ol style="list-style-type: none"> <li>1. Early 20th Century: The main gold corridor was found and explored between 1932 and 1946. During this period, the Paquin, Decoeur, Calder Bousquet and Joannes prospects were discovered and drilled. During this period, 120 drill holes for a total of 20,530m were executed on the various gold discoveries.</li> <li>2. Late 20th Century: During the period extending from 1967 to 1995, exploration comprised 14 drill holes for a total of 2,532m which were drilled mainly on the Paquin prospect and just north of the Bouzan Or prospect. Various types of geophysical survey including magnetic, electromagnetic (VLF, MAXMIN and AeroTem) and IP surveys were executed on the property. Breakwater also did some stripping and mapping on the southern gold shear zone.</li> <li>3. 21<sup>st</sup> Century: From 2003 to 2020, 39 drill holes were drilled for 13,574m mainly in the southeast portion of the property by Twin Mining (2003-2008, GM61411). Of the 39 drill holes, 4 holes were drilled on the Joannes Township Block and magnetic, EM and IP surveys were conducted on this block.</li> </ol> <p>The most recent exploration (2021 to 2023) has been 26 diamond drill holes on the property for a total of 6,194 metres by Bullion Gold, concentrated at Paquin and Decoeur prospects (GM73520).</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Geology</b>                                 | <i>Deposit type, geological setting and style of mineralisation.</i>                                                                                                                                                                                                                                                                                                                                                                              | <p>The geology of the property consists of volcano-sedimentary rocks divided in three major Groups. From North to South, there is the Cadillac Group, which is composed of turbidites, pelitic schists with beds of polymictic conglomerate and iron formations. The Timiskaming Group is composed of greywacke, siltstone, polymictic conglomerate, and talc-chlorite-carbonate schist (possibly from the Piché Formation). Occasional beds of argillite with graphitic mudstone also occurs. The Pontiac Group is composed of greywacke, interbedded with argillite, massive to pillowed mafic flows and ultramafic flows. The Piché Group is composed of a sequence of komatiites, mafic rocks, amphibolites, volcanic tuffs and flows and granitic intrusives. In many areas, the Piché formation is superposed with the CLLDZ and lies between the Cadillac and Timiskaming Groups.</p> <p>Numerous gold prospects occur on the property. Most of them are found within a gold mineralised shear zone in the southern part of the property. Gold mineralisation is associated with structurally controlled quartz veins (typically smoky blue-grey-white quartz) and sulphides within E-W oriented, north dipping structures. The dominant host unit is Timiskaming group turbidites, and lesser conglomerate.</p> <p>The <b>Paquin Trend</b> is a zone of extensive E-W striking, moderately north dipping gold mineralisation identified by prospecting and drilling in 1940 and 1945 (GM07013A, GM07020) located between 675716 and 676832mE and 5343683 and 5343802mN giving the mineralised zone a length of 1,300m and a thickness of up to 100 m.</p> <p>The <b>Amadee</b> prospect represents the original discovery zone, within the greater <b>Paquin Trend</b>, where gold bearing smoky quartz veins and associated arsenopyrite were identified along a moderate north dipping lithological contact between highly deformed conglomerate and wacke, and drilled with a</p> |

|                                                                         |                                                                                                                                                                                               | <p>series of shallow holes in 1940 (GM07013A). The outcropping <b>Amadee Prospect</b> occurs between 675800mE and 676200mE and centred on 543700mN (NUTM17).</p> <p>An extensive E-W fence of drill holes in 1945 drilled down dip of Amadee (GM07020) identified mineralisation in a low lying area with no outcrop, which is known as the <b>Paquin Prospect</b> (676400mE – 676800mE, centred on 5343700mN. The mineralisation is hosted in blue to smoky quartz veins and veinlets accompanied by visible gold, as well as disseminated or stringers of arsenopyrite, pyrite, and pyrrhotite. Paquin and Amadee mineralisation is enveloped in silicified and carbonatised greywackes. The longitudinal sections of the Amadee and Paquin mineralised envelopes show that the gold mineralization is most prominent at the Paquin Prospect with a length of 400m between section 676400E and 676800E. The thickness of the mineralised zone (along the hole) varies from a few meters to 10 to 12m and, in some instances, the envelope may contain more than one mineralised zone.</p> <p>The <b>Decoeur</b> prospect is located between 674860mE and 675300mE at 5343385mN, giving the prospect a length of 440 m. The Decoeur prospect is located immediately in the south contact with the polymictic conglomerates. The mineralization is associated with talc-chlorite-quartz-carbonate schist (probably komatiitic lava flows). Previous interpretation suggested that the mineralization was associated to an E-W fault. The mineralization is composed of stringers of pyrite, chalcopyrite, arsenopyrite and galena and associated quartz veins and veinlets and local silicification. The mineralised sections vary from thirty centimetres up to 28.5m wide. The best intersection metal factor wise was in hole TMN-03-14 where an intercept 1.26 g/t Au over 18.6m was recorded.</p> <p>The <b>Joannes</b> prospect was discovered by drilling in 1937. The gold mineralization is vein-type associated with clastic sediments (turbidites) of the Timiskaming Group. Minor komatiitic basalts are also present. Gold is associated with disseminated pyrite in quartz veins. Traces of chalcopyrite and arsenopyrite are also present. The shear zone contains several quartz veins and some pyrite.</p> <p>Other prospects and showings of mineralisation identified within the property are of similar geology to these main prospects.</p> |                                 |                    |                      |                                 |        |    |       |     |        |    |     |   |         |    |      |    |         |    |      |    |      |    |      |   |          |    |       |    |              |            |              |            |
|-------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|--------------------|----------------------|---------------------------------|--------|----|-------|-----|--------|----|-----|---|---------|----|------|----|---------|----|------|----|------|----|------|---|----------|----|-------|----|--------------|------------|--------------|------------|
| <b>Drill hole Information</b>                                           | <p><i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i></p>         | <p>Current drilling information is provided in Tables 1 and 2 of this announcement.</p> <p>All historical drillholes referred to in figures or text are included in Appendix 1 of previous ASX release 26<sup>th</sup> February 2025, together with reference document number (SIGEOM).</p> <p>For the many old historical holes, limited meta-data and detailed information are preserved in the records, thus verification of location and results is not possible.</p> <p>Basic collar information is available for all 200 drill holes as presented in Appendix 1 of previous ASX release 26<sup>th</sup> February 2025, and summarised below:</p> <table><tr><th>Prospect</th><th>Number Drill Holes</th><th>Total Metres Drilled</th><th>Grade (g/t) x Thickness (m) &gt; 1</th></tr><tr><td>Paquin</td><td>62</td><td>13183</td><td>301</td></tr><tr><td>Amadee</td><td>14</td><td>458</td><td>7</td></tr><tr><td>Decoeur</td><td>25</td><td>7217</td><td>90</td></tr><tr><td>Joannes</td><td>28</td><td>3674</td><td>20</td></tr><tr><td>CB-1</td><td>11</td><td>2128</td><td>7</td></tr><tr><td>Regional</td><td>60</td><td>16474</td><td>67</td></tr><tr><td><b>Total</b></td><td><b>200</b></td><td><b>43134</b></td><td><b>492</b></td></tr></table>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Prospect                        | Number Drill Holes | Total Metres Drilled | Grade (g/t) x Thickness (m) > 1 | Paquin | 62 | 13183 | 301 | Amadee | 14 | 458 | 7 | Decoeur | 25 | 7217 | 90 | Joannes | 28 | 3674 | 20 | CB-1 | 11 | 2128 | 7 | Regional | 60 | 16474 | 67 | <b>Total</b> | <b>200</b> | <b>43134</b> | <b>492</b> |
| Prospect                                                                | Number Drill Holes                                                                                                                                                                            | Total Metres Drilled                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Grade (g/t) x Thickness (m) > 1 |                    |                      |                                 |        |    |       |     |        |    |     |   |         |    |      |    |         |    |      |    |      |    |      |   |          |    |       |    |              |            |              |            |
| Paquin                                                                  | 62                                                                                                                                                                                            | 13183                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 301                             |                    |                      |                                 |        |    |       |     |        |    |     |   |         |    |      |    |         |    |      |    |      |    |      |   |          |    |       |    |              |            |              |            |
| Amadee                                                                  | 14                                                                                                                                                                                            | 458                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 7                               |                    |                      |                                 |        |    |       |     |        |    |     |   |         |    |      |    |         |    |      |    |      |    |      |   |          |    |       |    |              |            |              |            |
| Decoeur                                                                 | 25                                                                                                                                                                                            | 7217                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 90                              |                    |                      |                                 |        |    |       |     |        |    |     |   |         |    |      |    |         |    |      |    |      |    |      |   |          |    |       |    |              |            |              |            |
| Joannes                                                                 | 28                                                                                                                                                                                            | 3674                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 20                              |                    |                      |                                 |        |    |       |     |        |    |     |   |         |    |      |    |         |    |      |    |      |    |      |   |          |    |       |    |              |            |              |            |
| CB-1                                                                    | 11                                                                                                                                                                                            | 2128                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 7                               |                    |                      |                                 |        |    |       |     |        |    |     |   |         |    |      |    |         |    |      |    |      |    |      |   |          |    |       |    |              |            |              |            |
| Regional                                                                | 60                                                                                                                                                                                            | 16474                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 67                              |                    |                      |                                 |        |    |       |     |        |    |     |   |         |    |      |    |         |    |      |    |      |    |      |   |          |    |       |    |              |            |              |            |
| <b>Total</b>                                                            | <b>200</b>                                                                                                                                                                                    | <b>43134</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <b>492</b>                      |                    |                      |                                 |        |    |       |     |        |    |     |   |         |    |      |    |         |    |      |    |      |    |      |   |          |    |       |    |              |            |              |            |
| <b>Data aggregation methods</b>                                         | <p><i>... weighting averaging techniques, maximum and/or minimum grade truncations should be stated.</i></p> <p><i>The assumptions used for any reporting of metal equivalent values.</i></p> | <p>Where drill intervals have been aggregated, the calculations are recorded as being weighted according to interval length. No allowance for recovery or truncations of grades are recorded in the documentation available.</p> <p>Significant drill intercepts noted in figures 5 and 6 are reported at a minimum cut-off grade of 0.5 gram per tonne gold per metre.</p> <p>Significant drill intercepts noted in Table 1 of previous ASX release 19th March 2025 for the Paquin and Decoeur prospects are reported at a minimum cut-off grade of 1.0 gram per tonne gold per metre.</p> <p>No metal equivalent values or formulas have been used.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                 |                    |                      |                                 |        |    |       |     |        |    |     |   |         |    |      |    |         |    |      |    |      |    |      |   |          |    |       |    |              |            |              |            |
| <b>Relationship between mineralisation widths and intercept lengths</b> | <p><i>These relationships are particularly important in the reporting of Exploration Results.</i></p> <p><i>If the geometry of mineralisation with respect to the drill hole angle</i></p>    | <p>Sample mineralisation intervals are reported as down-hole observed intervals in drill core. The true widths of mineralisation have not been calculated on a drill hole intercept basis in available historical documentation. There are many variations of drill hole orientation and lode orientation across the prospects.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                 |                    |                      |                                 |        |    |       |     |        |    |     |   |         |    |      |    |         |    |      |    |      |    |      |   |          |    |       |    |              |            |              |            |
| <b>Diagrams</b>                                                         | <p><i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included ...</i></p>                                                                                | <p>The maps and figures provided in this announcement provide an overview of the Bousquet project and accurately reflect recent and historical exploration data as provided by the vendors in project databases and reports. The accuracy of information in databases and reports will be reviewed by Olympio personnel as the project progresses. Detailed maps and sections will be provided in further market announcements as targeting work on each prospect progresses and drill testing is planned.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                 |                    |                      |                                 |        |    |       |     |        |    |     |   |         |    |      |    |         |    |      |    |      |    |      |   |          |    |       |    |              |            |              |            |
| <b>Balanced reporting</b>                                               | <p><i>Where comprehensive reporting of all Exploration Results is not practicable</i></p>                                                                                                     | <p>The project has seen a long history of exploration with a significant body of data collected with minimal recording of methods and parameters during the early 20<sup>th</sup> Century. Later exploration data has been reported to Quebec/Canadian/TSX standards of the day. No reporting to ASX/JORC Code</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                 |                    |                      |                                 |        |    |       |     |        |    |     |   |         |    |      |    |         |    |      |    |      |    |      |   |          |    |       |    |              |            |              |            |

|                                           |                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-------------------------------------------|--------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                           |                                                                                | standard has been previously undertaken. Comprehensive reporting will require time consuming search and review of historical records, field assessments, inspection of preserved drill cores, etc prior to historical data being deemed suitable for reporting in the current exploration context. This is being undertaken on a prospect by prospect basis as the exploration program proceeds.                                                                                                                           |
| <b>Other substantive exploration data</b> | <i>Other exploration data, if meaningful and material, should be reported.</i> | In 2021 Bullion gold contracted Novatem to carry out a 1,114 line-km high-resolution helicopter-borne magnetic survey on the Bousquet project. During the late 20 <sup>th</sup> century various types of geophysical survey including magnetic, electromagnetic (VLF, MAXMIN and AeroTem) and IP surveys were executed on the property. Magnetic, EM and IP surveys were conducted on the Joannes Township Block. Some stripping and mapping on the southern gold shear zone also occurred during this era of exploration. |
| <b>Further Work</b>                       | <i>The nature and scale of planned further work.</i>                           | Completion of logging and sampling of the initial drillhole is in progress, with assaying to follow promptly. Further drilling is planned for the Paquin and Decoeur projects. Further geophysical modelling and structural analysis is planned to confirm drill targets for existing IP and magnetic anomalies, with confirmed targets to be drill tested.                                                                                                                                                                |