

## NORTHERN TERRITORY DRILLING UPDATE

*Sulphides intersected, as final two holes underway at Spectrum*

### HIGHLIGHTS

- Update on drilling on the western target area (FMD016), the northern extension of the Fenton prospect, on the eastern edge of the Oolloo Granite<sup>1</sup> (Fig. 1).
- Sulphides intercepted over multiple intervals, with two distinct sulphide systems intersected in FMD016, including:
  - Pyrite dominant zones at 254.5-273m and 280-296m
  - Pyrrhotite dominant zones at 315-327m and 333.5-348m.
- Sampling is underway with first assay results for FMD016 anticipated in October.
- Drilling of FMD016 is ongoing.
- To date, seven (7) RC/DD holes have been drilled (totalling 3,129m) across the Spectrum Project with assay results pending<sup>2</sup>.

**Cautionary Statement - Visual Estimates:** This announcement contains references to visual results and visual estimates of mineralisation. The Company draws attention to uncertainty in reporting visual results. Visual estimates of sulphide mineral abundance should never be considered a proxy or substitute for laboratory analyses where concentrations or grades are the factor of principal economic interest. Visual estimates also potentially provide no information regarding impurities or deleterious physical properties relevant to valuations.




Fig. 1 - Photographs of diamond drill core from sulphide zones in FMD016; A, B and C: pyrite dominant zones, D: pyrrhotite dominant zone.

<sup>1</sup>DES ASX Announcement: Exploration update spectrum project, Northern Territory (12th March 2025)

<sup>2</sup>Assays for pre-collars have been received for some holes (See Appendix 2). All other assay results are pending.

**Commenting on the results, Managing Director Chris Swallow said:**

*"It's exciting to see some significant zones of sulphides and potential mineralisation emerge at our Spectrum Project in the Northern Territory. The Spectrum Project is part of the regionally significant Fenton Shear Zone and has seen very little modern-day exploration."*

*The Company identified drill target FMD016, a high intensity magnetic feature adjacent to a newly found buried granite with the potential for gold, copper, tin, tungsten and uranium mineralisation - we eagerly await the results from this latest drilling."*

**DeSoto Resources Limited (ASX:DES) ("DES" or the "Company")** is pleased to provide an update from drilling programs at its Spectrum Project (EL31475), located in the Northern Territory Australia (Fig. 2).

Recent drilling of the Western Target Area (FMD016) has seen encouraging sulphide zones returned from a (interpreted) geologically significant position (Fig. 3).




Fig. 2 - Spectrum Project located within DeSoto's 100%-owned Fenton Shear Zone Portfolio.




Fig 3: Spectrum drillhole collar locations, including current drillhole FMD016 where sulphides zones are observed.

## TECHNICAL DISCUSSION

The Spectrum Gold Project is an under-cover, structurally complex Palaeoproterozoic hosted gold target zone that extends for over 20km along strike by 4km across strike on the western edge of the Pine Creek inlier. It is covered by 50-200m of Cambrian limestones and mudstones of the Daly Basin.

The Project is strategically located within DeSoto's existing Fenton tenement position, leveraging significant anomalies identified in previous exploration conducted by DeSoto. Drilling at the Spectrum Project commenced in June 2025<sup>3</sup> and has intensified with two (2) rigs on site to complete the program before the on-set of the wet season.

The focus has been to test the eastern group of EM and IP geophysical anomalies and to test the Quantum REE potential. Full assay results from these seven (7) holes are pending.

In late 2024, a Northern Territory Geological Survey (NTGS) helicopter-assisted ground gravity survey conducted over the Pine Creek inlier and undercover areas to the west was released to the public domain.

<sup>3</sup>DES ASX Announcement: Northern Territory Drilling Commences (11 May 2025)

The survey presented DeSoto with an opportunity to better evaluate the structural and intrusive architecture, both regionally and at the Spectrum Project. This has involved merging of the 2024 NTGS data with DeSoto's detailed gravity grids collected in 2024 along the Fenton trend.

A critical new result was the presence of a 6mGal Bouguer gravity low anomaly alongside the Spectrum Project and beneath much of the Fenton region. This is interpreted as a newly defined granite, termed the Oolloo Granite, a coherent, oblong-shaped body, 3.5 km wide by 15 km long and forms part of the Company's new Western Target Area, and the drill target underneath FMD016.

## Western Target Area

In addition to the EM and REE targets, the Western Target area, is currently being drilled (FMD016). This represents the northern extension of the Fenton prospect where drilling by the company returned encouraging gold results<sup>4</sup>, which followed from earlier drilling by Homestake. The target is a high magnetic and strongly sheared part of the Koolpin Formation, similar to the host rocks at Cosmo Howley to the east. This zone is interpreted as part of the more broadly termed Fenton Shear Zone.

Gravity and AEM data show a significant step in the Cambrian cover thickness suggesting reactivation of the fault structure and possible geochemical leakage along the structure<sup>5,6</sup>.

FMD016 is targeting the down-dropped western side of the reactivated basement fault, along the crest of a 3km long aeromagnetic anomaly and above the buried the Oolloo Granite.

- At Fenton, DeSoto's results included FMD0003 – 17m @ 0.62g/t Au from 578m, including 5m @ 1.09g/t Au, extending known mineralisation 350m to the south, and FMD0004 – 72m @ 0.43g/t Au from 528m, including 5m @ 1.02g/t Au<sup>4,7</sup>.
- Homestake's Fenton drilling included FEND14 (7m @ 0.71g/t Au from 610m, with a higher-grade zone of 8m @ 1.27g/t Au from 623m), and FEND18 (55m @ 0.89g/t Au from 418m, including 20m @ 1.74g/t Au from 423m)<sup>4,7</sup>.

FMD016 has returned technically encouraging preliminary results. It is at a current depth of 396 m, and has a planned target depth of 600m. It has intersected two (2) intervals, 20m and 15m thick, of disseminated to semi-massive pyrite (Fig. 1/A.) with silica and chlorite infill. These include laminated veins (Fig. 1/B.) and crackle breccias (Fig. 1/C.) indicative of a strong hydrothermal system.

The pyrite dominant phase overprints a pyrrhotite-rich sheared metasediment (Figure 1/D.). Historic drilling by Homestake (1997) located approximately 400 m to the south of FMD016 returned encouraging results from a skarn (FEND10, 4m 0.31g/t and 12.8% Zn from 487m), with extensive tourmaline and fluorite<sup>8</sup>.

Assay results are pending. A summary of (logged) sulphides intercepted in FMD016 can be found in

## TABLE 1.

<sup>4</sup> DES ASX Announcement: Drilling and Geophysics Confirm Scale of Fenton Gold System (29 January 2024)

<sup>5</sup> DES ASX Announcement: Compelling Gravity Targets Generated at Spectrum (1 August 2024)

<sup>6</sup> DES ASX Announcement: FLEM Confirms High-Value Copper and Base-Metal Conductors (21 August 2024)

<sup>7</sup> The Company is not aware of any new information or data that materially affects the information included in these announcements of prior exploration results.

<sup>8</sup> Homestake Australia Ltd. Annual Report Exploration Licence 9345 - Tipperary, Northern Territory for the period 11/1/96 to 12/2/97 CR19970171

TABLE 1: SUMMARY OF SULPHIDES INTERCEPTED IN FMD016

| From (m) | To (m) | Width (m) | Sulphide 1 | Style         | %   | Sulphide 2 | Style        | %   |
|----------|--------|-----------|------------|---------------|-----|------------|--------------|-----|
| 208.55   | 217.20 | 8.65      | pyrite     | fracture fill | 0.5 |            |              |     |
| 250.62   | 254.56 | 3.94      | pyrite     | vein          | 0.5 |            |              |     |
| 254.56   | 255.54 | 0.98      | pyrite     | laminae       | 15  |            |              |     |
| 255.54   | 260.25 | 4.71      | pyrite     | laminae       | 20  |            |              |     |
| 260.25   | 265.56 | 5.31      | pyrite     | interstitial  | 7   |            |              |     |
| 265.56   | 272.00 | 6.44      | pyrite     | interstitial  | 10  |            |              |     |
| 272.00   | 284.00 | 12.00     | pyrite     | laminae       | 7   |            |              |     |
| 284.00   | 284.30 | 0.30      | pyrite     | interstitial  | 7   |            |              |     |
| 284.30   | 289.00 | 4.70      | pyrite     | laminae       | 10  |            |              |     |
| 289.00   | 290.36 | 1.36      | pyrite     | laminae       | 15  |            |              |     |
| 290.36   | 292.82 | 2.46      | pyrite     | interstitial  | 7   |            |              |     |
| 292.82   | 293.00 | 0.18      | pyrite     | laminae       | 5   |            |              |     |
| 293.00   | 293.48 | 0.48      | pyrite     | interstitial  | 5   |            |              |     |
| 293.48   | 295.38 | 1.90      | pyrite     | interstitial  | 10  |            |              |     |
| 295.38   | 299.50 | 4.12      | pyrite     | laminae       | 2   |            |              |     |
| 299.50   | 305.23 | 5.73      | pyrite     | laminae       | 0.5 |            |              |     |
| 314.88   | 318.94 | 4.06      | pyrrhotite | laminae       | 3   | pyrite     | disseminated | 0.1 |
| 318.94   | 319.41 | 0.47      | pyrrhotite | laminae       | 8   | pyrite     | disseminated | 0.1 |
| 319.41   | 326.38 | 6.97      | pyrrhotite | laminae       | 3   | pyrite     | disseminated | 0.1 |
| 326.38   | 327.85 | 1.47      | pyrrhotite | laminae       | 3   | pyrite     | disseminated | 1   |
| 327.85   | 330.00 | 2.15      | pyrite     | euhedral      | 3   |            |              |     |
| 330.00   | 340.93 | 10.93     | pyrrhotite | laminae       | 3   |            |              |     |
| 340.93   | 341.18 | 0.25      | pyrite     | laminae       | 5   |            |              |     |
| 341.18   | 348.85 | 7.67      | pyrrhotite | laminae       | 3   |            |              |     |
| 351.23   | 352.30 | 1.07      | pyrite     | laminae       | 1   |            |              |     |

*NOTE: Visual estimates of sulphide mineral abundance are based on geological observations and these estimates cannot substitute for laboratory assays and must not be interpreted as a proxy for grades. Sampling is underway and results will be announced once assays are received.*

## FENTON SOUTH – RESULTS

Fenton South was identified as a priority undrilled target from the AEM, gravity and magnetic data. It is centred on an interpreted antiformal structure that is analogous to and located 7km south along strike of the Fenton Prospect. Two (2) holes were planned at Fenton South.

However, due to the lack of any strong indications of gold or base metal mineralisation in the first hole drilled, the planned second hole was not drilled at Fenton South. The Company was satisfied that the geophysical IP and gravity anomalies can adequately be explained by the geology intercepted. At this stage the company has no further drilling planned at Fenton South. Assay results are available in Appendix 3.

-END-

This release is authorised by the Board of Directors of DeSoto Resources Limited.

For further information visit our website at [Desotoresources.com](http://Desotoresources.com) or contact:

Chris Swallow

**Managing Director**

P: +61 412 174 882

E: [cs@desotoresources.com](mailto:cs@desotoresources.com)

## COMPETENT PERSONS STATEMENT

The information in this report that relates to exploration results is based on and fairly represents information and supporting documentation prepared by Ms Rebecca Morgan. Ms Morgan, a consultant to the company, is a member of the Australian Institute of Geoscientists and has sufficient experience of relevance to the styles of mineralisation and types of deposits under consideration, and to the activities undertaken to qualify as Competent Persons as defined in the 2012 Edition of the Joint Ore Reserves Committee (JORC) Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves. Ms Morgan consents to the inclusion in this report of the matters based on this information in the form and context in which they appear.

This announcement also refers to exploration results reported by the Company on 29 January 2024, 1 August 2024, 21 August 2024, 12 March 2025, and 11 May 2025. The Company is not aware of any new information or data that materially affects the information included in these announcements.

## APPENDIX 1 – Drillhole Collar Details

| BHID    | PROJECT      | EASTING | NORTHING | RL | AZI   | DIP | DEPTH (m) | STATUS            |
|---------|--------------|---------|----------|----|-------|-----|-----------|-------------------|
| FMD006  | Fenton South | 751263  | 8468749  | 68 | 242.5 | -60 | 567       | Complete          |
| FMD007  | Spectrum     | 745075  | 8478913  | 75 | 270   | -60 | 459       | Complete          |
| FMD008  | Spectrum     | 746295  | 8477349  | 62 | 260   | -60 | 431       | Complete          |
| FMD009  | Spectrum     | 745193  | 8477566  | 62 | 260   | -60 | 458       | Complete          |
| FMD010  | Spectrum     | 746765  | 8476797  | 60 | 260   | -60 | 446       | Complete          |
| FMD011  | Spectrum     | 746767  | 8476349  | 60 | 260   | -60 | 460       | Complete          |
| FMD012  | Spectrum     | 747028  | 8475972  | 60 | 260   | -60 | 449       | Complete          |
| FMD013* | Spectrum     | 747216  | 8475711  | 60 | 260   | -60 | 90        | Complete          |
| FMD014  | Spectrum     | 747215  | 8475709  | 60 | 260   | -60 | 426       | Complete          |
| FMD015  | Spectrum     |         |          |    |       |     |           | Drilling Underway |
| FMD016  | Spectrum     |         |          |    |       |     |           | Drilling Underway |

\*NOTE: FMD013 is the failed pre-collar of FMD014.

## APPENDIX 2 – Spectrum Drillhole Assay Results

NOTE: These tables contain RC pre-collar assay results only. Blank cells = not analysed.

| Sample ID | Hole ID | From (m) | To (m) | Au<br>ppm | Ag<br>ppm | As<br>ppm | Be<br>ppm | Bi<br>ppm | Ce<br>ppm | Cu<br>ppm | Dy<br>ppm | Er<br>ppm | Eu<br>ppm | Ga<br>ppm | Gd<br>ppm | Hf<br>ppm | Ho<br>ppm | K<br>ppm | La<br>ppm | Lu<br>ppm | Na<br>ppm | Nb<br>ppm |
|-----------|---------|----------|--------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|
| F25049    | FMD008  | 0        | 4.00   | 0.02      |           |           |           |           |           | 19.1      |           |           |           |           |           |           |           | 17864    |           |           | 423       |           |
| F25051    | FMD008  | 4        | 8.00   | 0.02      |           |           |           |           |           | 11.8      |           |           |           |           |           |           |           | 28352    |           |           | 369       |           |
| F25052    | FMD008  | 8        | 12.00  | 0.02      |           |           |           |           |           | 7.7       |           |           |           |           |           |           |           | 45389    |           |           | 403       |           |
| F25053    | FMD008  | 12       | 16.00  | 0.02      |           |           |           |           |           | 6.7       |           |           |           |           |           |           |           | 44779    |           |           | 495       |           |
| F25054    | FMD008  | 16       | 20.00  | 0.01      |           |           |           |           |           | 7.7       |           |           |           |           |           |           |           | 42779    |           |           | 438       |           |
| F25055    | FMD008  | 20       | 24.00  | 0.02      |           |           |           |           |           | 7.4       |           |           |           |           |           |           |           | 48528    |           |           | 444       |           |
| F25056    | FMD008  | 24       | 28.00  | 0.01      |           |           |           |           |           | 11.4      |           |           |           |           |           |           |           | 51418    |           |           | 538       |           |
| F25057    | FMD008  | 28       | 32.00  | 0.01      | 0.2       | 5.5       | 3         | 0.4       | 60.1      | 11.4      | 4.7       | 2.9       | 1.1       | 17        | 5.5       | 5.7       | 0.9       | 57686    | 31.1      | 0.3       | 544       | 14        |
| F25058    | FMD008  | 32       | 36.00  | 0.02      | 0.1       | 3.7       | 2.4       | 0.4       | 59.7      | 4.3       | 5.8       | 3.3       | 1.7       | 16        | 5.9       | 5.4       | 1.1       | 55827    | 32.3      | 0.3       | 2044      | 13        |
| F25059    | FMD008  | 36       | 40.00  | 0.01      | <0.1      | 4.7       | 3.7       | 0.4       | 78.7      | 1.5       | 5.1       | 2.6       | 1.4       | 21        | 5.9       | 4.3       | 1         | 52277    | 43.2      | 0.3       | 11104     | 19        |
| F25060    | FMD008  | 40       | 44.00  | 0.01      | <0.1      | 9         | 4.2       | 0.8       | 113.3     | 1.6       | 6.2       | 3.4       | 1.8       | 21        | 6.9       | 6.6       | 1.2       | 50018    | 56.6      | 0.4       | 12052     | 23        |
| F25062    | FMD008  | 44       | 48.00  | 0.01      | <0.1      | 10.8      | 4.9       | 1         | 195.6     | 4.4       | 6.9       | 3.7       | 1.8       | 22        | 8.6       | 11.5      | 1.4       | 42139    | 90        | 0.5       | 14551     | 25        |
| F25063    | FMD008  | 48       | 52.00  | 0.01      | 0.3       | 6.5       | 5         | 1.7       | 147.8     | 3.5       | 6         | 3.3       | 1.2       | 22        | 6.9       | 8.1       | 1.2       | 38260    | 63.6      | 0.4       | 19976     | 23        |
| F25064    | FMD008  | 52       | 56.00  | <0.01     | <0.1      | 5.6       | 6.6       | 1.8       | 20.1      | 4.2       | 6.9       | 4.6       | 0.6       | 29        | 5.5       | 1.3       | 1.5       | 40920    | 7.7       | 0.5       | 28328     | 29        |
| F25065    | FMD008  | 56       | 60.00  | 0.02      | 0.1       | 11.8      | 3         | 0.5       | 138.6     | 3.4       | 6.4       | 3.4       | 1.7       | 25        | 8.1       | 8.3       | 1.2       | 44009    | 68.4      | 0.4       | 18457     | 26        |
| F25066    | FMD008  | 60       | 64.00  | 0.02      | <0.1      | 12.2      | 4.7       | 0.4       | 137.7     | 3.4       | 5.4       | 3         | 1.7       | 24        | 7.4       | 10.4      | 1         | 41270    | 69.5      | 0.3       | 16050     | 27        |
| F25067    | FMD008  | 64       | 68.00  | <0.01     | <0.1      | 19.9      | 4.1       | 0.8       | 108       | 3         | 5.2       | 3.3       | 1.1       | 19        | 5.6       | 4.8       | 1         | 38060    | 56.2      | 0.4       | 22230     | 17        |
| F25068    | FMD008  | 68       | 72.00  | 0.01      | <0.1      | 13.9      | 4.6       | 1.1       | 108.3     | 2         | 5.1       | 2.9       | 0.9       | 19        | 5.9       | 4.6       | 1.1       | 42989    | 58.1      | 0.3       | 21404     | 17        |
| F25069    | FMD008  | 72       | 76.00  | <0.01     | 0.1       | 8.8       | 4.2       | 0.4       | 125.7     | 2.5       | 5         | 2.9       | 1.2       | 21        | 6.2       | 4.7       | 1         | 42099    | 67.2      | 0.4       | 20445     | 16        |
| F25070    | FMD008  | 76       | 80.00  | 0.02      | <0.1      | 8.2       | 3.3       | 0.4       | 98.4      | 10.2      | 5.5       | 3.2       | 1.1       | 22        | 5.4       | 4.9       | 1.1       | 42779    | 50.7      | 0.4       | 19252     | 17        |
| F25071    | FMD008  | 80       | 84.00  | 0.02      | 0.2       | 11.8      | 4.2       | 1         | 107.5     | 18.7      | 5.3       | 3         | 0.9       | 20        | 6.1       | 5.6       | 1.1       | 38680    | 54.4      | 0.4       | 14031     | 11        |
| F25072    | FMD008  | 84       | 88.00  | <0.01     | 0.1       | 7.1       | 4.2       | 0.4       | 124.1     | 27.5      | 5.7       | 3         | 1.7       | 21        | 7.4       | 6.8       | 1.1       | 35261    | 61.6      | 0.3       | 15520     | 18        |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | Au ppm | Ag ppm | As ppm | Be ppm | Bi ppm | Ce ppm | Cu ppm | Dy ppm | Er ppm | Eu ppm | Ga ppm | Gd ppm | Hf ppm | Ho ppm | K ppm | La ppm | Lu ppm | Na ppm | Nb ppm |
|-----------|---------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|--------|--------|
| F25073    | FMD008  | 88       | 92.00  | <0.01  | 0.2    | 6.9    | 3.1    | 0.6    | 122.3  | 47.9   | 5.5    | 2.9    | 1.5    | 20     | 6.8    | 6.3    | 1.1    | 34241 | 64     | 0.3    | 18355  | 16     |
| F25074    | FMD008  | 92       | 96.00  | <0.01  | 0.1    | 8.1    | 4.1    | 1      | 96.2   | 31.3   | 4.9    | 2.6    | 1.6    | 22     | 6.4    | 5.8    | 1      | 25793 | 47.3   | 0.3    | 19191  | 22     |
| F25076    | FMD008  | 96       | 100.00 | <0.01  | 0.3    | 15.3   | 3.1    | 3.9    | 69.2   | 45.5   | 6.2    | 3.5    | 1      | 21     | 6.1    | 3.6    | 1.2    | 28912 | 35.1   | 0.4    | 20853  | 19     |
| F25077    | FMD008  | 100      | 104.00 | 0.01   | 0.3    | 14.2   | 3      | 1.6    | 92     | 39.2   | 6.2    | 3.3    | 1.1    | 23     | 6.3    | 4.4    | 1.3    | 37190 | 47.1   | 0.4    | 17467  | 20     |
| F25078    | FMD008  | 104      | 108.00 | <0.01  | 0.3    | 21.9   | 4.7    | 2.1    | 88.9   | 45.5   | 6      | 3.2    | 1.1    | 21     | 6.3    | 4.7    | 1.1    | 34591 | 48.6   | 0.4    | 18620  | 17     |
| F25079    | FMD008  | 108      | 112.00 | <0.01  | 0.2    | 10.6   | 3.1    | 1      | 113.8  | 38.2   | 5.8    | 3.1    | 1.1    | 20     | 7      | 5.3    | 1.1    | 39770 | 59.1   | 0.4    | 16927  | 12     |
| F25080    | FMD008  | 112      | 116.00 | 0.01   | 0.2    | 13.1   | 2.6    | 1      | 107    | 29     | 6      | 3.3    | 0.7    | 17     | 6.5    | 5.2    | 1.2    | 41720 | 54.8   | 0.4    | 14408  | 11     |
| F25081    | FMD008  | 116      | 120.00 | <0.01  | <0.1   | 9.6    | 3.4    | 1.6    | 52.1   | 16.5   | 7.1    | 4.7    | 0.6    | 21     | 5.9    | 6.1    | 1.4    | 39320 | 26.3   | 0.5    | 21669  | 18     |
| F25082    | FMD008  | 120      | 124.00 | <0.01  | 0.2    | 8.2    | 2      | 1.5    | 75.2   | 20.9   | 4.7    | 2.7    | 0.7    | 17     | 5.2    | 4.4    | 1      | 36891 | 38.8   | 0.3    | 15591  | 10     |
| F25083    | FMD008  | 124      | 128.00 | <0.01  | 0.1    | 7.2    | 2.8    | 0.6    | 81.3   | 14.7   | 5.6    | 3.4    | 0.6    | 18     | 5.5    | 4.3    | 1.2    | 38220 | 41.9   | 0.4    | 22587  | 14     |
| F25084    | FMD008  | 128      | 132.00 | <0.01  | <0.1   | 3.7    | 2.5    | 2.7    | 84.4   | 5.9    | 7.1    | 3.9    | 0.7    | 20     | 6.7    | 3.7    | 1.4    | 29002 | 44.8   | 0.5    | 31378  | 18     |
| F25085    | FMD008  | 132      | 136.00 | 0.01   | 0.1    | 13.7   | 4.9    | 1.8    | 77.4   | 17     | 9      | 5.2    | 1.3    | 29     | 8.5    | 4.5    | 1.9    | 30812 | 38.9   | 0.7    | 24647  | 25     |
| F25086    | FMD008  | 136      | 140.00 | <0.01  | <0.1   | 10     | 3.2    | 0.3    | 101.2  | 27.8   | 4.9    | 2.4    | 1.7    | 21     | 6      | 6.4    | 0.9    | 33571 | 50.8   | 0.3    | 18497  | 18     |
| F25087    | FMD008  | 140      | 144.00 | <0.01  | <0.1   | 4.9    | 3      | 0.7    | 93.5   | 13.4   | 7.9    | 4.9    | 1.8    | 23     | 8.1    | 6      | 1.6    | 30922 | 45.5   | 0.6    | 21965  | 26     |
| F25088    | FMD008  | 144      | 148.00 | 0.01   | 0.1    | 2.9    | 2.7    | 0.9    | 65.6   | 9      | 8.6    | 5.1    | 1.1    | 22     | 8      | 4.5    | 1.9    | 38270 | 31.7   | 0.6    | 19578  | 28     |
| F25089    | FMD008  | 148      | 150.00 | <0.01  | 0.2    | 7.3    | 3.9    | 2.1    | 37.4   | 13.9   | 8.6    | 5.9    | 0.4    | 24     | 6.5    | 3      | 1.8    | 40080 | 18.6   | 0.7    | 23749  | 27     |
| F25090    | FMD009  | 0.00     | 4.00   | <0.01  |        | 19.9   |        |        |        | 96     |        |        |        |        |        |        |        | 12675 |        |        | 2170   |        |
| F25092    | FMD009  | 4.00     | 8.00   | 0.01   |        | 9.4    |        |        |        | 52.9   |        |        |        |        |        |        |        | 23433 |        |        | 584    |        |
| F25093    | FMD009  | 8.00     | 12.00  | <0.01  |        | 11     |        |        |        | 18.9   |        |        |        |        |        |        |        | 28912 |        |        | 603    |        |
| F25094    | FMD009  | 12.00    | 16.00  | 0.01   |        | 9.9    |        |        |        | 10.6   |        |        |        |        |        |        |        | 19714 |        |        | 461    |        |
| F25095    | FMD009  | 16.00    | 20.00  | <0.01  |        | 7.1    |        |        |        | 23.2   |        |        |        |        |        |        |        | 20824 |        |        | 589    |        |
| F25096    | FMD009  | 20.00    | 24.00  | <0.01  |        | 8.2    |        |        |        | 31.9   |        |        |        |        |        |        |        | 21204 |        |        | 495    |        |
| F25097    | FMD009  | 24.00    | 28.00  | <0.01  |        | 9      |        |        |        | 23.8   |        |        |        |        |        |        |        | 22633 |        |        | 531    |        |
| F25098    | FMD009  | 28.00    | 32.00  | <0.01  |        | 8.3    |        |        |        | 31.4   |        |        |        |        |        |        |        | 20244 |        |        | 582    |        |
| F25099    | FMD009  | 32.00    | 36.00  | <0.01  |        | 9.7    |        |        |        | 12.3   |        |        |        |        |        |        |        | 23993 |        |        | 588    |        |
| F25100    | FMD009  | 36.00    | 40.00  | 0.02   |        | 8.8    |        |        |        | 30.6   |        |        |        |        |        |        |        | 20494 |        |        | 574    |        |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | Au<br>ppm | Ag<br>ppm | As<br>ppm | Be<br>ppm | Bi<br>ppm | Ce<br>ppm | Cu<br>ppm | Dy<br>ppm | Er<br>ppm | Eu<br>ppm | Ga<br>ppm | Gd<br>ppm | Hf<br>ppm | Ho<br>ppm | K<br>ppm | La<br>ppm | Lu<br>ppm | Na<br>ppm | Nb<br>ppm |
|-----------|---------|----------|--------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|
| F25101    | FMD009  | 40.00    | 44.00  | 0.01      |           | 1.3       |           |           |           | 87.3      |           |           |           |           |           |           |           | 10616    |           |           |           | 361       |
| F25102    | FMD009  | 44.00    | 48.00  | <0.01     |           | 1.6       |           |           |           | 17.9      |           |           |           |           |           |           |           | 7387     |           |           |           | 422       |
| F25103    | FMD009  | 48.00    | 52.00  | 0.01      |           | 8.1       |           |           |           | 25.8      |           |           |           |           |           |           |           | 13005    |           |           |           | 532       |
| F25104    | FMD009  | 52.00    | 56.00  | <0.01     |           | 4         |           |           |           | 18.4      |           |           |           |           |           |           |           | 25123    |           |           |           | 565       |
| F25105    | FMD009  | 56.00    | 60.00  | <0.01     |           | 3.4       |           |           |           | 11.5      |           |           |           |           |           |           |           | 33071    |           |           |           | 611       |
| F25106    | FMD009  | 60.00    | 64.00  | <0.01     |           | 9         |           |           |           | 50.4      |           |           |           |           |           |           |           | 19774    |           |           |           | 385       |
| F25107    | FMD009  | 64.00    | 68.00  | <0.01     |           | 4.4       |           |           |           | 44.8      |           |           |           |           |           |           |           | 2474     |           |           |           | 304       |
| F25108    | FMD009  | 68.00    | 72.00  | <0.01     |           | 5.3       |           |           |           | 94.8      |           |           |           |           |           |           |           | 961      |           |           |           | 461       |
| F25109    | FMD009  | 72.00    | 76.00  | 0.01      |           | 4         |           |           |           | 51.9      |           |           |           |           |           |           |           | 2617     |           |           |           | 383       |
| F25110    | FMD009  | 76.00    | 80.00  | <0.01     |           | 3.5       |           |           |           | 30        |           |           |           |           |           |           |           | 770      |           |           |           | 423       |
| F25111    | FMD009  | 80.00    | 84.00  | <0.01     |           | 3.6       |           |           |           | 15.9      |           |           |           |           |           |           |           | 712      |           |           |           | 403       |
| F25112    | FMD009  | 84.00    | 88.00  | <0.01     |           | 5.6       |           |           |           | 19.3      |           |           |           |           |           |           |           | 1066     |           |           |           | 393       |
| F25113    | FMD009  | 88.00    | 92.00  | <0.01     |           | 5.2       |           |           |           | 24        |           |           |           |           |           |           |           | 2811     |           |           |           | 326       |
| F25114    | FMD009  | 92.00    | 96.00  | 0.01      |           | 14.5      |           |           |           | 59.7      |           |           |           |           |           |           |           | 16825    |           |           |           | 371       |
| F25115    | FMD009  | 96.00    | 101.00 | <0.01     |           | 7.7       |           |           |           | 30.6      |           |           |           |           |           |           |           | 19384    |           |           |           | 399       |
| F25116    | FMD009  | 101.00   | 105.00 | <0.01     |           | 11.4      |           |           |           | 77.4      |           |           |           |           |           |           |           | 14905    |           |           |           | 351       |
| F25117    | FMD009  | 105.00   | 109.00 | <0.01     |           | 13.1      |           |           |           | 235.5     |           |           |           |           |           |           |           | 5436     |           |           |           | 427       |
| F25118    | FMD009  | 109.00   | 113.00 | <0.01     |           | 11.3      |           |           |           | 147       |           |           |           |           |           |           |           | 4138     |           |           |           | 368       |
| F25119    | FMD009  | 113.00   | 117.00 | <0.01     |           | 8.6       |           |           |           | 95.5      |           |           |           |           |           |           |           | 1826     |           |           |           | 457       |
| F25120    | FMD009  | 117.00   | 120.00 | 0.01      |           | 48.9      |           |           |           | 116.3     |           |           |           |           |           |           |           | 21914    |           |           |           | 591       |
| F25121    | FMD007  | 0.00     | 4.00   | <0.01     |           | 37.4      |           |           |           | 632.9     |           |           |           |           |           |           |           | 6764     |           |           |           | 423       |
| F25122    | FMD007  | 4.00     | 8.00   | <0.01     |           | 2.9       |           |           |           | 261.5     |           |           |           |           |           |           |           | 2447     |           |           |           | 331       |
| F25123    | FMD007  | 8.00     | 12.00  | 0.03      |           | 3.3       |           |           |           | 105.4     |           |           |           |           |           |           |           | 1198     |           |           |           | 458       |
| F25124    | FMD007  | 12.00    | 16.00  | <0.01     |           | 4.1       |           |           |           | 223.5     |           |           |           |           |           |           |           | 16355    |           |           |           | 479       |
| F25126    | FMD007  | 16.00    | 20.00  | 0.01      |           | 4         |           |           |           | 217.2     |           |           |           |           |           |           |           | 17055    |           |           |           | 501       |
| F25127    | FMD007  | 20.00    | 24.00  | <0.01     |           | 4.4       |           |           |           | 294.2     |           |           |           |           |           |           |           | 20374    |           |           |           | 465       |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | Au<br>ppm | Ag<br>ppm | As<br>ppm | Be<br>ppm | Bi<br>ppm | Ce<br>ppm | Cu<br>ppm | Dy<br>ppm | Er<br>ppm | Eu<br>ppm | Ga<br>ppm | Gd<br>ppm | Hf<br>ppm | Ho<br>ppm | K<br>ppm | La<br>ppm | Lu<br>ppm | Na<br>ppm | Nb<br>ppm |
|-----------|---------|----------|--------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|
| F25128    | FMD007  | 24.00    | 28.00  | <0.01     |           | 6.5       |           |           |           | 101.5     |           |           |           |           |           |           |           | 19854    |           |           | 298       |           |
| F25129    | FMD007  | 28.00    | 32.00  | 0.01      |           | 4.1       |           |           |           | 36.4      |           |           |           |           |           |           |           | 18444    |           |           | 389       |           |
| F25130    | FMD007  | 32.00    | 36.00  | <0.01     |           | 3.1       |           |           |           | 8.8       |           |           |           |           |           |           |           | 34131    |           |           | 360       |           |
| F25132    | FMD007  | 36.00    | 40.00  | 0.01      |           | 3.1       |           |           |           | 10.2      |           |           |           |           |           |           |           | 28412    |           |           | 388       |           |
| F25133    | FMD007  | 40.00    | 44.00  | <0.01     |           | 4.5       |           |           |           | 16.1      |           |           |           |           |           |           |           | 32062    |           |           | 454       |           |
| F25134    | FMD007  | 44.00    | 48.00  | 0.02      |           | 8.7       |           |           |           | 11        |           |           |           |           |           |           |           | 34581    |           |           | 538       |           |
| F25135    | FMD007  | 48.00    | 52.00  | 0.02      |           | 14.7      |           |           |           | 11.2      |           |           |           |           |           |           |           | 49268    |           |           | 569       |           |
| F25136    | FMD007  | 52.00    | 56.00  | 0.03      |           | 33.6      |           |           |           | 5.9       |           |           |           |           |           |           |           | 45529    |           |           | 543       |           |
| F25137    | FMD007  | 56.00    | 60.00  | 0.01      | 0.1       | 24.7      | 1.5       | 1.4       | 57.8      | 6.4       | 3.4       | 1.8       | 2.5       | 13        | 3.5       | 3         | 0.6       | 35841    | 37.7      | 0.2       | 539       | 6         |
| F25138    | FMD007  | 60.00    | 64.00  | 0.01      | <0.1      | 32.4      | 1.4       | 0.5       | 59.2      | 7.4       | 2.7       | 1.6       | 0.7       | 13        | 2.5       | 2.4       | 0.5       | 32531    | 35.9      | 0.2       | 502       | 5         |
| F25139    | FMD007  | 64.00    | 68.00  | 0.02      | <0.1      | 10.1      | 1.3       | 0.6       | 56.9      | 6         | 2.2       | 1.3       | 0.9       | 11        | 2.8       | 2.5       | 0.5       | 32511    | 28.3      | 0.2       | 552       | 5         |
| F25140    | FMD007  | 68.00    | 72.00  | 0.02      | <0.1      | 48.9      | 3.2       | 0.7       | 148.5     | 10        | 6.3       | 3.8       | 1.7       | 22        | 6.9       | 7.8       | 1.3       | 49458    | 93.5      | 0.4       | 1351      | 13        |
| F25141    | FMD007  | 72.00    | 76.00  | 0.01      | 0.3       | 23.1      | 2.8       | 0.7       | 113.6     | 15.3      | 3.8       | 2.3       | 1.2       | 16        | 4.9       | 4.3       | 0.8       | 38530    | 60.6      | 0.3       | 761       | 7         |
| F25142    | FMD007  | 76.00    | 80.00  | <0.01     | 0.3       | 25.5      | 2.1       | 0.6       | 129.8     | 30        | 5.2       | 3.3       | 1.4       | 18        | 6.6       | 5.5       | 1.2       | 45309    | 58.4      | 0.4       | 3684      | 9         |
| F25143    | FMD007  | 80.00    | 84.00  | <0.01     | <0.1      | 22.4      | 1.9       | 0.6       | 129.1     | 9.8       | 4.9       | 3         | 1         | 21        | 5.5       | 4.7       | 1         | 45119    | 64.4      | 0.4       | 1596      | 10        |
| F25144    | FMD007  | 84.00    | 88.00  | 0.01      | 0.2       | 43.9      | 5.1       | 1.2       | 93.5      | 17.8      | 5.1       | 3.3       | 1.3       | 20        | 4.9       | 6.3       | 1.1       | 29332    | 53.8      | 0.4       | 920       | 13        |
| F25145    | FMD007  | 88.00    | 92.00  | 0.02      | <0.1      | 52.1      | 2.9       | 0.7       | 95.3      | 12.2      | 4.4       | 2.6       | 1         | 21        | 4.4       | 5.3       | 0.9       | 39220    | 53.8      | 0.3       | 2931      | 11        |
| F25146    | FMD007  | 92.00    | 96.00  | <0.01     | 0.1       | 69        | 1.8       | 0.5       | 60.5      | 5.2       | 2.7       | 1.7       | 0.8       | 16        | 2.7       | 3.6       | 0.5       | 39040    | 35.7      | 0.2       | 3018      | 8         |
| F25147    | FMD007  | 96.00    | 100.00 | <0.01     | <0.1      | 99.3      | 2.2       | 0.6       | 76.2      | 8.7       | 2.8       | 1.7       | 0.8       | 18        | 2.4       | 4.3       | 0.6       | 33641    | 43.2      | 0.2       | 1413      | 8         |
| F25148    | FMD007  | 100.00   | 104.00 | 0.01      | 0.1       | 81.7      | 3.1       | 0.7       | 131.7     | 5.6       | 6.7       | 4.1       | 1.5       | 22        | 6.8       | 7.4       | 1.4       | 33191    | 65.7      | 0.5       | 8357      | 12        |
| F25149    | FMD007  | 104.00   | 108.00 | 0.01      | 0.1       | 39.8      | 1.6       | 1.1       | 97.2      | 17.4      | 3.6       | 2.3       | 0.7       | 14        | 4.2       | 3.8       | 0.7       | 24923    | 51.1      | 0.3       | 7923      | 6         |
| F25151    | FMD007  | 108.00   | 112.00 | 0.03      | 0.2       | 43        | 2.2       | 3.3       | 118.2     | 58.8      | 5.8       | 3.5       | 0.9       | 19        | 6.9       | 4.4       | 1.1       | 33051    | 57.8      | 0.3       | 12878     | 8         |
| F25152    | FMD007  | 112.00   | 114.00 | <0.01     | <0.1      | 90.3      | 2.3       | 1.1       | 143.4     | 15.7      | 6.2       | 3.1       | 0.7       | 19        | 6.8       | 5.7       | 1.2       | 35381    | 78.1      | 0.3       | 13531     | 9         |
| F25153    | FMD010  | 0.00     | 4.00   | <0.01     | 0.4       | 14.7      | 2.3       | 0.3       | 55.7      | 92.7      | 4.1       | 2.1       | 0.9       | 13        | 3.6       | 4.8       | 0.8       | 16888    | 22.5      | 0.3       | 563       | 13        |
| F25154    | FMD010  | 4.00     | 8.00   | <0.01     | 0.3       | 10.8      | 1         | 0.2       | 25.2      | 125.9     | 2.2       | 1.3       | 0.4       | 6         | 1.9       | 2.3       | 0.4       | 15473    | 13.2      | 0.2       | 202       | 8         |
| F25155    | FMD010  | 8.00     | 12.00  | 0.01      | <0.1      | 3.9       | 2.1       | 0.2       | 43.9      | 14.6      | 3.4       | 2.2       | 0.7       | 11        | 4         | 4.1       | 0.7       | 31208    | 23        | 0.3       | 257       | 12        |
| F25156    | FMD010  | 12.00    | 16.00  | <0.01     | <0.1      | 3.2       | 1.5       | 0.3       | 43.5      | 12.4      | 3.7       | 2.1       | 1         | 11        | 4         | 4.4       | 0.8       | 31053    | 21.8      | 0.3       | 277       | 11        |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | Au ppm | Ag ppm | As ppm | Be ppm | Bi ppm | Ce ppm | Cu ppm | Dy ppm | Er ppm | Eu ppm | Ga ppm | Gd ppm | Hf ppm | Ho ppm | K ppm | La ppm | Lu ppm | Na ppm | Nb ppm |
|-----------|---------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|--------|--------|
| F25157    | FMD010  | 16.00    | 20.00  | 0.01   | 0.4    | 3.7    | 2      | 0.2    | 53.7   | 7.8    | 4.5    | 2.6    | 1      | 14     | 4.8    | 5.5    | 0.9    | 38620 | 28.4   | 0.4    | 321    | 15     |
| F25158    | FMD010  | 20.00    | 24.00  | <0.01  | <0.1   | 2.9    | 1.7    | 0.2    | 58.5   | 12.4   | 4.7    | 2.7    | 1.1    | 15     | 5.6    | 6      | 1      | 28011 | 29.3   | 0.4    | 312    | 18     |
| F25159    | FMD010  | 24.00    | 28.00  | <0.01  | 0.5    | 3.7    | 2      | 0.2    | 63.3   | 13     | 4.9    | 2.7    | 1.3    | 17     | 5.3    | 6.5    | 1.1    | 34115 | 32.1   | 0.4    | 457    | 22     |
| F25160    | FMD010  | 28.00    | 32.00  | 0.01   | 0.2    | 3.5    | 2.8    | 0.2    | 71.4   | 20.3   | 5.1    | 3.1    | 1.4    | 15     | 5.7    | 7      | 1.3    | 39986 | 36     | 0.4    | 401    | 24     |
| F25162    | FMD010  | 32.00    | 36.00  | <0.01  | <0.1   | 4.2    | 2.1    | 0.3    | 57.8   | 9.9    | 5      | 2.5    | 1.2    | 17     | 5.8    | 5.8    | 1      | 45538 | 30.6   | 0.4    | 459    | 15     |
| F25163    | FMD010  | 36.00    | 40.00  | <0.01  | <0.1   | 2.5    | 1.8    | 0.3    | 63.3   | 4.4    | 5.2    | 2.8    | 1.8    | 19     | 5.9    | 5.9    | 1.1    | 52068 | 35.1   | 0.4    | 1530   | 17     |
| F25164    | FMD010  | 40.00    | 44.00  | 0.01   | <0.1   | 2.9    | 2.7    | 0.3    | 54.4   | 2.6    | 3.6    | 2      | 1.5    | 23     | 4.8    | 6.2    | 0.7    | 40897 | 34.6   | 0.3    | 15282  | 22     |
| F25165    | FMD010  | 44.00    | 48.00  | <0.01  | 0.2    | 4.5    | 3.4    | 0.3    | 35.7   | 4.3    | 3.5    | 2.2    | 1      | 21     | 3.3    | 3.9    | 0.8    | 35617 | 22.9   | 0.3    | 23109  | 20     |
| F25166    | FMD010  | 48.00    | 52.00  | <0.01  | <0.1   | 3.6    | 3.4    | 0.1    | 127.1  | 9.2    | 6.8    | 3.4    | 2.1    | 25     | 8.5    | 10.2   | 1.1    | 40829 | 76.8   | 0.5    | 16650  | 30     |
| F25167    | FMD010  | 52.00    | 56.00  | <0.01  | <0.1   | 3.5    | 3.8    | 0.2    | 134.5  | 11.7   | 7.5    | 3.6    | 2.6    | 25     | 8.8    | 10.4   | 1.4    | 36237 | 85.4   | 0.5    | 18775  | 31     |
| F25168    | FMD010  | 56.00    | 60.00  | <0.01  | <0.1   | 3.7    | 3.5    | 0.3    | 139.9  | 6.4    | 5.9    | 2.7    | 1.5    | 21     | 7.2    | 6.5    | 1.1    | 39773 | 62.4   | 0.4    | 18544  | 24     |
| F25169    | FMD010  | 60.00    | 64.00  | <0.01  | 0.3    | 3.9    | 2.6    | 0.2    | 91.3   | 2.9    | 5      | 2.9    | 1.7    | 21     | 6.3    | 7.8    | 1      | 43174 | 52.4   | 0.5    | 20164  | 21     |
| F25170    | FMD010  | 64.00    | 68.00  | <0.01  | 0.1    | 4.6    | 4.6    | 0.2    | 115    | 7.6    | 6.3    | 3      | 1.8    | 22     | 7.2    | 9.3    | 1.1    | 38775 | 54.5   | 0.4    | 19154  | 25     |
| F25171    | FMD010  | 68.00    | 72.00  | <0.01  | <0.1   | 5.2    | 4.3    | 0.2    | 161.1  | 11.5   | 7      | 3.7    | 2.4    | 25     | 9.2    | 13     | 1.4    | 39763 | 82.8   | 0.6    | 16460  | 28     |
| F25172    | FMD010  | 72.00    | 76.00  | <0.01  | <0.1   | 3.9    | 3      | 0.1    | 127.5  | 4.9    | 5.6    | 3.2    | 1.7    | 23     | 6.7    | 8.3    | 1.2    | 41633 | 63.3   | 0.5    | 18964  | 24     |
| F25173    | FMD010  | 76.00    | 80.00  | <0.01  | 0.1    | 2.2    | 4.2    | 0.2    | 109.3  | 5.2    | 5.1    | 2.4    | 1.8    | 29     | 6.2    | 7.1    | 1.1    | 29086 | 58.2   | 0.4    | 22226  | 23     |
| F25174    | FMD010  | 80.00    | 84.00  | <0.01  | 0.2    | 2.5    | 4      | 0.2    | 99.5   | 3.9    | 7.1    | 4.1    | 1.5    | 25     | 7.3    | 8      | 1.5    | 30908 | 51.5   | 0.6    | 23078  | 20     |
| F25176    | FMD010  | 84.00    | 88.00  | <0.01  | <0.1   | 4.6    | 1.6    | 0.2    | 99.4   | 1.9    | 5.3    | 2.8    | 1.5    | 31     | 5.8    | 4.4    | 1      | 15396 | 54     | 0.5    | 41615  | 23     |
| F25177    | FMD010  | 92.00    | 96.00  | 0.01   | <0.1   | 6.8    | 2.6    | 0.1    | 111.5  | 1.2    | 6.5    | 3.3    | 2.1    | 39     | 7.8    | 2.1    | 1      | 6842  | 73.8   | 0.4    | 47149  | 29     |
| F25178    | FMD010  | 96.00    | 100.00 | <0.01  | <0.1   | 3.8    | 2      | <0.1   | 50     | 2.1    | 3.8    | 2      | 0.7    | 21     | 3.4    | 4      | 0.8    | 32768 | 37     | 0.3    | 32368  | 18     |
| F25179    | FMD010  | 100.00   | 104.00 | <0.01  | <0.1   | 4      | 2.5    | <0.1   | 28.8   | 2.4    | 5.5    | 3.4    | 0.5    | 20     | 4.2    | 2.4    | 1.2    | 38223 | 21     | 0.4    | 26118  | 18     |
| F25180    | FMD010  | 104.00   | 108.00 | <0.01  | <0.1   | 4.8    | 4.5    | <0.1   | 92.7   | 3.9    | 6      | 3.1    | 1.7    | 25     | 7.7    | 8.4    | 1.2    | 19543 | 52.8   | 0.5    | 22257  | 28     |
| F25181    | FMD010  | 108.00   | 112.00 | <0.01  | <0.1   | 5.1    | 3.2    | 0.1    | 134.7  | 8.1    | 7.9    | 4      | 2.4    | 28     | 8.5    | 9.1    | 1.5    | 24406 | 63.4   | 0.5    | 24540  | 31     |
| F25182    | FMD010  | 112.00   | 116.00 | <0.01  | <0.1   | 3      | 2.6    | 0.1    | 207    | 18.4   | 8.9    | 4.1    | 3.1    | 24     | 10.9   | 10.8   | 1.7    | 27895 | 108    | 0.6    | 24077  | 41     |
| F25183    | FMD010  | 116.00   | 120.00 | 0.01   | 0.2    | 3.4    | 3.4    | 0.1    | 199.2  | 8.3    | 9      | 4.5    | 2.9    | 23     | 11.5   | 11.9   | 1.8    | 27633 | 101.9  | 0.6    | 23067  | 36     |
| F25184    | FMD010  | 120.00   | 124.00 | <0.01  | 0.2    | 6.9    | 4.3    | <0.1   | 172.8  | 7.4    | 7.2    | 4.1    | 2.2    | 21     | 8.7    | 10.4   | 1.4    | 21403 | 89.7   | 0.6    | 26276  | 32     |
| F25185    | FMD010  | 124.00   | 128.00 | 0.02   | <0.1   | 7.3    | 3      | 0.3    | 72.2   | 17.7   | 4.9    | 2.6    | 1.1    | 20     | 4.5    | 5.4    | 0.8    | 24426 | 40     | 0.4    | 22878  | 17     |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | Au ppm | Ag ppm | As ppm | Be ppm | Bi ppm | Ce ppm | Cu ppm | Dy ppm | Er ppm | Eu ppm | Ga ppm | Gd ppm | Hf ppm | Ho ppm | K ppm | La ppm | Lu ppm | Na ppm | Nb ppm |
|-----------|---------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|--------|--------|
| F25186    | FMD010  | 128.00   | 131.80 | <0.01  | 0.5    | 4.9    | 3      | 0.2    | 26     | 113.5  | 3.5    | 2.1    | 0.9    | 18     | 3.7    | 2.1    | 0.8    | 10939 | 14     | 0.4    | 20595  | 7      |
| F25187    | FMD011  | 0.00     | 4.00   | <0.01  | 0.5    | 35.3   | 3.3    | 0.5    | 117.9  | 166.1  | 5.7    | 3.5    | 1.2    | 24     | 5.6    | 7.3    | 1.1    | 21539 | 38.8   | 0.4    | 3862   | 23     |
| F25188    | FMD011  | 4.00     | 8.00   | <0.01  | 0.6    | 17.5   | 0.4    | <0.1   | 9.1    | 103    | 0.7    | 0.4    | 0.2    | 2      | 0.8    | 0.8    | 0.1    | 6792  | 4.9    | <0.1   | 552    | 5      |
| F25189    | FMD011  | 8.00     | 12.00  | 0.02   | 0.8    | 15.1   | 0.3    | 0.1    | 9.3    | 136.7  | 0.5    | 0.3    | 0.2    | 2      | 0.6    | 0.4    | <0.1   | 3977  | 5.8    | <0.1   | 239    | 10     |
| F25190    | FMD011  | 12.00    | 16.00  | <0.01  | 0.3    | 10.4   | 0.1    | <0.1   | 7      | 126.9  | 0.4    | 0.4    | 0.1    | 2      | 0.6    | 0.4    | <0.1   | 3522  | 4.4    | <0.1   | 667    | 2      |
| F25192    | FMD011  | 16.00    | 20.00  | <0.01  | 0.3    | 12.7   | 0.3    | <0.1   | 8.4    | 66.6   | 0.6    | 0.3    | 0.2    | 2      | 0.9    | 0.2    | <0.1   | 2585  | 5.2    | <0.1   | 311    | 2      |
| F25193    | FMD011  | 20.00    | 24.00  | <0.01  | 0.2    | 5      | 0.2    | <0.1   | 7.5    | 21     | 0.4    | 0.2    | 0.2    | 1      | 0.5    | 0.3    | 0.1    | 1386  | 4.7    | <0.1   | 302    | 2      |
| F25194    | FMD011  | 24.00    | 28.00  | <0.01  | 0.2    | 6.8    | 0.4    | <0.1   | 13.9   | 14.3   | 1.3    | 0.7    | 0.3    | 2      | 1.4    | 1.2    | 0.3    | 11433 | 6.8    | <0.1   | 244    | 6      |
| F25195    | FMD011  | 28.00    | 32.00  | <0.01  | 0.2    | 5.6    | 0.4    | 0.1    | 17.3   | 17.5   | 1.4    | 0.7    | 0.3    | 7      | 1.5    | 1.8    | 0.3    | 15066 | 8.2    | <0.1   | 235    | 8      |
| F25196    | FMD011  | 32.00    | 36.00  | <0.01  | 0.1    | 6.8    | 1.6    | 0.2    | 36.1   | 17.3   | 3.3    | 1.7    | 0.7    | 9      | 3.2    | 3      | 0.7    | 22023 | 18.7   | 0.2    | 300    | 10     |
| F25197    | FMD011  | 36.00    | 40.00  | <0.01  | <0.1   | 4.8    | 2.3    | 0.2    | 57.5   | 7.4    | 4.7    | 2.8    | 1.2    | 16     | 4.8    | 5.2    | 1      | 32187 | 29.6   | 0.5    | 310    | 15     |
| F25198    | FMD011  | 40.00    | 44.00  | <0.01  | <0.1   | 5      | 2.5    | 0.3    | 61.2   | 10.5   | 4.8    | 2.9    | 1.3    | 17     | 5.6    | 6      | 1      | 30569 | 30.6   | 0.4    | 339    | 19     |
| F25199    | FMD011  | 44.00    | 48.00  | <0.01  | <0.1   | 4.9    | 2.6    | 0.3    | 60.4   | 21.3   | 5.2    | 2.6    | 1.1    | 16     | 5.1    | 6.3    | 0.9    | 34628 | 29.9   | 0.4    | 483    | 19     |
| F25200    | FMD011  | 48.00    | 52.00  | <0.01  | <0.1   | 5.3    | 2.3    | 0.4    | 62.1   | 10.1   | 4.8    | 3.1    | 1.3    | 14     | 4.9    | 6.8    | 1.1    | 40199 | 32.6   | 0.5    | 477    | 16     |
| F25201    | FMD011  | 52.00    | 56.00  | <0.01  | <0.1   | 5.5    | 1.1    | 0.3    | 49.8   | 4      | 4.4    | 2.1    | 1.1    | 14     | 4.2    | 4.7    | 0.8    | 36634 | 27     | 0.3    | 404    | 12     |
| F25202    | FMD011  | 56.00    | 60.00  | <0.01  | <0.1   | 6.6    | 2.1    | 0.5    | 83.3   | 11.2   | 7.1    | 3.9    | 1.5    | 16     | 7.2    | 4.6    | 1.3    | 37709 | 50.5   | 0.5    | 1891   | 12     |
| F25203    | FMD011  | 60.00    | 64.00  | <0.01  | <0.1   | 5.6    | 2.9    | 0.2    | 111.2  | 11.7   | 8      | 4.9    | 1.5    | 22     | 8.8    | 6.5    | 1.8    | 40926 | 71     | 0.8    | 9684   | 17     |
| F25204    | FMD011  | 64.00    | 68.00  | <0.01  | <0.1   | 6      | 2      | 0.3    | 64.9   | 7.7    | 5.3    | 3.5    | 1      | 16     | 5.3    | 3.9    | 1      | 40442 | 38.3   | 0.5    | 11505  | 13     |
| F25205    | FMD011  | 68.00    | 72.00  | <0.01  | 0.1    | 9.2    | 1.1    | 0.3    | 127    | 9.4    | 6.3    | 3.2    | 1.2    | 19     | 6.9    | 4.5    | 1.2    | 33427 | 75.2   | 0.4    | 11400  | 18     |
| F25206    | FMD011  | 72.00    | 76.00  | <0.01  | 0.2    | 12.5   | 2.8    | 0.4    | 82     | 10.9   | 5.2    | 3.3    | 0.9    | 18     | 5.9    | 3.7    | 1      | 40500 | 52.2   | 0.4    | 15461  | 14     |
| F25207    | FMD011  | 76.00    | 80.00  | <0.01  | 0.3    | 13.7   | 3.5    | 0.5    | 91.1   | 67.8   | 6      | 2.9    | 1.2    | 22     | 5.8    | 5      | 1.2    | 34609 | 49.2   | 0.5    | 12179  | 18     |
| F25208    | FMD011  | 80.00    | 84.00  | <0.01  | 0.2    | 15.1   | 3.1    | 0.3    | 136.7  | 23.3   | 4.9    | 3      | 1.9    | 23     | 6.2    | 6.9    | 1      | 44560 | 51.1   | 0.4    | 13524  | 20     |
| F25209    | FMD011  | 84.00    | 88.00  | <0.01  | <0.1   | 17.1   | 2.6    | 0.4    | 107.5  | 69.4   | 5      | 2.8    | 1.4    | 18     | 5.7    | 6.6    | 1.1    | 41885 | 48.4   | 0.4    | 14008  | 16     |
| F25210    | FMD011  | 88.00    | 92.00  | 0.01   | <0.1   | 20.3   | 0.6    | 0.3    | 31.7   | 11.8   | 3.2    | 1.9    | 0.4    | 13     | 2.8    | 3.6    | 0.6    | 46895 | 16.2   | 0.3    | 18595  | 14     |
| F25211    | FMD011  | 92.00    | 96.00  | <0.01  | <0.1   | 5.9    | 1.2    | 0.2    | 24.2   | 6.8    | 3.1    | 1.8    | 0.4    | 17     | 2.4    | 2.5    | 0.7    | 46885 | 13.6   | 0.3    | 19363  | 12     |
| F25212    | FMD011  | 96.00    | 100.00 | <0.01  | 0.1    | 7      | 1.5    | <0.1   | 32.5   | 28.7   | 2.8    | 1.5    | 0.4    | 21     | 2.6    | 2.3    | 0.6    | 39492 | 15.7   | 0.2    | 21667  | 19     |
| F25213    | FMD011  | 100.00   | 104.00 | <0.01  | 0.5    | 17.6   | 2      | 0.2    | 29.6   | 32.5   | 3.4    | 2      | 0.3    | 18     | 3.2    | 2.1    | 0.7    | 36527 | 14.6   | 0.2    | 22845  | 16     |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | Au ppm | Ag ppm | As ppm | Be ppm | Bi ppm | Ce ppm | Cu ppm | Dy ppm | Er ppm | Eu ppm | Ga ppm | Gd ppm | Hf ppm | Ho ppm | K ppm | La ppm | Lu ppm | Na ppm | Nb ppm |
|-----------|---------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|--------|--------|
| F25214    | FMD011  | 104.00   | 108.00 | <0.01  | <0.1   | 5.3    | 2.1    | 0.1    | 27.3   | 7.8    | 3      | 1.9    | 0.3    | 17     | 2.8    | 1.6    | 0.7    | 39327 | 14.5   | 0.2    | 22467  | 18     |
| F25215    | FMD011  | 108.00   | 112.00 | <0.01  | <0.1   | 32.4   | 2      | 0.1    | 34.7   | 10.5   | 3.3    | 1.8    | 0.3    | 20     | 3.7    | 2.2    | 0.8    | 37022 | 18.2   | 0.3    | 24907  | 21     |
| F25216    | FMD011  | 112.00   | 116.00 | <0.01  | 0.4    | 36.1   | 3      | 0.1    | 34.8   | 10.8   | 4.4    | 2      | 0.2    | 22     | 3.5    | 2.8    | 0.8    | 38378 | 17.8   | 0.3    | 24276  | 19     |
| F25217    | FMD011  | 116.00   | 120.00 | <0.01  | 0.4    | 6.5    | 2.3    | <0.1   | 16.9   | 6.3    | 3.6    | 2.4    | 0.2    | 18     | 3      | 2.5    | 0.7    | 31915 | 8.6    | 0.4    | 24760  | 13     |
| F25218    | FMD011  | 120.00   | 124.00 | <0.01  | <0.1   | 7.4    | 2.1    | 0.2    | 24.6   | 30.4   | 4.3    | 2.7    | 0.3    | 15     | 3.7    | 3      | 1      | 41023 | 13     | 0.4    | 25202  | 15     |
| F25219    | FMD011  | 124.00   | 128.00 | <0.01  | 0.4    | 8.5    | 2.6    | 0.1    | 19.4   | 26.2   | 4.2    | 2.7    | 0.2    | 21     | 3.4    | 3.1    | 0.9    | 39163 | 10.3   | 0.4    | 27390  | 16     |
| F25220    | FMD011  | 128.00   | 132.00 | <0.01  | <0.1   | 6.1    | 2.5    | 0.1    | 21.8   | 7.2    | 3.2    | 2      | 0.3    | 20     | 2.8    | 3.8    | 0.6    | 39967 | 11.2   | 0.3    | 25591  | 16     |
| F25221    | FMD012  | 0.00     | 4.00   | 0.02   | 0.6    | 22     | 2.6    | 0.5    | 72.7   | 123.8  | 5.2    | 2.9    | 1      | 20     | 5.6    | 5.9    | 1.1    | 14630 | 38     | 0.4    | 1095   | 14     |
| F25222    | FMD012  | 4.00     | 8.00   | 0.03   | 0.8    | 30.1   | 1.3    | 0.3    | 33.8   | 234.2  | 3.1    | 1.5    | 0.5    | 7      | 2.8    | 2.9    | 0.6    | 9892  | 17.5   | 0.2    | 341    | 7      |
| F25223    | FMD012  | 8.00     | 12.00  | <0.01  | 0.5    | 15.6   | 0.3    | <0.1   | 8.5    | 262.6  | 0.6    | 0.3    | 0.4    | 2      | 0.5    | 0.3    | 0.1    | 3811  | 5.3    | <0.1   | 241    | 2      |
| F25224    | FMD012  | 12.00    | 16.00  | <0.01  | 1.5    | 13.5   | <0.1   | 0.1    | 8.3    | 150.6  | 0.5    | 0.2    | 0.2    | 1      | 0.7    | 0.4    | 0.1    | 4313  | 5.7    | <0.1   | 234    | 2      |
| F25226    | FMD012  | 16.00    | 20.00  | <0.01  | 0.3    | 8      | 0.6    | 0.1    | 6.3    | 114    | 0.3    | 0.2    | 0.2    | 1      | 0.6    | 0.3    | 0.1    | 2091  | 4.5    | <0.1   | 289    | 2      |
| F25227    | FMD012  | 20.00    | 24.00  | <0.01  | 0.6    | 5.9    | 0.4    | <0.1   | 6.9    | 43.2   | 0.4    | 0.4    | 0.2    | 1      | 0.7    | 0.5    | 0.1    | 1864  | 4.3    | <0.1   | 306    | 3      |
| F25228    | FMD012  | 24.00    | 28.00  | <0.01  | 0.4    | 23.2   | 1      | 0.2    | 27.3   | 41.7   | 1.8    | 1      | 0.5    | 4      | 2.3    | 1.9    | 0.4    | 18390 | 13.5   | 0.1    | 461    | 8      |
| F25229    | FMD012  | 28.00    | 32.00  | <0.01  | 1.8    | 7.4    | 2.1    | 0.2    | 45.3   | 19.3   | 3.7    | 2.1    | 0.8    | 11     | 4      | 4.1    | 0.7    | 31567 | 23.3   | 0.3    | 449    | 12     |
| F25230    | FMD012  | 32.00    | 36.00  | <0.01  | 0.9    | 4.8    | 1.6    | 0.3    | 43.3   | 9      | 3.4    | 2      | 0.7    | 9      | 3.4    | 4.2    | 0.6    | 34192 | 21.8   | 0.3    | 427    | 10     |
| F25232    | FMD012  | 36.00    | 40.00  | <0.01  | <0.1   | 5.1    | 1.5    | 0.3    | 55.7   | 8      | 4.8    | 2.9    | 1.1    | 10     | 4.7    | 5.8    | 1      | 44695 | 28.5   | 0.4    | 404    | 14     |
| F25233    | FMD012  | 40.00    | 44.00  | <0.01  | 3.9    | 5.6    | 2.2    | 0.3    | 64     | 22.1   | 4.7    | 2.7    | 1.2    | 15     | 5.2    | 6.6    | 1.1    | 44782 | 31.5   | 0.4    | 539    | 19     |
| F25234    | FMD012  | 44.00    | 48.00  | <0.01  | 0.1    | 7      | 2.8    | 0.4    | 65.9   | 7.7    | 4.9    | 3.1    | 1.2    | 15     | 5.6    | 6.7    | 1      | 50712 | 33.1   | 0.4    | 588    | 17     |
| F25235    | FMD012  | 48.00    | 52.00  | <0.01  | 0.3    | 9.2    | 1.6    | 0.5    | 62.7   | 8      | 5.1    | 2.5    | 1.3    | 13     | 5.4    | 6.1    | 1      | 43329 | 32.2   | 0.4    | 663    | 15     |
| F25236    | FMD012  | 52.00    | 56.00  | 0.01   | 0.1    | 10.8   | 1.1    | 0.6    | 57.4   | 4.5    | 4.3    | 1.8    | 0.9    | 12     | 4.5    | 4.6    | 0.8    | 39560 | 30.1   | 0.2    | 1062   | 9      |
| F25237    | FMD012  | 56.00    | 60.00  | <0.01  | 0.2    | 37.1   | 2.1    | 0.4    | 92.7   | 6.1    | 5.2    | 2.9    | 1.6    | 21     | 6.4    | 5.7    | 1.1    | 49947 | 46.5   | 0.4    | 2014   | 17     |
| F25238    | FMD012  | 60.00    | 64.00  | <0.01  | 0.4    | 22.3   | 2.2    | 0.2    | 125.2  | 2.9    | 4.8    | 2.4    | 1.5    | 19     | 6.1    | 6.1    | 0.9    | 48813 | 62.3   | 0.4    | 10926  | 22     |
| F25239    | FMD012  | 64.00    | 68.00  | <0.01  | 0.3    | 51.4   | 2.8    | 0.5    | 34.7   | 10.2   | 5.1    | 2.2    | 1.5    | 24     | 5.6    | 3.3    | 0.9    | 37496 | 23.4   | 0.3    | 6014   | 8      |
| F25240    | FMD012  | 68.00    | 72.00  | <0.01  | <0.1   | 28.6   | 3.8    | 0.4    | 30.8   | 11.5   | 5.4    | 2.4    | 1.5    | 20     | 5.7    | 2.7    | 1      | 38824 | 18.9   | 0.3    | 7843   | 7      |
| F25241    | FMD012  | 72.00    | 76.00  | <0.01  | <0.1   | 79.2   | 2.2    | 0.3    | 29.4   | 3.8    | 4.7    | 2.8    | 0.5    | 18     | 4.2    | 3.7    | 1      | 44405 | 14     | 0.4    | 15165  | 22     |
| F25242    | FMD012  | 76.00    | 80.00  | <0.01  | 0.3    | 15.2   | 3.7    | 0.2    | 25.8   | 5.7    | 4.6    | 2.1    | 1.5    | 20     | 4.7    | 2.7    | 0.8    | 29910 | 16     | 0.3    | 11031  | 8      |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | Au ppm | Ag ppm | As ppm | Be ppm | Bi ppm | Ce ppm | Cu ppm | Dy ppm | Er ppm | Eu ppm | Ga ppm | Gd ppm | Hf ppm | Ho ppm | K ppm | La ppm | Lu ppm | Na ppm | Nb ppm |
|-----------|---------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|--------|--------|
| F25243    | FMD012  | 80.00    | 84.00  | <0.01  | <0.1   | 21     | 3.4    | 0.3    | 25.7   | 9      | 4.7    | 2.4    | 1.5    | 20     | 5.4    | 3      | 1.1    | 40180 | 16.3   | 0.3    | 6256   | 7      |
| F25244    | FMD012  | 84.00    | 88.00  | <0.01  | <0.1   | 31.1   | 2.7    | 0.2    | 34.8   | 2.4    | 6.1    | 3      | 0.6    | 21     | 5.3    | 2.6    | 1.3    | 36576 | 16.7   | 0.4    | 20520  | 25     |
| F25245    | FMD012  | 88.00    | 91.00  | <0.01  | 0.3    | 18.4   | 3.4    | 0.2    | 27.6   | 19.3   | 5.2    | 3.1    | 0.6    | 20     | 4.8    | 2.1    | 0.9    | 27904 | 13.1   | 0.5    | 7252   | 15     |
| F25246    | FMD012  | 91.00    | 95.00  | <0.01  | 0.2    | 43.1   | 3.6    | 0.3    | 56.2   | 11.6   | 5      | 2.9    | 1.2    | 19     | 5.4    | 3.7    | 1      | 28941 | 26.9   | 0.3    | 7193   | 11     |
| F25247    | FMD012  | 95.00    | 99.00  | 0.02   | 0.5    | 22.3   | 3      | 0.3    | 29.4   | 21.5   | 5      | 2.6    | 1.1    | 20     | 4.8    | 3.3    | 1      | 27478 | 15.5   | 0.3    | 5819   | 7      |
| F25248    | FMD012  | 99.00    | 103.00 | <0.01  | 0.2    | 18.1   | 4      | 0.3    | 33.9   | 39.9   | 4.7    | 2.7    | 1.2    | 22     | 5.4    | 2.9    | 1.2    | 36101 | 16.6   | 0.3    | 3509   | 7      |
| F25249    | FMD012  | 103.00   | 107.00 | <0.01  | 0.2    | 22     | 3.1    | 0.3    | 34.5   | 52.6   | 4.9    | 2.5    | 0.9    | 24     | 5.4    | 3.4    | 1.1    | 23583 | 16.6   | 0.4    | 5933   | 8      |
| F25252    | FMD012  | 107.00   | 111.00 | <0.01  | <0.1   | 42     | 1.9    | 0.2    | 29.1   | 65.5   | 7.3    | 3.6    | 1.8    | 24     | 6.3    | 3.2    | 1.4    | 29328 | 13.5   | 0.5    | 16870  | 21     |
| F25253    | FMD012  | 111.00   | 115.00 | <0.01  | 0.4    | 42.6   | 1.4    | 0.2    | 24.5   | 79     | 5.1    | 3.3    | 1.6    | 20     | 5.4    | 3.3    | 1.1    | 11520 | 9.6    | 0.4    | 18195  | 8      |
| F25254    | FMD012  | 115.00   | 119.00 | <0.01  | 0.4    | 34.8   | 1.7    | 0.3    | 20.8   | 55.6   | 5.5    | 2.9    | 1.7    | 22     | 5.4    | 3.9    | 1      | 14214 | 8.5    | 0.4    | 18122  | 8      |
| F25255    | FMD012  | 119.00   | 123.00 | <0.01  | 1.1    | 17.6   | 1.5    | 0.3    | 14.6   | 93.8   | 3.8    | 1.9    | 0.9    | 17     | 3.5    | 2.7    | 0.7    | 16277 | 5.7    | 0.3    | 9079   | 9      |
| F25256    | FMD012  | 123.00   | 127.00 | <0.01  | 0.3    | 28.4   | 1.4    | 0.3    | 22.1   | 73.2   | 5.2    | 2.5    | 1.5    | 21     | 5.2    | 2.7    | 1      | 14010 | 9      | 0.4    | 19268  | 8      |
| F25257    | FMD012  | 127.00   | 131.00 | <0.01  | 0.1    | 15.6   | 2.8    | 0.1    | 142    | 20.5   | 6.9    | 3.2    | 1.9    | 21     | 8.3    | 8.2    | 1.3    | 25579 | 73.3   | 0.5    | 19153  | 18     |
| F25258    | FMD012  | 131.00   | 135.00 | <0.01  | 0.2    | 4.7    | 2.9    | 0.1    | 177.2  | 17.7   | 7.5    | 3.4    | 2.3    | 22     | 9.8    | 11.5   | 1.4    | 30220 | 90.3   | 0.5    | 19679  | 28     |
| F25259    | FMD012  | 135.00   | 139.00 | <0.01  | 0.5    | 8.8    | 2.2    | 0.2    | 133.7  | 60.5   | 7.4    | 3.4    | 1.9    | 19     | 8.1    | 8.3    | 1.4    | 21955 | 67.7   | 0.5    | 22909  | 21     |
| F25260    | FMD012  | 139.00   | 143.00 | 0.02   | 0.3    | 8.3    | 2.9    | 0.1    | 75.6   | 12.1   | 5.4    | 3.1    | 1.2    | 21     | 5.6    | 5.7    | 1.1    | 34008 | 37.6   | 0.3    | 21899  | 18     |
| F25262    | FMD012  | 143.00   | 147.00 | <0.01  | 0.1    | 11.5   | 3.1    | 0.1    | 46.7   | 32     | 4.6    | 2.4    | 1.1    | 21     | 5.4    | 4.2    | 0.9    | 24416 | 22.9   | 0.4    | 25213  | 14     |
| F25263    | FMD012  | 147.00   | 151.00 | <0.01  | 0.2    | 8.5    | 2.4    | 0.2    | 101.3  | 46.7   | 6.3    | 3.2    | 1.5    | 20     | 6.2    | 7.2    | 1.2    | 23157 | 51.2   | 0.5    | 20152  | 17     |
| F25264    | FMD012  | 151.00   | 155.00 | 0.01   | 0.1    | 3.4    | 3.4    | 0.1    | 80.2   | 22.3   | 5.5    | 3.2    | 1.1    | 18     | 5.9    | 5.7    | 1.2    | 28243 | 42.1   | 0.6    | 21962  | 17     |
| F25265    | FMD012  | 155.00   | 156.00 | <0.01  | 0.3    | 14.5   | 0.9    | 0.2    | 22.8   | 55.3   | 4.7    | 2.5    | 1.5    | 18     | 4.5    | 3.1    | 0.9    | 15551 | 9.6    | 0.3    | 18059  | 7      |
| F25266    | FMD013  | 0.00     | 2.00   | <0.01  | 0.3    | 17.3   | 0.6    | <0.1   | 14.2   | 80.6   | 1      | 0.5    | 0.3    | 3      | 1.1    | 0.6    | 0.2    | 3514  | 9.8    | <0.1   | 320    | 2      |
| F25267    | FMD013  | 5.00     | 8.00   | <0.01  | 0.3    | 12.9   | 0.1    | <0.1   | 18     | 110.9  | 0.7    | 0.3    | 0.5    | 2      | 1.2    | 0.6    | 0.2    | 3635  | 11.7   | <0.1   | 355    | 1      |
| F25268    | FMD013  | 8.00     | 12.00  | <0.01  | 0.2    | 8.8    | 0.3    | 0.1    | 14.5   | 96.9   | 0.8    | 0.3    | 0.4    | 2      | 0.7    | 0.3    | 0.1    | 1871  | 10.4   | <0.1   | 242    | 1      |
| F25269    | FMD013  | 12.00    | 16.00  | <0.01  | 0.2    | 7.7    | 0.2    | 0.1    | 12.6   | 93.2   | 0.8    | 0.3    | 0.2    | 2      | 0.9    | 0.8    | 0.2    | 2337  | 7.4    | <0.1   | 225    | 3      |
| F25270    | FMD013  | 16.00    | 20.00  | <0.01  | 0.2    | 7.3    | 0.6    | 0.2    | 19.3   | 29.6   | 1.3    | 0.7    | 0.4    | 4      | 1.7    | 1.5    | 0.3    | 14592 | 9.9    | 0.1    | 364    | 5      |
| F25271    | FMD013  | 20.00    | 24.00  | <0.01  | 0.3    | 5.2    | 0.7    | <0.1   | 14.3   | 42.7   | 1.1    | 0.7    | 0.3    | 3      | 1.4    | 1.3    | 0.3    | 10542 | 7.2    | 0.1    | 233    | 5      |
| F25272    | FMD013  | 24.00    | 28.00  | <0.01  | <0.1   | 4.2    | 2.1    | 0.2    | 40.4   | 21.8   | 3.3    | 1.9    | 1      | 11     | 3.7    | 3.7    | 0.7    | 32041 | 21     | 0.3    | 345    | 11     |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | Au ppm | Ag ppm | As ppm | Be ppm | Bi ppm | Ce ppm | Cu ppm | Dy ppm | Er ppm | Eu ppm | Ga ppm | Gd ppm | Hf ppm | Ho ppm | K ppm | La ppm | Lu ppm | Na ppm | Nb ppm |
|-----------|---------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|--------|--------|
| F25273    | FMD013  | 28.00    | 32.00  | <0.01  | <0.1   | 6.3    | 2.3    | 0.3    | 52     | 8.5    | 4.9    | 2.6    | 1      | 12     | 4.2    | 4.9    | 1      | 40810 | 25.8   | 0.4    | 439    | 14     |
| F25274    | FMD013  | 32.00    | 36.00  | <0.01  | 0.1    | 4      | 2.2    | 0.3    | 49.6   | 7.8    | 4.3    | 2.4    | 1      | 12     | 4.8    | 5.2    | 0.9    | 41246 | 26.3   | 0.4    | 387    | 13     |
| F25276    | FMD013  | 36.00    | 40.00  | <0.01  | 0.1    | 4.9    | 3.1    | 0.2    | 67.6   | 12.6   | 5.4    | 3.1    | 1.4    | 16     | 5.7    | 6.4    | 1.1    | 45809 | 34.1   | 0.5    | 603    | 23     |
| F25277    | FMD013  | 40.00    | 44.00  | <0.01  | <0.1   | 4.4    | 2.2    | 0.3    | 51.2   | 100.1  | 4.4    | 2.4    | 1.1    | 11     | 4.6    | 5.1    | 0.9    | 42486 | 25.7   | 0.3    | 503    | 14     |
| F25278    | FMD013  | 44.00    | 48.00  | <0.01  | <0.1   | 6      | 1.6    | 0.4    | 59.8   | 7.8    | 5      | 2.7    | 1.4    | 16     | 5.2    | 5.9    | 0.9    | 54810 | 29.6   | 0.4    | 653    | 16     |
| F25279    | FMD013  | 48.00    | 52.00  | <0.01  | <0.1   | 5      | 0.7    | 0.4    | 44     | 4.5    | 3.2    | 1.9    | 0.9    | 9      | 3.9    | 4.3    | 0.6    | 42767 | 22.1   | 0.3    | 601    | 9      |
| F25280    | FMD013  | 52.00    | 56.00  | <0.01  | <0.1   | 13     | 1.4    | 0.5    | 73.3   | 4      | 3.8    | 2.6    | 1      | 16     | 4.9    | 4.4    | 0.8    | 56380 | 37.6   | 0.3    | 5885   | 15     |
| F25281    | FMD013  | 56.00    | 60.00  | <0.01  | <0.1   | 9.4    | 1.4    | 0.8    | 99.7   | 2.9    | 4.6    | 2.5    | 1      | 16     | 5.7    | 4.3    | 0.9    | 48735 | 53.8   | 0.3    | 14482  | 16     |
| F25282    | FMD013  | 60.00    | 64.00  | <0.01  | <0.1   | 8.8    | 1.1    | 0.6    | 127.9  | 9.7    | 4.8    | 2.3    | 0.7    | 18     | 6.6    | 4.8    | 0.8    | 55208 | 62.7   | 0.3    | 13714  | 15     |
| F25283    | FMD013  | 64.00    | 68.00  | <0.01  | <0.1   | 10.7   | 0.4    | 0.6    | 84.7   | 5.7    | 3.5    | 1.9    | 0.7    | 14     | 4.4    | 3.2    | 0.8    | 58308 | 42.3   | 0.3    | 11483  | 14     |
| F25284    | FMD013  | 68.00    | 72.00  | <0.01  | <0.1   | 20.7   | 1.2    | 0.3    | 54.4   | 2.8    | 3.8    | 2.5    | 0.7    | 15     | 3.8    | 3.7    | 0.9    | 57572 | 28     | 0.4    | 12893  | 13     |
| F25285    | FMD013  | 72.00    | 76.00  | <0.01  | <0.1   | 19.8   | 1.5    | 0.3    | 77.9   | 9      | 4.2    | 2.8    | 0.6    | 17     | 5      | 3      | 1      | 54481 | 39     | 0.4    | 16765  | 17     |
| F25286    | FMD013  | 76.00    | 80.00  | <0.01  | <0.1   | 42.5   | 1.9    | 0.5    | 45     | 5.2    | 4.3    | 2.3    | 0.8    | 16     | 3.5    | 2.7    | 0.8    | 52514 | 21.6   | 0.4    | 10789  | 11     |
| F25287    | FMD013  | 80.00    | 84.00  | <0.01  | <0.1   | 15     | 3.3    | 0.5    | 75.4   | 8.6    | 4.7    | 2.8    | 1.2    | 17     | 6.2    | 3.8    | 0.9    | 42932 | 41.6   | 0.4    | 11883  | 16     |
| F25288    | FMD013  | 84.00    | 88.00  | 0.01   | <0.1   | 16.8   | 1.7    | 0.6    | 81.5   | 6.2    | 4.3    | 2.1    | 1      | 20     | 4.8    | 3.8    | 0.7    | 43038 | 43.2   | 0.3    | 19374  | 16     |
| F25289    | FMD013  | 88.00    | 90.00  | 0.02   | <0.1   | 24.9   | 2.2    | 0.9    | 61.2   | 3.6    | 3.8    | 2.1    | 0.7    | 17     | 4.4    | 4.1    | 0.7    | 37806 | 35.9   | 0.3    | 19153  | 14     |

| Sample ID | Hole ID | From (m) | To (m) | Nd<br>ppm<br>0.1 | P<br>ppm<br>10 | Pb<br>ppm<br>0.5 | Pr<br>ppm<br>0.1 | S<br>ppm<br>20 | Sb<br>ppm<br>0.5 | Sm<br>ppm<br>0.1 | Sn<br>ppm<br>0.5 | Ta<br>ppm<br>0.1 | Tb<br>ppm<br>0.1 | Th<br>ppm<br>0.1 | Tl<br>ppm<br>1 | Tm<br>ppm<br>0.1 | U<br>ppm<br>0.1 | W<br>ppm<br>1 | Y<br>ppm<br>0.5 | Yb<br>ppm<br>0.1 | Zn<br>ppm<br>0.5 | Zr<br>ppm<br>2 |
|-----------|---------|----------|--------|------------------|----------------|------------------|------------------|----------------|------------------|------------------|------------------|------------------|------------------|------------------|----------------|------------------|-----------------|---------------|-----------------|------------------|------------------|----------------|
| F25049    | FMD008  | 0        | 4.00   |                  | 179            | 8.9              |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 29.6             |                |
| F25051    | FMD008  | 4        | 8.00   |                  | 281            | 5.5              |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 27.9             |                |
| F25052    | FMD008  | 8        | 12.00  |                  | 480            | 5                |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 30.3             |                |
| F25053    | FMD008  | 12       | 16.00  |                  | 484            | 5                |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 26.7             |                |
| F25054    | FMD008  | 16       | 20.00  |                  | 463            | 2.5              |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 23               |                |
| F25055    | FMD008  | 20       | 24.00  |                  | 524            | 5.6              |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 24.4             |                |
| F25056    | FMD008  | 24       | 28.00  |                  | 511            | 5.1              |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 33.8             |                |
| F25057    | FMD008  | 28       | 32.00  | 26.7             | 552            | 8.3              | 7.1              | 187            | 0.6              | 5.6              | 3.5              | 1.1              | 0.7              | 11.1             | 2              | 0.5              | 3.2             | 4             | 25.9            | 2.6              | 25.3             | 213            |
| F25058    | FMD008  | 32       | 36.00  | 27               | 443            | 13.3             | 7.2              | 428            | <0.5             | 6.1              | 2.9              | 1.7              | 0.9              | 16.2             | <1             | 0.5              | 5.8             | 3             | 29.7            | 2.8              | 12.2             | 191            |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | Nd<br>ppm<br>0.1 | P<br>ppm<br>10 | Pb<br>ppm<br>0.5 | Pr<br>ppm<br>0.1 | S<br>ppm<br>20 | Sb<br>ppm<br>0.5 | Sm<br>ppm<br>0.1 | Sn<br>ppm<br>0.5 | Ta<br>ppm<br>0.1 | Tb<br>ppm<br>0.1 | Th<br>ppm<br>0.1 | Tl<br>ppm<br>1 | Tm<br>ppm<br>0.1 | U<br>ppm<br>0.1 | W<br>ppm<br>1 | Y<br>ppm<br>0.5 | Yb<br>ppm<br>0.1 | Zn<br>ppm<br>0.5 | Zr<br>ppm<br>2 |
|-----------|---------|----------|--------|------------------|----------------|------------------|------------------|----------------|------------------|------------------|------------------|------------------|------------------|------------------|----------------|------------------|-----------------|---------------|-----------------|------------------|------------------|----------------|
| F25059    | FMD008  | 36       | 40.00  | 30.8             | 326            | 26               | 9.3              | 1651           | <0.5             | 6.5              | 4.6              | 2.6              | 0.8              | 26.2             | 2              | 0.4              | 6.3             | 2             | 27.7            | 2.8              | 18.5             | 137            |
| F25060    | FMD008  | 40       | 44.00  | 42.6             | 838            | 16.5             | 12.5             | 437            | <0.5             | 8.5              | 4.6              | 2.5              | 1                | 24.9             | 1              | 0.6              | 7.6             | 2             | 34              | 3.3              | 39               | 266            |
| F25062    | FMD008  | 44       | 48.00  | 69.3             | 1501           | 9.7              | 20.5             | 111            | <0.5             | 11.4             | 5                | 1.8              | 1.2              | 18.5             | 1              | 0.7              | 6.5             | 2             | 34.6            | 3.7              | 66.4             | 478            |
| F25063    | FMD008  | 48       | 52.00  | 48.3             | 967            | 20.1             | 14.3             | 91             | <0.5             | 8.3              | 5.7              | 2                | 1                | 19               | 2              | 0.5              | 6.1             | 2             | 31.2            | 3.1              | 49.7             | 322            |
| F25064    | FMD008  | 52       | 56.00  | 6.8              | 46             | 34.6             | 1.6              | 249            | <0.5             | 2.8              | 5.7              | 4.9              | 1                | 7.8              | 2              | 0.7              | 7.1             | 2             | 41.9            | 4.1              | 12.3             | 23             |
| F25065    | FMD008  | 56       | 60.00  | 54.4             | 1590           | 26.3             | 15.2             | 591            | <0.5             | 10.3             | 4.8              | 2.5              | 1                | 13.4             | 2              | 0.5              | 7               | 2             | 31.5            | 3.3              | 47.5             | 360            |
| F25066    | FMD008  | 60       | 64.00  | 56.3             | 1809           | 9.9              | 16.3             | 352            | 1.1              | 9.8              | 4.7              | 1.8              | 0.9              | 16.2             | 1              | 0.5              | 8.2             | 2             | 27              | 2.7              | 68               | 439            |
| F25067    | FMD008  | 64       | 68.00  | 35.6             | 176            | 41               | 11               | 310            | <0.5             | 6.5              | 3                | 2.9              | 0.8              | 34.3             | 1              | 0.5              | 7.6             | 3             | 28.3            | 3.2              | 23.2             | 155            |
| F25068    | FMD008  | 68       | 72.00  | 36.1             | 111            | 30.7             | 11.1             | 464            | <0.5             | 6.7              | 3.8              | 3.3              | 0.9              | 35.8             | 1              | 0.5              | 6.8             | 3             | 28.7            | 2.8              | 19.8             | 133            |
| F25069    | FMD008  | 72       | 76.00  | 41.6             | 128            | 37.7             | 13.3             | 260            | <0.5             | 6.9              | 5.6              | 2.1              | 0.8              | 39.4             | 1              | 0.4              | 6               | 3             | 27.8            | 2.9              | 23.4             | 139            |
| F25070    | FMD008  | 76       | 80.00  | 34.2             | 166            | 33               | 10.5             | 299            | <0.5             | 6.1              | 4                | 2.1              | 0.8              | 29.5             | 1              | 0.6              | 6               | 4             | 30.1            | 3.2              | 32               | 149            |
| F25071    | FMD008  | 80       | 84.00  | 38.2             | 204            | 44               | 11.4             | 131            | <0.5             | 7.4              | 4.6              | 1.2              | 0.9              | 26.5             | 1              | 0.5              | 7.8             | 5             | 29.3            | 3                | 96.1             | 171            |
| F25072    | FMD008  | 84       | 88.00  | 49.6             | 1342           | 20               | 14.1             | 685            | <0.5             | 8.6              | 4                | 1.5              | 1                | 16.9             | 2              | 0.4              | 6.8             | 3             | 29.3            | 2.6              | 88.6             | 253            |
| F25073    | FMD008  | 88       | 92.00  | 47.8             | 1113           | 25.5             | 13.8             | 1171           | <0.5             | 9.2              | 3.7              | 1.5              | 1                | 21.3             | <1             | 0.4              | 7.6             | 4             | 28.5            | 2.4              | 69               | 237            |
| F25074    | FMD008  | 92       | 96.00  | 42.4             | 1660           | 14.3             | 11.6             | 991            | <0.5             | 8                | 5.2              | 2.6              | 0.9              | 11.2             | <1             | 0.4              | 5.8             | 3             | 25              | 2.4              | 88.9             | 230            |
| F25076    | FMD008  | 96       | 100.00 | 28.2             | 674            | 39.7             | 8.4              | 1528           | <0.5             | 6.1              | 4.1              | 2.2              | 1                | 13.8             | 2              | 0.6              | 8.7             | 4             | 34.1            | 3.3              | 58.5             | 132            |
| F25077    | FMD008  | 100      | 104.00 | 36               | 855            | 42.4             | 10.6             | 3696           | <0.5             | 7.3              | 5.4              | 2                | 1                | 17.4             | 2              | 0.5              | 7.9             | 5             | 31.6            | 2.9              | 78               | 168            |
| F25078    | FMD008  | 104      | 108.00 | 33.1             | 721            | 31.9             | 9.9              | 4595           | <0.5             | 6.5              | 5.2              | 1.9              | 0.9              | 16.5             | 1              | 0.5              | 9.4             | 7             | 31.1            | 3                | 55.5             | 167            |
| F25079    | FMD008  | 108      | 112.00 | 44.1             | 227            | 43.6             | 12.5             | 2949           | <0.5             | 8.1              | 4.9              | 1.3              | 0.9              | 25.3             | <1             | 0.5              | 9.3             | 8             | 29              | 2.9              | 48.6             | 165            |
| F25080    | FMD008  | 112      | 116.00 | 39.5             | 208            | 49.8             | 11.9             | 2643           | <0.5             | 7.8              | 6.7              | 1.5              | 1                | 29.8             | 1              | 0.5              | 10.6            | 5             | 32.9            | 3.2              | 46.3             | 162            |
| F25081    | FMD008  | 116      | 120.00 | 22.2             | 104            | 63.3             | 6.1              | 958            | <0.5             | 5.2              | 4.3              | 1.5              | 1                | 26.1             | 2              | 0.7              | 14.2            | 5             | 41.7            | 3.9              | 68.1             | 132            |
| F25082    | FMD008  | 120      | 124.00 | 27.9             | 158            | 41               | 8.4              | 2408           | <0.5             | 6.2              | 3.7              | 1.1              | 0.7              | 18.7             | 1              | 0.4              | 6.6             | 5             | 26.3            | 2.8              | 41.1             | 126            |
| F25083    | FMD008  | 124      | 128.00 | 31.2             | 159            | 53.1             | 8.9              | 964            | <0.5             | 6.5              | 4.7              | 1.8              | 0.9              | 20.5             | 1              | 0.6              | 8.2             | 5             | 31.6            | 3.5              | 45.8             | 117            |
| F25084    | FMD008  | 128      | 132.00 | 30.8             | 98             | 37.1             | 8.8              | 556            | <0.5             | 6.8              | 4                | 1.9              | 1.1              | 23.2             | <1             | 0.6              | 7.6             | 4             | 39              | 3.8              | 26               | 114            |
| F25085    | FMD008  | 132      | 136.00 | 30.3             | 861            | 51.8             | 9                | 1017           | <0.5             | 7.1              | 5.4              | 2.7              | 1.3              | 12.9             | 2              | 0.9              | 7.8             | 14            | 53.3            | 5.5              | 94.9             | 161            |
| F25086    | FMD008  | 136      | 140.00 | 41.8             | 1173           | 38.3             | 11.7             | 1518           | <0.5             | 8.1              | 5.5              | 2                | 0.8              | 14.6             | 1              | 0.4              | 5               | 3             | 24.5            | 2.2              | 120.6            | 246            |
| F25087    | FMD008  | 140      | 144.00 | 40.8             | 1352           | 37.6             | 10.8             | 1058           | <0.5             | 8                | 4.7              | 2.5              | 1.2              | 13.5             | <1             | 0.8              | 8.3             | 4             | 43.3            | 4.9              | 96.1             | 217            |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | Nd<br>ppm<br>0.1 | P<br>ppm<br>10 | Pb<br>ppm<br>0.5 | Pr<br>ppm<br>0.1 | S<br>ppm<br>20 | Sb<br>ppm<br>0.5 | Sm<br>ppm<br>0.1 | Sn<br>ppm<br>0.5 | Ta<br>ppm<br>0.1 | Tb<br>ppm<br>0.1 | Th<br>ppm<br>0.1 | Tl<br>ppm<br>1 | Tm<br>ppm<br>0.1 | U<br>ppm<br>0.1 | W<br>ppm<br>1 | Y<br>ppm<br>0.5 | Yb<br>ppm<br>0.1 | Zn<br>ppm<br>0.5 | Zr<br>ppm<br>2 |
|-----------|---------|----------|--------|------------------|----------------|------------------|------------------|----------------|------------------|------------------|------------------|------------------|------------------|------------------|----------------|------------------|-----------------|---------------|-----------------|------------------|------------------|----------------|
| F25088    | FMD008  | 144      | 148.00 | 28.9             | 1014           | 44               | 7.6              | 830            | <0.5             | 5.9              | 3.5              | 2.4              | 1.3              | 11.8             | <1             | 0.8              | 8.4             | 4             | 49              | 4.8              | 79.3             | 155            |
| F25089    | FMD008  | 148      | 150.00 | 16.5             | 285            | 104.9            | 4.3              | 1426           | <0.5             | 4.7              | 3.9              | 3.1              | 1.2              | 12.7             | 1              | 1                | 12.3            | 4             | 51.7            | 5.8              | 186.3            | 70             |
| F25090    | FMD009  | 0.00     | 4.00   |                  | 347            | 53.2             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 49.4             |                |
| F25092    | FMD009  | 4.00     | 8.00   |                  | 1024           | 22.7             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 68.8             |                |
| F25093    | FMD009  | 8.00     | 12.00  |                  | 1352           | 15.1             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 67.5             |                |
| F25094    | FMD009  | 12.00    | 16.00  |                  | 1352           | 33.8             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 54.8             |                |
| F25095    | FMD009  | 16.00    | 20.00  |                  | 1292           | 28.7             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 46.5             |                |
| F25096    | FMD009  | 20.00    | 24.00  |                  | 1570           | 42.2             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 36               |                |
| F25097    | FMD009  | 24.00    | 28.00  |                  | 1600           | 23.2             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 28.9             |                |
| F25098    | FMD009  | 28.00    | 32.00  |                  | 1709           | 22.9             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 29.6             |                |
| F25099    | FMD009  | 32.00    | 36.00  |                  | 1968           | 24.8             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 28.8             |                |
| F25100    | FMD009  | 36.00    | 40.00  |                  | 1699           | 7.3              |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 32               |                |
| F25101    | FMD009  | 40.00    | 44.00  |                  | 576            | 4.7              |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 18.1             |                |
| F25102    | FMD009  | 44.00    | 48.00  |                  | 721            | 26.8             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 26.9             |                |
| F25103    | FMD009  | 48.00    | 52.00  |                  | 773            | 23.9             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 65.5             |                |
| F25104    | FMD009  | 52.00    | 56.00  |                  | 428            | 12               |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 46.8             |                |
| F25105    | FMD009  | 56.00    | 60.00  |                  | 463            | 13.5             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 35               |                |
| F25106    | FMD009  | 60.00    | 64.00  |                  | 194            | 12.9             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 54.1             |                |
| F25107    | FMD009  | 64.00    | 68.00  |                  | 34             | 10.4             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 94.7             |                |
| F25108    | FMD009  | 68.00    | 72.00  |                  | 28             | 8.2              |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 141.1            |                |
| F25109    | FMD009  | 72.00    | 76.00  |                  | 47             | 7.3              |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 75.3             |                |
| F25110    | FMD009  | 76.00    | 80.00  |                  | 32             | 9.3              |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 49.3             |                |
| F25111    | FMD009  | 80.00    | 84.00  |                  | 45             | 7.7              |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 33.6             |                |
| F25112    | FMD009  | 84.00    | 88.00  |                  | 76             | 4.6              |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 12               |                |
| F25113    | FMD009  | 88.00    | 92.00  |                  | 487            | 10.9             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 30.7             |                |
| F25114    | FMD009  | 92.00    | 96.00  |                  | 383            | 23.5             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 151.9            |                |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | Nd<br>ppm<br>0.1 | P<br>ppm<br>10 | Pb<br>ppm<br>0.5 | Pr<br>ppm<br>0.1 | S<br>ppm<br>20 | Sb<br>ppm<br>0.5 | Sm<br>ppm<br>0.1 | Sn<br>ppm<br>0.5 | Ta<br>ppm<br>0.1 | Tb<br>ppm<br>0.1 | Th<br>ppm<br>0.1 | Tl<br>ppm<br>1 | Tm<br>ppm<br>0.1 | U<br>ppm<br>0.1 | W<br>ppm<br>1 | Y<br>ppm<br>0.5 | Yb<br>ppm<br>0.1 | Zn<br>ppm<br>0.5 | Zr<br>ppm<br>2 |
|-----------|---------|----------|--------|------------------|----------------|------------------|------------------|----------------|------------------|------------------|------------------|------------------|------------------|------------------|----------------|------------------|-----------------|---------------|-----------------|------------------|------------------|----------------|
| F25115    | FMD009  | 96.00    | 101.00 |                  | 309            | 14.1             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 70.9             |                |
| F25116    | FMD009  | 101.00   | 105.00 |                  | 210            | 40.8             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 136.8            |                |
| F25117    | FMD009  | 105.00   | 109.00 |                  | 96             | 23.5             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 346.9            |                |
| F25118    | FMD009  | 109.00   | 113.00 |                  | 87             | 31.7             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 376              |                |
| F25119    | FMD009  | 113.00   | 117.00 |                  | 42             | 74.1             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 221.9            |                |
| F25120    | FMD009  | 117.00   | 120.00 |                  | 375            | 30.4             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 201.4            |                |
| F25121    | FMD007  | 0.00     | 4.00   |                  | 179            | 121.7            |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 51.5             |                |
| F25122    | FMD007  | 4.00     | 8.00   |                  | 66             | 24.6             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 7.4              |                |
| F25123    | FMD007  | 8.00     | 12.00  |                  | 53             | 22.9             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 11.3             |                |
| F25124    | FMD007  | 12.00    | 16.00  |                  | 165            | 30               |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 10.2             |                |
| F25126    | FMD007  | 16.00    | 20.00  |                  | 168            | 20.4             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 9                |                |
| F25127    | FMD007  | 20.00    | 24.00  |                  | 231            | 24               |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 10.6             |                |
| F25128    | FMD007  | 24.00    | 28.00  |                  | 215            | 27.7             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 25.3             |                |
| F25129    | FMD007  | 28.00    | 32.00  |                  | 349            | 14.4             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 29               |                |
| F25130    | FMD007  | 32.00    | 36.00  |                  | 492            | 10.4             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 23.9             |                |
| F25132    | FMD007  | 36.00    | 40.00  |                  | 483            | 11.4             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 25.5             |                |
| F25133    | FMD007  | 40.00    | 44.00  |                  | 545            | 12.8             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 36.5             |                |
| F25134    | FMD007  | 44.00    | 48.00  |                  | 565            | 13.3             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 30.8             |                |
| F25135    | FMD007  | 48.00    | 52.00  |                  | 602            | 16.3             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 19.8             |                |
| F25136    | FMD007  | 52.00    | 56.00  |                  | 376            | 15.3             |                  |                |                  |                  |                  |                  |                  |                  |                |                  |                 |               |                 |                  | 12.4             |                |
| F25137    | FMD007  | 56.00    | 60.00  | 21.1             | 242            | 18.5             | 6.4              | 1487           | <0.5             | 4.2              | 9                | 1                | 0.5              | 10.5             | <1             | 0.3              | 5.9             | 6             | 17.2            | 1.7              | 28               | 105            |
| F25138    | FMD007  | 60.00    | 64.00  | 21.6             | 180            | 21               | 6.5              | 253            | <0.5             | 3.5              | 3.4              | 0.7              | 0.4              | 12.3             | <1             | 0.3              | 3               | 4             | 14.4            | 1.9              | 54.6             | 80             |
| F25139    | FMD007  | 64.00    | 68.00  | 22.4             | 164            | 21.1             | 7                | 1038           | 0.5              | 3.9              | 3                | 0.6              | 0.3              | 11.3             | <1             | 0.2              | 2.5             | 4             | 12.2            | 1.5              | 40.5             | 78             |
| F25140    | FMD007  | 68.00    | 72.00  | 52.6             | 374            | 48.4             | 16.3             | 169            | 0.5              | 8.9              | 6.3              | 1.4              | 1                | 31.8             | <1             | 0.6              | 5.2             | 8             | 33.3            | 3.6              | 73.6             | 248            |
| F25141    | FMD007  | 72.00    | 76.00  | 41.1             | 1093           | 33.2             | 12.2             | 257            | <0.5             | 6.8              | 8.6              | 0.9              | 0.6              | 20.2             | <1             | 0.4              | 3.6             | 6             | 21.2            | 2.5              | 70.5             | 131            |
| F25142    | FMD007  | 76.00    | 80.00  | 49.8             | 616            | 52.2             | 14.3             | 128            | 0.5              | 8.4              | 5.5              | 1.1              | 0.9              | 31.5             | <1             | 0.5              | 4.2             | 6             | 28.6            | 3.4              | 556              | 168            |
| F25143    | FMD007  | 80.00    | 84.00  | 45.7             | 241            | 46               | 13.8             | 138            | <0.5             | 6.7              | 5.4              | 1.1              | 0.8              | 25.5             | 1              | 0.5              | 3.4             | 6             | 26.9            | 3.1              | 154              | 141            |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | Nd<br>ppm<br>0.1 | P<br>ppm<br>10 | Pb<br>ppm<br>0.5 | Pr<br>ppm<br>0.1 | S<br>ppm<br>20 | Sb<br>ppm<br>0.5 | Sm<br>ppm<br>0.1 | Sn<br>ppm<br>0.5 | Ta<br>ppm<br>0.1 | Tb<br>ppm<br>0.1 | Th<br>ppm<br>0.1 | Tl<br>ppm<br>1 | Tm<br>ppm<br>0.1 | U<br>ppm<br>0.1 | W<br>ppm<br>1 | Y<br>ppm<br>0.5 | Yb<br>ppm<br>0.1 | Zn<br>ppm<br>0.5 | Zr<br>ppm<br>2 |
|-----------|---------|----------|--------|------------------|----------------|------------------|------------------|----------------|------------------|------------------|------------------|------------------|------------------|------------------|----------------|------------------|-----------------|---------------|-----------------|------------------|------------------|----------------|
| F25144    | FMD007  | 84.00    | 88.00  | 31.7             | 400            | 29.7             | 9.8              | 107            | 0.9              | 6.2              | 47.8             | 1.3              | 0.7              | 22.9             | 1              | 0.6              | 5.5             | 8             | 28.2            | 3.2              | 258.5            | 210            |
| F25145    | FMD007  | 88.00    | 92.00  | 34.3             | 275            | 47.3             | 10.7             | 104            | <0.5             | 4.8              | 6.9              | 1.3              | 0.7              | 21.6             | <1             | 0.4              | 3.8             | 5             | 22.7            | 2.7              | 298.4            | 163            |
| F25146    | FMD007  | 92.00    | 96.00  | 23.9             | 271            | 43.3             | 7.5              | 132            | <0.5             | 3.3              | 4.8              | 0.9              | 0.4              | 16.3             | <1             | 0.3              | 2.8             | 5             | 15.3            | 2                | 39.7             | 117            |
| F25147    | FMD007  | 96.00    | 100.00 | 29.7             | 229            | 38.6             | 9.1              | 105            | <0.5             | 3.1              | 4.7              | 1                | 0.4              | 17.3             | <1             | 0.3              | 3.2             | 6             | 15.8            | 2                | 59.7             | 131            |
| F25148    | FMD007  | 100.00   | 104.00 | 47.7             | 431            | 25.8             | 14.3             | 111            | 0.5              | 7.4              | 8                | 1.4              | 1                | 33.1             | <1             | 0.7              | 5.2             | 10            | 36.5            | 4.3              | 40.1             | 255            |
| F25149    | FMD007  | 104.00   | 108.00 | 30.3             | 268            | 24.1             | 9.7              | 206            | <0.5             | 5.2              | 3.7              | 0.7              | 0.6              | 15.8             | <1             | 0.3              | 3.6             | 8             | 19.8            | 2.2              | 23.2             | 141            |
| F25151    | FMD007  | 108.00   | 112.00 | 45.7             | 231            | 33.6             | 13.3             | 175            | <0.5             | 9.2              | 5.4              | 1                | 0.9              | 27.6             | <1             | 0.5              | 4.7             | 7             | 31.6            | 2.8              | 46.2             | 142            |
| F25152    | FMD007  | 112.00   | 114.00 | 53.7             | 161            | 29.8             | 16               | 264            | <0.5             | 8.5              | 7.2              | 1.2              | 1                | 31.6             | 1              | 0.5              | 5.7             | 4             | 29.2            | 2.7              | 23.3             | 171            |
| F25153    | FMD010  | 0.00     | 4.00   | 20.4             | 192            | 60.5             | 5.6              | 110            | 1.1              | 4.7              | 2.5              | 0.9              | 0.5              | 11.5             | <1             | 0.4              | 7.8             | 3             | 21.6            | 2.1              | 45.4             | 185            |
| F25154    | FMD010  | 4.00     | 8.00   | 12.2             | 172            | 23.4             | 3.1              | 126            | 1                | 2.9              | 1.5              | 0.5              | 0.3              | 5.3              | <1             | 0.2              | 5.1             | 1             | 12.8            | 1.1              | 58.2             | 88             |
| F25155    | FMD010  | 8.00     | 12.00  | 20.3             | 367            | 5                | 5.5              | 90             | 0.7              | 4.3              | 2.1              | 0.9              | 0.6              | 9.1              | <1             | 0.3              | 2.1             | 2             | 20.6            | 2.1              | 27.3             | 148            |
| F25156    | FMD010  | 12.00    | 16.00  | 21.1             | 381            | 5.9              | 5.2              | 83             | <0.5             | 4                | 1.9              | 0.8              | 0.6              | 8.7              | <1             | 0.3              | 2.1             | 2             | 20.3            | 2.3              | 23.1             | 152            |
| F25157    | FMD010  | 16.00    | 20.00  | 25.2             | 508            | 9.6              | 6.6              | 53             | 0.6              | 5.3              | 2.5              | 1                | 0.8              | 11.5             | <1             | 0.4              | 3.8             | 2             | 26.5            | 3.1              | 25               | 212            |
| F25158    | FMD010  | 20.00    | 24.00  | 28.5             | 456            | 5.2              | 7.1              | 94             | <0.5             | 6.2              | 2.6              | 1.2              | 0.7              | 11               | <1             | 0.5              | 3.7             | 2             | 28.1            | 2.7              | 23.1             | 217            |
| F25159    | FMD010  | 24.00    | 28.00  | 30.4             | 551            | 6.3              | 7.9              | 84             | 0.8              | 5.8              | 3                | 1.4              | 0.8              | 12.3             | <1             | 0.4              | 3               | 2             | 27.9            | 3                | 46.6             | 262            |
| F25160    | FMD010  | 28.00    | 32.00  | 33.4             | 511            | 5.2              | 8.8              | 116            | 0.9              | 6.4              | 3.3              | 1.7              | 0.8              | 12.3             | <1             | 0.5              | 4.5             | 2             | 30.3            | 2.9              | 36.9             | 274            |
| F25162    | FMD010  | 32.00    | 36.00  | 26.3             | 557            | 8.9              | 7                | 297            | 1                | 5                | 2.6              | 1.1              | 0.8              | 11.2             | <1             | 0.4              | 5               | 2             | 27.2            | 2.8              | 24.8             | 226            |
| F25163    | FMD010  | 36.00    | 40.00  | 29.5             | 740            | 17.3             | 7.8              | 498            | <0.5             | 6.1              | 2.6              | 1.3              | 0.9              | 11.9             | <1             | 0.4              | 5               | 2             | 29.3            | 2.8              | 19.6             | 218            |
| F25164    | FMD010  | 40.00    | 44.00  | 28.1             | 1175           | 10               | 7.7              | 518            | <0.5             | 6                | 3.4              | 1.7              | 0.6              | 15.2             | <1             | 0.4              | 5.1             | <1            | 19.9            | 1.9              | 68.4             | 268            |
| F25165    | FMD010  | 44.00    | 48.00  | 21.3             | 516            | 23.9             | 5.3              | 1075           | <0.5             | 4.1              | 2                | 1.5              | 0.6              | 20.9             | <1             | 0.3              | 5.4             | 1             | 20.1            | 1.9              | 29.6             | 133            |
| F25166    | FMD010  | 48.00    | 52.00  | 66.2             | 2401           | 9.6              | 18.3             | 102            | <0.5             | 12.1             | 2.8              | 1.7              | 1.2              | 16.4             | <1             | 0.6              | 8.3             | 1             | 36.7            | 3.6              | 66.1             | 457            |
| F25167    | FMD010  | 52.00    | 56.00  | 72.2             | 2789           | 6.3              | 19.6             | 167            | <0.5             | 11.7             | 2.2              | 1.7              | 1.2              | 11.2             | <1             | 0.6              | 6               | <1            | 35.4            | 3.7              | 65.9             | 456            |
| F25168    | FMD010  | 56.00    | 60.00  | 51.6             | 1410           | 12.9             | 14.6             | 83             | <0.5             | 8.7              | 1.9              | 1.3              | 1                | 22.5             | <1             | 0.5              | 5.8             | 1             | 29.2            | 2.7              | 37.1             | 270            |
| F25169    | FMD010  | 60.00    | 64.00  | 40.7             | 469            | 12.5             | 12.4             | 196            | <0.5             | 8.1              | 1.8              | 1.5              | 0.9              | 23.9             | <1             | 0.6              | 5               | 2             | 27.2            | 3.2              | 41.5             | 327            |
| F25170    | FMD010  | 64.00    | 68.00  | 47.9             | 1052           | 16.5             | 12.5             | 55             | <0.5             | 8.3              | 3.3              | 2.3              | 1                | 15.6             | <1             | 0.5              | 7.3             | 1             | 32.4            | 3                | 94.3             | 436            |
| F25171    | FMD010  | 68.00    | 72.00  | 73.5             | 1032           | 11.8             | 19.2             | 55             | <0.5             | 13.1             | 4                | 2                | 1.2              | 14.5             | <1             | 0.7              | 8.5             | 2             | 38.6            | 4.1              | 97.8             | 599            |
| F25172    | FMD010  | 72.00    | 76.00  | 52.6             | 1072           | 14.7             | 14.3             | 45             | <0.5             | 9.3              | 2.8              | 1.5              | 1                | 16               | <1             | 0.5              | 6.7             | 1             | 32              | 3.4              | 67.5             | 373            |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | Nd<br>ppm<br>0.1 | P<br>ppm<br>10 | Pb<br>ppm<br>0.5 | Pr<br>ppm<br>0.1 | S<br>ppm<br>20 | Sb<br>ppm<br>0.5 | Sm<br>ppm<br>0.1 | Sn<br>ppm<br>0.5 | Ta<br>ppm<br>0.1 | Tb<br>ppm<br>0.1 | Th<br>ppm<br>0.1 | Tl<br>ppm<br>1 | Tm<br>ppm<br>0.1 | U<br>ppm<br>0.1 | W<br>ppm<br>1 | Y<br>ppm<br>0.5 | Yb<br>ppm<br>0.1 | Zn<br>ppm<br>0.5 | Zr<br>ppm<br>2 |
|-----------|---------|----------|--------|------------------|----------------|------------------|------------------|----------------|------------------|------------------|------------------|------------------|------------------|------------------|----------------|------------------|-----------------|---------------|-----------------|------------------|------------------|----------------|
| F25173    | FMD010  | 76.00    | 80.00  | 48.8             | 1522           | 11.5             | 13.4             | 43             | <0.5             | 7.3              | 3.2              | 1.7              | 0.9              | 15               | <1             | 0.5              | 5.2             | 1             | 26.9            | 2.9              | 107.8            | 295            |
| F25174    | FMD010  | 80.00    | 84.00  | 40.8             | 960            | 19               | 11.6             | 71             | <0.5             | 8.8              | 2.6              | 2.2              | 1.2              | 27               | <1             | 0.7              | 7.7             | 2             | 42              | 4.3              | 59.8             | 270            |
| F25176    | FMD010  | 84.00    | 88.00  | 41.4             | 613            | 3.8              | 11.7             | 69             | <0.5             | 8                | 2.8              | 2.8              | 0.8              | 35.9             | <1             | 0.5              | 6.5             | 3             | 26              | 3.3              | 89.4             | 159            |
| F25177    | FMD010  | 92.00    | 96.00  | 56.7             | 114            | 1.7              | 15.9             | 69             | <0.5             | 11.1             | 2.8              | 3.5              | 1                | 53.9             | <1             | 0.5              | 5               | 2             | 27.9            | 2.7              | 106.7            | 48             |
| F25178    | FMD010  | 96.00    | 100.00 | 25.3             | 200            | 8.2              | 7.7              | 51             | 0.5              | 4.2              | 1.9              | 1.9              | 0.6              | 20.7             | <1             | 0.3              | 3.9             | 1             | 20.3            | 2                | 28.9             | 131            |
| F25179    | FMD010  | 100.00   | 104.00 | 15.4             | 57             | 17               | 4.3              | 52             | 0.6              | 4.4              | 2                | 1.7              | 0.7              | 17.3             | <1             | 0.5              | 3.9             | 2             | 31.9            | 3.1              | 13.8             | 56             |
| F25180    | FMD010  | 104.00   | 108.00 | 50.8             | 1767           | 12.8             | 13.8             | 61             | <0.5             | 10.1             | 3.4              | 1.9              | 1                | 19               | <1             | 0.5              | 8.3             | 2             | 30              | 3.4              | 65.4             | 336            |
| F25181    | FMD010  | 108.00   | 112.00 | 61.8             | 2401           | 10.9             | 15.7             | 52             | <0.5             | 10.7             | 3.8              | 1.8              | 1.2              | 15.5             | <1             | 0.6              | 9.3             | 2             | 40.4            | 3.7              | 81.7             | 398            |
| F25182    | FMD010  | 112.00   | 116.00 | 89.6             | 3086           | 6.8              | 24.2             | 218            | <0.5             | 15               | 4.3              | 2.2              | 1.5              | 14.6             | <1             | 0.7              | 6.2             | 1             | 44.4            | 4.1              | 78               | 473            |
| F25183    | FMD010  | 116.00   | 120.00 | 87.8             | 2861           | 6.9              | 23.6             | 61             | <0.5             | 13.9             | 2.9              | 1.9              | 1.5              | 12.1             | <1             | 0.8              | 5.3             | 1             | 47.4            | 4.1              | 87.1             | 537            |
| F25184    | FMD010  | 120.00   | 124.00 | 73.2             | 2534           | 11.3             | 19.5             | 44             | <0.5             | 12               | 3.4              | 2.1              | 1.2              | 13.2             | <1             | 0.6              | 7.9             | 2             | 39.7            | 4.3              | 81.8             | 467            |
| F25185    | FMD010  | 124.00   | 128.00 | 31.5             | 1359           | 7                | 9.3              | 124            | <0.5             | 6.4              | 2.6              | 2                | 0.8              | 14.5             | <1             | 0.5              | 8.8             | 2             | 24.2            | 2.9              | 58.5             | 190            |
| F25186    | FMD010  | 128.00   | 131.80 | 13.2             | 623            | 11.6             | 3.3              | 454            | <0.5             | 3.6              | 1.4              | 0.4              | 0.5              | 1.5              | <1             | 0.3              | 3.5             | 1             | 20.3            | 2.5              | 97.1             | 88             |
| F25187    | FMD011  | 0.00     | 4.00   | 33.8             | 488            | 75.4             | 9.2              | 154            | 2.6              | 6.6              | 3.8              | 1.3              | 0.9              | 16               | <1             | 0.5              | 7.4             | 4             | 31.1            | 3.2              | 47.6             | 263            |
| F25188    | FMD011  | 4.00     | 8.00   | 4.9              | 136            | 9.2              | 1.1              | 188            | 1                | 0.9              | <0.5             | 0.2              | 0.1              | 1.6              | <1             | <0.1             | 2.2             | <1            | 3.9             | 0.4              | 26.1             | 25             |
| F25189    | FMD011  | 8.00     | 12.00  | 3.9              | 122            | 12.2             | 1                | 963            | 1                | 0.6              | 0.9              | 0.3              | <0.1             | 1.2              | <1             | <0.1             | 3.4             | <1            | 2.9             | 0.2              | 18.1             | 17             |
| F25190    | FMD011  | 12.00    | 16.00  | 3.3              | 117            | 5.5              | 0.9              | 2077           | 0.9              | 0.9              | 0.6              | 0.1              | <0.1             | 1.2              | 1              | <0.1             | 3.9             | <1            | 2.4             | 0.4              | 19.1             | 14             |
| F25192    | FMD011  | 16.00    | 20.00  | 3.9              | 71             | 5.4              | 0.9              | 2160           | <0.5             | 0.7              | <0.5             | <0.1             | <0.1             | 0.8              | <1             | <0.1             | 3.8             | 3             | 3.5             | 0.1              | 33.8             | 10             |
| F25193    | FMD011  | 20.00    | 24.00  | 2.7              | 63             | 2.9              | 0.8              | 1209           | <0.5             | 0.6              | <0.5             | <0.1             | <0.1             | 0.5              | <1             | <0.1             | 3.3             | <1            | 2.8             | 0.1              | 36.6             | 8              |
| F25194    | FMD011  | 24.00    | 28.00  | 5.5              | 122            | 6.3              | 1.7              | 4288           | <0.5             | 0.7              | 0.6              | 0.3              | 0.2              | 2.9              | <1             | <0.1             | 3.9             | 1             | 7.1             | 0.6              | 19.2             | 44             |
| F25195    | FMD011  | 28.00    | 32.00  | 7.8              | 152            | 10.4             | 2                | 1519           | <0.5             | 2.1              | 1                | 0.6              | 0.2              | 4.1              | 1              | 0.1              | 2.8             | 1             | 8.1             | 0.7              | 11.6             | 73             |
| F25196    | FMD011  | 32.00    | 36.00  | 16.7             | 318            | 4.6              | 4.3              | 390            | <0.5             | 3.2              | 3                | 0.7              | 0.4              | 7.2              | <1             | 0.3              | 2               | 1             | 16.4            | 1.7              | 20.6             | 122            |
| F25197    | FMD011  | 36.00    | 40.00  | 28.1             | 458            | 3.7              | 6.8              | 319            | <0.5             | 5.1              | 2.6              | 1.1              | 0.9              | 11.6             | <1             | 0.5              | 2.6             | 2             | 27.9            | 3.3              | 22.4             | 208            |
| F25198    | FMD011  | 40.00    | 44.00  | 29.2             | 505            | 4.3              | 7.4              | 209            | <0.5             | 5.8              | 4.9              | 1.4              | 0.8              | 11.8             | <1             | 0.5              | 2.9             | 2             | 26.4            | 2.9              | 33.5             | 227            |
| F25199    | FMD011  | 44.00    | 48.00  | 29.6             | 516            | 5.1              | 7.3              | 161            | 0.6              | 5.8              | 2.7              | 1.3              | 0.8              | 11.6             | 1              | 0.5              | 3.3             | 1             | 28              | 2.9              | 40.2             | 237            |
| F25200    | FMD011  | 48.00    | 52.00  | 28.8             | 606            | 10.9             | 8                | 172            | 0.5              | 5.8              | 3                | 1.2              | 0.8              | 12.5             | <1             | 0.5              | 4.8             | 3             | 28.6            | 3.2              | 28.1             | 248            |
| F25201    | FMD011  | 52.00    | 56.00  | 25               | 495            | 6.1              | 6.2              | 305            | 0.9              | 4.3              | 2.2              | 0.8              | 0.6              | 9.3              | <1             | 0.4              | 3               | 2             | 22.1            | 1.9              | 12               | 189            |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | Nd<br>ppm<br>0.1 | P<br>ppm<br>10 | Pb<br>ppm<br>0.5 | Pr<br>ppm<br>0.1 | S<br>ppm<br>20 | Sb<br>ppm<br>0.5 | Sm<br>ppm<br>0.1 | Sn<br>ppm<br>0.5 | Ta<br>ppm<br>0.1 | Tb<br>ppm<br>0.1 | Th<br>ppm<br>0.1 | Tl<br>ppm<br>1 | Tm<br>ppm<br>0.1 | U<br>ppm<br>0.1 | W<br>ppm<br>1 | Y<br>ppm<br>0.5 | Yb<br>ppm<br>0.1 | Zn<br>ppm<br>0.5 | Zr<br>ppm<br>2 |
|-----------|---------|----------|--------|------------------|----------------|------------------|------------------|----------------|------------------|------------------|------------------|------------------|------------------|------------------|----------------|------------------|-----------------|---------------|-----------------|------------------|------------------|----------------|
| F25202    | FMD011  | 56.00    | 60.00  | 39.1             | 387            | 14.7             | 11               | 768            | <0.5             | 8.4              | 2.7              | 1.1              | 1                | 19.4             | <1             | 0.5              | 7.6             | 2             | 36.2            | 3.7              | 44.4             | 167            |
| F25203    | FMD011  | 60.00    | 64.00  | 53.1             | 213            | 21.7             | 15.7             | 182            | <0.5             | 10.3             | 3.1              | 1.6              | 1.4              | 29.5             | <1             | 0.7              | 7.6             | 2             | 49.1            | 5.4              | 56.2             | 222            |
| F25204    | FMD011  | 64.00    | 68.00  | 28.4             | 179            | 21.1             | 8.4              | 139            | <0.5             | 6.4              | 2.6              | 1.6              | 0.8              | 21.6             | 1              | 0.5              | 6.3             | 14            | 29.9            | 3.6              | 51.6             | 107            |
| F25205    | FMD011  | 68.00    | 72.00  | 51               | 216            | 21.2             | 14.5             | 176            | <0.5             | 9.7              | 3.6              | 1.6              | 0.9              | 24.4             | <1             | 0.5              | 7.9             | 3             | 34              | 3.1              | 67.2             | 146            |
| F25206    | FMD011  | 72.00    | 76.00  | 33.1             | 226            | 21.3             | 8.9              | 113            | <0.5             | 5.9              | 3.2              | 1.5              | 0.8              | 22.4             | 1              | 0.5              | 6.6             | 3             | 29.4            | 3.1              | 84.4             | 133            |
| F25207    | FMD011  | 76.00    | 80.00  | 39.8             | 896            | 24.4             | 10.2             | 88             | <0.5             | 6.5              | 3.2              | 1.2              | 0.8              | 18.2             | <1             | 0.5              | 8.5             | 3             | 30.2            | 3.4              | 110              | 199            |
| F25208    | FMD011  | 80.00    | 84.00  | 49               | 1410           | 17.5             | 13.6             | 127            | 0.6              | 8.6              | 4.9              | 1.4              | 0.9              | 16.3             | 1              | 0.5              | 10.2            | 4             | 26.7            | 2.9              | 89.3             | 277            |
| F25209    | FMD011  | 84.00    | 88.00  | 43.8             | 986            | 19.8             | 11.7             | 178            | <0.5             | 8.1              | 4                | 1.3              | 0.8              | 20.7             | <1             | 0.5              | 12.7            | 3             | 26              | 3.1              | 99.2             | 241            |
| F25210    | FMD011  | 88.00    | 92.00  | 14.9             | 59             | 14.5             | 4                | 246            | <0.5             | 2.8              | 1.7              | 0.8              | 0.5              | 32.5             | <1             | 0.3              | 8.7             | 2             | 17.8            | 1.8              | 15.6             | 95             |
| F25211    | FMD011  | 92.00    | 96.00  | 10.7             | 37             | 19.9             | 2.9              | 276            | <0.5             | 1.9              | 2.1              | 0.8              | 0.5              | 28.3             | 1              | 0.3              | 7.9             | 2             | 18.2            | 1.9              | 16.7             | 70             |
| F25212    | FMD011  | 96.00    | 100.00 | 13.1             | 33             | 22               | 3.7              | 375            | <0.5             | 3.1              | 7.7              | 1                | 0.4              | 33.1             | 2              | 0.3              | 9.8             | 3             | 15.4            | 1.4              | 23.2             | 61             |
| F25213    | FMD011  | 100.00   | 104.00 | 12               | 23             | 19.9             | 3.4              | 292            | <0.5             | 2.5              | 5.2              | 1.3              | 0.5              | 30.5             | <1             | 0.3              | 17.9            | 12            | 19.6            | 1.7              | 13.7             | 55             |
| F25214    | FMD011  | 104.00   | 108.00 | 12.6             | 32             | 25.9             | 3.1              | 93             | <0.5             | 2.8              | 1.7              | 1.2              | 0.5              | 30.1             | 1              | 0.3              | 7.8             | 3             | 19.3            | 1.8              | 15.4             | 47             |
| F25215    | FMD011  | 108.00   | 112.00 | 17.2             | 29             | 26.1             | 4.4              | 89             | <0.5             | 4.2              | 1.8              | 1.4              | 0.6              | 33.8             | 1              | 0.3              | 26.5            | 7             | 18.2            | 1.9              | 11.6             | 65             |
| F25216    | FMD011  | 112.00   | 116.00 | 16.4             | 28             | 33               | 3.9              | 66             | 0.6              | 3.8              | 3.6              | 1.3              | 0.6              | 31.7             | 2              | 0.4              | 20.4            | 3             | 22.7            | 2.2              | 22.9             | 68             |
| F25217    | FMD011  | 116.00   | 120.00 | 8.3              | 26             | 26.7             | 2.2              | 90             | <0.5             | 1.9              | 3                | 1.3              | 0.5              | 31               | <1             | 0.4              | 10              | 3             | 22.7            | 2.5              | 14.5             | 52             |
| F25218    | FMD011  | 120.00   | 124.00 | 11.3             | 55             | 31               | 3.3              | 349            | <0.5             | 2.8              | 1.1              | 1.1              | 0.6              | 26.4             | 1              | 0.5              | 21.2            | 11            | 27              | 2.7              | 14.7             | 65             |
| F25219    | FMD011  | 124.00   | 128.00 | 9.5              | 33             | 46.4             | 2.4              | 144            | <0.5             | 2.3              | 1.3              | 1.3              | 0.5              | 27               | 1              | 0.5              | 27              | 3             | 27.2            | 2.9              | 13.9             | 74             |
| F25220    | FMD011  | 128.00   | 132.00 | 8.8              | 26             | 30.7             | 2.5              | 102            | <0.5             | 2.3              | 1.6              | 1.2              | 0.5              | 26.5             | 2              | 0.4              | 19.8            | 3             | 17.7            | 2.4              | 11.9             | 81             |
| F25221    | FMD012  | 0.00     | 4.00   | 31.8             | 151            | 23.8             | 9.2              | 329            | 3.3              | 6.2              | 3.7              | 1                | 0.8              | 14.7             | <1             | 0.5              | 6.6             | 3             | 27.9            | 3.2              | 151.3            | 206            |
| F25222    | FMD012  | 4.00     | 8.00   | 15.1             | 322            | 34.4             | 4.2              | 92             | 1.1              | 3.2              | 1.1              | 0.6              | 0.4              | 6.1              | <1             | 0.2              | 2.6             | 2             | 14.7            | 1.1              | 270              | 95             |
| F25223    | FMD012  | 8.00     | 12.00  | 3.4              | 72             | 9.1              | 0.9              | 1358           | <0.5             | 0.6              | <0.5             | <0.1             | 0.1              | 1                | <1             | <0.1             | 2.7             | <1            | 3.8             | 0.2              | 904.7            | 16             |
| F25224    | FMD012  | 12.00    | 16.00  | 3                | 96             | 9.3              | 0.8              | 3084           | 0.7              | 0.5              | <0.5             | 0.1              | <0.1             | 1.1              | <1             | <0.1             | 4.2             | 9             | 3.3             | 0.3              | 68.3             | 14             |
| F25226    | FMD012  | 16.00    | 20.00  | 2.9              | 68             | 5.9              | 0.6              | 1513           | <0.5             | 0.6              | <0.5             | 0.2              | <0.1             | 0.8              | <1             | <0.1             | 2.9             | 10            | 2.7             | 0.1              | 53.2             | 11             |
| F25227    | FMD012  | 20.00    | 24.00  | 2.7              | 50             | 21.9             | 0.9              | 1524           | <0.5             | 0.6              | <0.5             | 0.2              | 0.1              | 1                | <1             | <0.1             | 3.2             | <1            | 3.3             | 0.3              | 64               | 24             |
| F25228    | FMD012  | 24.00    | 28.00  | 10.7             | 182            | 13.8             | 3.4              | 13841          | <0.5             | 2.1              | 1                | 0.6              | 0.3              | 4.9              | 7              | 0.2              | 5.6             | 13            | 10.7            | 0.8              | 32.8             | 75             |
| F25229    | FMD012  | 28.00    | 32.00  | 22.1             | 366            | 6.5              | 5.4              | 1462           | <0.5             | 4                | 2.6              | 0.9              | 0.5              | 9.3              | <1             | 0.4              | 3               | 2             | 19.7            | 2.3              | 29.8             | 149            |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | Nd<br>ppm<br>0.1 | P<br>ppm<br>10 | Pb<br>ppm<br>0.5 | Pr<br>ppm<br>0.1 | S<br>ppm<br>20 | Sb<br>ppm<br>0.5 | Sm<br>ppm<br>0.1 | Sn<br>ppm<br>0.5 | Ta<br>ppm<br>0.1 | Tb<br>ppm<br>0.1 | Th<br>ppm<br>0.1 | Tl<br>ppm<br>1 | Tm<br>ppm<br>0.1 | U<br>ppm<br>0.1 | W<br>ppm<br>1 | Y<br>ppm<br>0.5 | Yb<br>ppm<br>0.1 | Zn<br>ppm<br>0.5 | Zr<br>ppm<br>2 |
|-----------|---------|----------|--------|------------------|----------------|------------------|------------------|----------------|------------------|------------------|------------------|------------------|------------------|------------------|----------------|------------------|-----------------|---------------|-----------------|------------------|------------------|----------------|
| F25230    | FMD012  | 32.00    | 36.00  | 19.9             | 381            | 6.3              | 5.3              | 206            | 0.8              | 3.9              | 1.9              | 0.7              | 0.6              | 8.7              | <1             | 0.3              | 2.3             | 1             | 20.1            | 2.3              | 28.2             | 149            |
| F25232    | FMD012  | 36.00    | 40.00  | 25.5             | 504            | 3.1              | 6.7              | 99             | <0.5             | 5.6              | 2.2              | 1.1              | 0.8              | 10.9             | <1             | 0.5              | 2.8             | 2             | 26.3            | 2.8              | 25.7             | 210            |
| F25233    | FMD012  | 40.00    | 44.00  | 29.5             | 533            | 4.9              | 7.7              | 157            | 0.8              | 5.1              | 3                | 1.3              | 0.8              | 11.5             | <1             | 0.5              | 2.5             | 1             | 26.7            | 2.9              | 41.7             | 248            |
| F25234    | FMD012  | 44.00    | 48.00  | 30.8             | 543            | 5.4              | 8                | 95             | 0.6              | 7.1              | 2.7              | 1.3              | 0.9              | 12.1             | 2              | 0.4              | 3.3             | 2             | 29.2            | 3.1              | 39.5             | 247            |
| F25235    | FMD012  | 48.00    | 52.00  | 31.2             | 573            | 6.8              | 7.9              | 208            | 0.9              | 6.7              | 2.6              | 1.2              | 0.9              | 11.1             | <1             | 0.5              | 4               | 1             | 27.2            | 2.8              | 24.1             | 224            |
| F25236    | FMD012  | 52.00    | 56.00  | 23.7             | 450            | 8.3              | 6.4              | 1296           | <0.5             | 5.2              | 3.1              | 0.8              | 0.7              | 11.1             | <1             | 0.3              | 5.5             | 1             | 21.5            | 1.6              | 15.6             | 163            |
| F25237    | FMD012  | 56.00    | 60.00  | 39.6             | 1123           | 12.9             | 11.2             | 298            | <0.5             | 7.8              | 2                | 1.3              | 0.8              | 13.5             | <1             | 0.5              | 9               | 1             | 29.8            | 2.8              | 49.3             | 213            |
| F25238    | FMD012  | 60.00    | 64.00  | 55.8             | 1318           | 11.6             | 15.3             | 208            | <0.5             | 9.1              | 1.8              | 1.3              | 0.9              | 24               | <1             | 0.5              | 6.7             | <1            | 24.4            | 2.5              | 40.3             | 253            |
| F25239    | FMD012  | 64.00    | 68.00  | 24.9             | 701            | 6.8              | 5.7              | 64             | 0.6              | 6.1              | 3.3              | 0.5              | 0.9              | 2.4              | <1             | 0.4              | 14.3            | 2             | 21.8            | 2.5              | 50.5             | 135            |
| F25240    | FMD012  | 68.00    | 72.00  | 21.9             | 700            | 10.7             | 4.7              | 54             | 0.6              | 6.4              | 2.3              | 0.5              | 0.8              | 1.4              | <1             | 0.4              | 11.3            | 1             | 23.6            | 2.1              | 70.6             | 103            |
| F25241    | FMD012  | 72.00    | 76.00  | 15.8             | 52             | 19               | 3.9              | 76             | <0.5             | 4.8              | 1.9              | 1.7              | 0.8              | 31.3             | 1              | 0.5              | 5.9             | 2             | 28.1            | 2.9              | 19.5             | 76             |
| F25242    | FMD012  | 76.00    | 80.00  | 15.8             | 700            | 3.8              | 3.6              | 69             | 0.7              | 3.8              | 1.5              | 0.5              | 0.7              | 2                | <1             | 0.4              | 8.1             | <1            | 20.7            | 2.3              | 93.1             | 105            |
| F25243    | FMD012  | 80.00    | 84.00  | 18               | 721            | 3.1              | 3.9              | 58             | <0.5             | 5.2              | 4.7              | 0.4              | 0.7              | 1.8              | <1             | 0.4              | 12.3            | 3             | 23.9            | 2.4              | 94.7             | 111            |
| F25244    | FMD012  | 84.00    | 88.00  | 17.6             | 54             | 9.3              | 4.3              | 92             | <0.5             | 5                | 2.8              | 1.8              | 0.8              | 34.2             | <1             | 0.6              | 4.5             | 1             | 33.1            | 3.1              | 15.5             | 62             |
| F25245    | FMD012  | 88.00    | 91.00  | 13               | 254            | 7.5              | 3.4              | 9904           | 0.6              | 3.4              | 2.4              | 1.9              | 0.8              | 7.7              | 1              | 0.6              | 4.5             | 2             | 30.6            | 3.4              | 87.3             | 64             |
| F25246    | FMD012  | 91.00    | 95.00  | 26.2             | 479            | 8.1              | 6.7              | 94             | <0.5             | 5.7              | 2.3              | 0.7              | 0.9              | 24.2             | <1             | 0.5              | 7.8             | 1             | 28.2            | 2.4              | 90               | 134            |
| F25247    | FMD012  | 95.00    | 99.00  | 15.5             | 682            | 8.5              | 3.7              | 99             | <0.5             | 3.6              | 1.2              | 0.5              | 0.8              | 1.7              | 1              | 0.4              | 7.3             | 1             | 23.9            | 2.4              | 113.2            | 106            |
| F25248    | FMD012  | 99.00    | 103.00 | 20.8             | 693            | 13.1             | 4.4              | 68             | 0.7              | 5.3              | 1.3              | 0.5              | 0.8              | 1.7              | <1             | 0.5              | 6.7             | 1             | 26.6            | 2.4              | 252.6            | 112            |
| F25249    | FMD012  | 103.00   | 107.00 | 19.1             | 707            | 11.5             | 4.3              | 65             | <0.5             | 4.6              | 2.2              | 0.5              | 0.8              | 2.2              | <1             | 0.4              | 6.6             | 1             | 25.4            | 2.7              | 189.4            | 117            |
| F25252    | FMD012  | 107.00   | 111.00 | 17.5             | 478            | 14.5             | 3.6              | 4035           | <0.5             | 4.8              | 2                | 1.6              | 1                | 5.9              | 1              | 0.5              | 7.3             | 1             | 36.9            | 3.5              | 83.3             | 105            |
| F25253    | FMD012  | 111.00   | 115.00 | 16.4             | 703            | 16.3             | 3.2              | 20764          | <0.5             | 4.6              | 2.2              | 0.5              | 0.9              | 1.2              | <1             | 0.4              | 7.2             | <1            | 28              | 2.9              | 83.7             | 136            |
| F25254    | FMD012  | 115.00   | 119.00 | 16.7             | 640            | 14.8             | 2.9              | 20454          | <0.5             | 3.5              | 3.5              | 0.9              | 0.9              | 3.7              | <1             | 0.5              | 4.1             | 2             | 28.7            | 2.9              | 102.2            | 117            |
| F25255    | FMD012  | 119.00   | 123.00 | 10.5             | 578            | 9.1              | 2.1              | 42980          | 0.7              | 2.8              | 2.8              | 0.5              | 0.6              | 1.2              | <1             | 0.3              | 1               | 2             | 18.3            | 1.8              | 89.5             | 93             |
| F25256    | FMD012  | 123.00   | 127.00 | 15               | 694            | 9.8              | 3.3              | 21487          | <0.5             | 4.2              | 2.4              | 0.8              | 0.8              | 1.3              | <1             | 0.4              | 9.7             | 1             | 27.3            | 2.7              | 90.9             | 104            |
| F25257    | FMD012  | 127.00   | 131.00 | 57.8             | 1328           | 9.7              | 15.4             | 4293           | 0.6              | 10.4             | 2.2              | 1.1              | 1                | 14.2             | <1             | 0.5              | 5.6             | 1             | 34.6            | 3.6              | 90.1             | 344            |
| F25258    | FMD012  | 131.00   | 135.00 | 71.7             | 2115           | 6.1              | 19.6             | 755            | <0.5             | 12.4             | 2.2              | 1.5              | 1.3              | 15.1             | <1             | 0.6              | 4.5             | <1            | 37.5            | 3.6              | 54.4             | 508            |
| F25259    | FMD012  | 135.00   | 139.00 | 55.6             | 1624           | 21.2             | 15.4             | 5481           | <0.5             | 9.8              | 2.1              | 1.1              | 1                | 11               | <1             | 0.5              | 2.7             | 1             | 34.5            | 3.3              | 96.2             | 366            |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | Nd<br>ppm<br>0.1 | P<br>ppm<br>10 | Pb<br>ppm<br>0.5 | Pr<br>ppm<br>0.1 | S<br>ppm<br>20 | Sb<br>ppm<br>0.5 | Sm<br>ppm<br>0.1 | Sn<br>ppm<br>0.5 | Ta<br>ppm<br>0.1 | Tb<br>ppm<br>0.1 | Th<br>ppm<br>0.1 | Tl<br>ppm<br>1 | Tm<br>ppm<br>0.1 | U<br>ppm<br>0.1 | W<br>ppm<br>1 | Y<br>ppm<br>0.5 | Yb<br>ppm<br>0.1 | Zn<br>ppm<br>0.5 | Zr<br>ppm<br>2 |
|-----------|---------|----------|--------|------------------|----------------|------------------|------------------|----------------|------------------|------------------|------------------|------------------|------------------|------------------|----------------|------------------|-----------------|---------------|-----------------|------------------|------------------|----------------|
| F25260    | FMD012  | 139.00   | 143.00 | 32.8             | 814            | 24.2             | 8.8              | 1348           | <0.5             | 6.3              | 1.8              | 1.5              | 0.8              | 26.8             | 1              | 0.5              | 15.9            | 2             | 29.7            | 2.5              | 78               | 225            |
| F25262    | FMD012  | 143.00   | 147.00 | 23.2             | 429            | 27.1             | 5.7              | 6391           | <0.5             | 4.7              | 1.9              | 1                | 0.8              | 17.8             | <1             | 0.4              | 12.7            | 3             | 26.2            | 2.7              | 115.4            | 122            |
| F25263    | FMD012  | 147.00   | 151.00 | 43.9             | 1287           | 22.6             | 11.8             | 10431          | <0.5             | 8.4              | 2.6              | 1.1              | 1                | 10               | <1             | 0.5              | 2.7             | 3             | 31.3            | 3.2              | 139.4            | 305            |
| F25264    | FMD012  | 151.00   | 155.00 | 35.2             | 940            | 22.6             | 9.5              | 6546           | <0.5             | 6                | 2.3              | 1.2              | 1                | 15.5             | 2              | 0.7              | 8.6             | 2             | 32.7            | 3.9              | 79.3             | 218            |
| F25265    | FMD012  | 155.00   | 156.00 | 15.2             | 612            | 9                | 3.3              | 17561          | <0.5             | 4.5              | 2.8              | 0.5              | 0.7              | 2.7              | 1              | 0.4              | 1.3             | 2             | 24.8            | 2.4              | 120.9            | 99             |
| F25266    | FMD013  | 0.00     | 2.00   | 7                | 84             | 29.3             | 2                | 310            | <0.5             | 1.1              | <0.5             | <0.1             | 0.2              | 1.5              | <1             | <0.1             | 1.6             | <1            | 6.4             | 0.4              | 159              | 26             |
| F25267    | FMD013  | 5.00     | 8.00   | 6.1              | 101            | 9                | 1.9              | 354            | 0.7              | 1.3              | <0.5             | <0.1             | 0.1              | 1.1              | <1             | <0.1             | 2.3             | <1            | 5.8             | 0.3              | 197.1            | 18             |
| F25268    | FMD013  | 8.00     | 12.00  | 5.3              | 57             | 6.1              | 1.5              | 534            | 0.7              | 0.9              | <0.5             | <0.1             | <0.1             | 0.6              | <1             | <0.1             | 2.1             | <1            | 4.7             | 0.2              | 166.6            | 11             |
| F25269    | FMD013  | 12.00    | 16.00  | 4.1              | 51             | 7.5              | 1.3              | 1565           | <0.5             | 0.6              | <0.5             | 0.2              | 0.1              | 1.3              | <1             | <0.1             | 2.2             | <1            | 5               | 0.3              | 143.7            | 32             |
| F25270    | FMD013  | 16.00    | 20.00  | 7.5              | 145            | 4.5              | 2                | 4035           | 0.5              | 1.6              | 0.9              | 0.3              | 0.2              | 3.5              | <1             | 0.1              | 2.5             | 1             | 8.1             | 0.8              | 42.1             | 52             |
| F25271    | FMD013  | 20.00    | 24.00  | 6.2              | 110            | 10.3             | 1.6              | 2206           | <0.5             | 1.6              | 0.5              | 0.4              | 0.2              | 3                | 1              | <0.1             | 6.2             | 1             | 6.8             | 0.8              | 51.3             | 52             |
| F25272    | FMD013  | 24.00    | 28.00  | 17.5             | 334            | 6.4              | 5                | 503            | <0.5             | 3.8              | 1.7              | 0.8              | 0.6              | 8.3              | <1             | 0.3              | 2.6             | 2             | 19.4            | 1.9              | 34               | 143            |
| F25273    | FMD013  | 28.00    | 32.00  | 22.2             | 466            | 4.4              | 6.2              | 181            | 0.5              | 5.1              | 3                | 0.9              | 0.6              | 10.6             | <1             | 0.5              | 2.9             | 2             | 24.8            | 2.7              | 27.7             | 197            |
| F25274    | FMD013  | 32.00    | 36.00  | 23.7             | 485            | 3.5              | 6.1              | 117            | 0.6              | 4.8              | 2.5              | 0.9              | 0.7              | 10.4             | 1              | 0.4              | 3.3             | 2             | 24.1            | 2.7              | 27.3             | 203            |
| F25276    | FMD013  | 36.00    | 40.00  | 31.4             | 543            | 5                | 8                | 111            | 0.8              | 6.1              | 2.8              | 1.5              | 0.9              | 11.8             | <1             | 0.5              | 3.5             | 2             | 29.2            | 3.3              | 48.9             | 271            |
| F25277    | FMD013  | 40.00    | 44.00  | 23.7             | 502            | 10.6             | 6.1              | 254            | 0.9              | 5.1              | 2                | 0.9              | 0.7              | 9.5              | <1             | 0.4              | 3.3             | 2             | 24.4            | 2.2              | 37               | 194            |
| F25278    | FMD013  | 44.00    | 48.00  | 28               | 609            | 19               | 7                | 227            | 0.7              | 5.7              | 2.7              | 1.1              | 0.7              | 11.6             | <1             | 0.4              | 3.2             | 2             | 26.8            | 3                | 33.5             | 235            |
| F25279    | FMD013  | 48.00    | 52.00  | 20.4             | 470            | 10.8             | 5.1              | 526            | 0.8              | 4.4              | 1.7              | 0.8              | 0.6              | 8.2              | <1             | 0.3              | 3.6             | 1             | 18.6            | 1.9              | 12.8             | 157            |
| F25280    | FMD013  | 52.00    | 56.00  | 30.5             | 436            | 16.5             | 9.2              | 773            | <0.5             | 5.8              | 2.9              | 1.3              | 0.8              | 31.9             | 1              | 0.4              | 5.3             | 1             | 27              | 2.1              | 25.6             | 153            |
| F25281    | FMD013  | 56.00    | 60.00  | 42.9             | 130            | 22.6             | 12.5             | 220            | 0.6              | 7.4              | 1.4              | 0.8              | 0.8              | 41.1             | 1              | 0.3              | 5.5             | 1             | 23.3            | 2                | 23.1             | 129            |
| F25282    | FMD013  | 60.00    | 64.00  | 52.8             | 113            | 22.5             | 14.3             | 189            | <0.5             | 9                | 0.9              | 0.9              | 0.8              | 41.2             | 2              | 0.3              | 5.2             | 2             | 24.3            | 2                | 37.1             | 132            |
| F25283    | FMD013  | 64.00    | 68.00  | 37.4             | 70             | 17.9             | 10.2             | 426            | <0.5             | 6.5              | 1.2              | 1.1              | 0.6              | 31.4             | <1             | 0.3              | 4.9             | 2             | 18.9            | 1.9              | 17.5             | 103            |
| F25284    | FMD013  | 68.00    | 72.00  | 25.9             | 52             | 25.5             | 6.8              | 137            | <0.5             | 4.7              | 1                | 1.1              | 0.6              | 27.6             | 1              | 0.4              | 6.5             | 2             | 24.9            | 3                | 17.5             | 89             |
| F25285    | FMD013  | 72.00    | 76.00  | 33.5             | 82             | 25               | 9.7              | 95             | <0.5             | 6.4              | 0.9              | 1.9              | 0.7              | 27.5             | <1             | 0.5              | 5.7             | 2             | 26.4            | 2.7              | 26.3             | 80             |
| F25286    | FMD013  | 76.00    | 80.00  | 21.4             | 171            | 21.8             | 5.9              | 102            | <0.5             | 4.7              | 1.4              | 0.8              | 0.6              | 18.8             | <1             | 0.5              | 7.3             | 2             | 24.2            | 2.6              | 68.9             | 74             |
| F25287    | FMD013  | 80.00    | 84.00  | 33.8             | 1032           | 17.2             | 8.8              | 79             | <0.5             | 6.1              | 2.2              | 1.1              | 0.8              | 21.6             | <1             | 0.4              | 8               | 1             | 28.6            | 3.1              | 123              | 157            |
| F25288    | FMD013  | 84.00    | 88.00  | 38.9             | 74             | 23.6             | 10.4             | 61             | <0.5             | 7.3              | 1.4              | 1                | 0.7              | 38.6             | 1              | 0.3              | 7.3             | 2             | 20.8            | 1.9              | 34.5             | 123            |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | Nd<br>ppm | P<br>ppm | Pb<br>ppm | Pr<br>ppm | S<br>ppm | Sb<br>ppm | Sm<br>ppm | Sn<br>ppm | Ta<br>ppm | Tb<br>ppm | Th<br>ppm | Tl<br>ppm | Tm<br>ppm | U<br>ppm | W<br>ppm | Y<br>ppm | Yb<br>ppm | Zn<br>ppm | Zr<br>ppm |
|-----------|---------|----------|--------|-----------|----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|----------|-----------|-----------|-----------|
| F25289    | FMD013  | 88.00    | 90.00  | 32.3      | 67       | 24.2      | 9.2       | 76       | <0.5      | 6         | 1.3       | 1         | 0.7       | 40.3      | 2         | 0.3       | 7        | 2        | 19.2     | 1.9       | 24.5      | 127       |

### APPENDIX 3 – Fenton South Drillhole Assay Results

| Sample ID | Hole ID | From (m) | To (m) | Au<br>ppm | As<br>ppm | Cu<br>ppm | K<br>ppm | P<br>ppm | Pb<br>ppm | Zn<br>ppm |
|-----------|---------|----------|--------|-----------|-----------|-----------|----------|----------|-----------|-----------|
|           |         |          |        | 0.01      | 1         | 0.3       | 1        | 3        | 0.2       | 0.2       |
| F250009   | FMD006  | 0.00     | 4.00   | <0.01     | 24        | 43.8      | 9448     | 224      | 37.5      | 20.7      |
| F250010   | FMD006  | 4.00     | 8.00   | <0.01     | 10        | 37.5      | 16508    | 177      | 15.8      | 27.2      |
| F250011   | FMD006  | 8.00     | 12.00  | <0.01     | 6         | 29.3      | 23144    | 126      | 10.4      | 31.6      |
| F250012   | FMD006  | 12.00    | 16.00  | 0.01      | 9         | 30.4      | 17134    | 162      | 14.3      | 38.4      |
| F250013   | FMD006  | 18.00    | 20.00  | <0.01     | 16        | 19.9      | 29215    | 422      | 10.6      | 69.2      |
| F250014   | FMD006  | 20.00    | 24.00  | <0.01     | 2         | 22.6      | 28035    | 350      | 4.1       | 41.7      |
| F250015   | FMD006  | 24.00    | 28.00  | <0.01     | 6         | 112       | 17852    | 217      | 6.3       | 31.7      |
| F250016   | FMD006  | 28.00    | 32.00  | <0.01     | 6         | 15.8      | 33787    | 365      | 19.7      | 44        |
| F250017   | FMD006  | 32.00    | 36.00  | <0.01     | 2         | 8         | 32045    | 326      | 2.8       | 41.7      |
| F250018   | FMD006  | 36.00    | 40.00  | <0.01     | L         | 8         | 26095    | 362      | 4.6       | 35.5      |
| F250019   | FMD006  | 40.00    | 44.00  | <0.01     | 15        | 32.8      | 29225    | 333      | 4.4       | 42.5      |
| F250020   | FMD006  | 44.00    | 48.00  | <0.01     | 2         | 75.1      | 30868    | 303      | 6.6       | 51.7      |
| F250021   | FMD006  | 48.00    | 52.00  | <0.01     | 5         | 36.1      | 25074    | 271      | 11        | 38.8      |
| F250022   | FMD006  | 52.00    | 56.00  | <0.01     | 12        | 54.8      | 14853    | 223      | 24.9      | 137.2     |
| F250023   | FMD006  | 56.00    | 60.00  | <0.01     | L         | 32.6      | 10936    | 120      | 32.4      | 46.4      |
| F250024   | FMD006  | 60.00    | 64.00  | <0.01     | 5         | 20.4      | 2425     | 53       | 28.4      | 16.2      |
| F250026   | FMD006  | 64.00    | 68.00  | <0.01     | 14        | 16.9      | 1826     | 54       | 31.8      | 15.6      |
| F250027   | FMD006  | 68.00    | 72.00  | <0.01     | 4         | 13.2      | 2496     | 61       | 10.4      | 8.8       |
| F250028   | FMD006  | 72.00    | 76.00  | <0.01     | 4         | 38.3      | 3822     | 139      | 23.3      | 26.8      |
| F250029   | FMD006  | 76.00    | 80.00  | <0.01     | 7         | 13.7      | 9127     | 588      | 50.9      | 34.4      |
| F250030   | FMD006  | 80.00    | 84.00  | <0.01     | 6         | 16.1      | 33599    | 989      | 78.9      | 93.5      |
| F250032   | FMD006  | 84.00    | 88.00  | <0.01     | 4         | 15.9      | 17558    | 955      | 25.4      | 47.7      |
| F250033   | FMD006  | 88.00    | 92.00  | <0.01     | 10        | 8.4       | 8064     | 806      | 12        | 18.9      |
| F250034   | FMD006  | 92.00    | 96.00  | <0.01     | 15        | 16.3      | 14176    | 1127     | 25        | 189.2     |
| F250035   | FMD006  | 96.00    | 100.00 | <0.01     | 2         | 16.7      | 28585    | 1118     | 10.7      | 48.3      |
| F250036   | FMD006  | 100.00   | 104.00 | <0.01     | 16        | 6.6       | 14850    | 1119     | 9.7       | 28.8      |

24th September 2025

|         |        |        |        |       |   |      |       |      |      |      |
|---------|--------|--------|--------|-------|---|------|-------|------|------|------|
| F250037 | FMD006 | 104.00 | 108.00 | <0.01 | 6 | 14.8 | 22149 | 1137 | 4.7  | 31.7 |
| F250038 | FMD006 | 108.00 | 112.00 | <0.01 | 6 | 14.8 | 20473 | 406  | 8.3  | 31   |
| F250039 | FMD006 | 112.00 | 114.00 | <0.01 | L | 16   | 11996 | 391  | 18.7 | 23.4 |

| Sample ID | Hole ID | From (m) | To (m) | Au ppm | Ag ppm | As ppm | Be ppm | Ce ppm | Cu ppm | Dy ppm | Er ppm | Eu ppm | Ga ppm | Gd ppm | Hf ppm | Ho ppm | K ppm | La ppm | Lu ppm | Na ppm | Nb ppm | Nd ppm |
|-----------|---------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|--------|--------|--------|
| F2001     | FMD006  | 219.00   | 220.00 | <0.01  | 0.1    | 5.8    | 3.9    | 51.2   | 12.2   | 4.6    | 2.5    | 0.8    | 18     | 5.2    | 6.3    | 1      | 27314 | 25.2   | 0.3    | 525    | 16     | 28     |
| F2002     | FMD006  | 220.00   | 221.00 | <0.01  | 0.1    | 7      | 2.7    | 47.9   | 29.9   | 4.8    | 2.6    | 1      | 14     | 5.4    | 6      | 1      | 36161 | 23.2   | 0.3    | 627    | 14     | 23.7   |
| F2003     | FMD006  | 221.00   | 222.00 | <0.01  | <0.1   | 6.8    | 2.5    | 46.8   | 39.6   | 4.7    | 2.7    | 1.2    | 14     | 5.4    | 5.2    | 0.8    | 30838 | 22.6   | 0.3    | 1145   | 14     | 24.9   |
| F2004     | FMD006  | 222.00   | 222.41 | <0.01  | <0.1   | 6.8    | 1.9    | 22.6   | 35.3   | 3.1    | 1.5    | 0.8    | 13     | 2.9    | 3.2    | 0.7    | 34079 | 11.2   | 0.2    | 3307   | 7      | 12.4   |
| F2005     | FMD006  | 222.41   | 223.00 | <0.01  | <0.1   | 2.7    | 2.3    | 15.8   | 33.7   | 2.9    | 1.7    | 1.1    | 16     | 2.8    | 1.8    | 0.7    | 30259 | 7.6    | 0.2    | 6928   | 4      | 9.5    |
| F2006     | FMD006  | 223.00   | 224.00 | <0.01  | <0.1   | 2.5    | 1.5    | 22.3   | 42.9   | 3.2    | 1.9    | 1      | 15     | 2.9    | 1.8    | 0.8    | 24642 | 11.1   | 0.2    | 10600  | 6      | 10.6   |
| F2007     | FMD006  | 224.00   | 225.00 | <0.01  | <0.1   | 1.8    | 1.7    | 11     | 29.9   | 3.6    | 2      | 0.8    | 19     | 2.9    | 1.7    | 0.7    | 20203 | 4.6    | 0.2    | 13689  | 4      | 7.2    |
| F2008     | FMD006  | 239.00   | 240.00 | <0.01  | <0.1   | 3.5    | 1.7    | 11.7   | 70.2   | 2.3    | 1.5    | 0.9    | 16     | 2.4    | 1.3    | 0.6    | 14718 | 5.9    | 0.2    | 9003   | 5      | 7.5    |
| F2009     | FMD006  | 240.00   | 241.00 | <0.01  | <0.1   | 59.7   | 1.8    | 11.7   | 36     | 3      | 1.8    | 0.8    | 17     | 2.6    | 1.5    | 0.7    | 21188 | 5.9    | 0.2    | 14175  | 4      | 6.6    |
| F2010     | FMD006  | 241.00   | 242.00 | <0.01  | 0.1    | 5.7    | 2.3    | 10.6   | 36.2   | 3.3    | 1.8    | 0.8    | 19     | 2.9    | 1.2    | 0.7    | 12412 | 5.7    | 0.2    | 11927  | 4      | 6.1    |
| F2011     | FMD006  | 242.00   | 243.00 | <0.01  | 0.1    | 5.8    | 2.1    | 13.9   | 50.5   | 3.4    | 2.1    | 1      | 17     | 3.3    | 1.5    | 0.7    | 21087 | 6.6    | 0.2    | 14975  | 4      | 10.3   |
| F2012     | FMD006  | 243.00   | 244.00 | <0.01  | <0.1   | 5.4    | 2.3    | 19.2   | 22.7   | 3      | 2.1    | 0.9    | 17     | 2.9    | 1.4    | 0.6    | 25820 | 9.2    | 0.2    | 9218   | 4      | 9.7    |
| F2013     | FMD006  | 244.00   | 245.00 | <0.01  | <0.1   | 23     | 3.5    | 45.2   | 10.8   | 5.1    | 2.6    | 1.4    | 12     | 5.5    | 1.1    | 1      | 4481  | 20     | 0.2    | 1826   | 6      | 24.4   |
| F2014     | FMD006  | 245.00   | 246.00 | <0.01  | <0.1   | 15     | 3.1    | 48.4   | 11.3   | 4.9    | 2.8    | 1.3    | 15     | 5.7    | 1.8    | 0.9    | 2546  | 19.7   | 0.2    | 983    | 7      | 26.5   |
| F2015     | FMD006  | 246.00   | 247.00 | <0.01  | <0.1   | 11.2   | 1.6    | 68.4   | 15.5   | 4      | 1.9    | 1.1    | 12     | 4.7    | 2.1    | 0.8    | 4544  | 35.1   | 0.2    | 1535   | 7      | 32.4   |
| F2016     | FMD006  | 247.00   | 248.00 | <0.01  | <0.1   | 14.5   | 2.1    | 49.9   | 34     | 3      | 1.8    | 0.9    | 11     | 4.2    | 2      | 0.8    | 2187  | 25.2   | 0.2    | 789    | 5      | 22.8   |
| F2017     | FMD006  | 248.00   | 249.00 | <0.01  | <0.1   | 52.3   | 2.7    | 54.4   | 3.1    | 3.3    | 2.4    | 0.9    | 9      | 4.8    | 1.1    | 0.9    | 2394  | 26.1   | 0.2    | 753    | 4      | 24     |
| F2018     | FMD006  | 249.00   | 250.00 | <0.01  | <0.1   | 36.5   | 2.4    | 40.3   | 2.2    | 2.7    | 1.5    | 0.7    | 3      | 2.5    | 0.3    | 0.5    | 1151  | 22.1   | 0.1    | 948    | 4      | 16.3   |
| F2019     | FMD006  | 250.00   | 251.00 | <0.01  | 0.1    | 35.4   | 3.5    | 49.6   | 2.4    | 3.9    | 2.3    | 1.3    | 7      | 3.9    | 0.8    | 0.7    | 4636  | 22.9   | 0.2    | 2084   | 5      | 18.7   |
| F2020     | FMD006  | 251.00   | 252.00 | <0.01  | 0.2    | 33.2   | 3.3    | 51.5   | 1.8    | 4      | 2.1    | 1      | 9      | 4.1    | 1      | 0.9    | 3436  | 24.1   | 0.2    | 2175   | 3      | 21.2   |
| F2021     | FMD006  | 252.00   | 253.00 | <0.01  | <0.1   | 31.2   | 3      | 53.7   | 8.2    | 4.9    | 2.6    | 1.1    | 9      | 4.6    | 1.1    | 0.9    | 4069  | 23.6   | 0.2    | 1951   | 3      | 22.7   |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | Au ppm | Ag ppm | As ppm | Be ppm | Ce ppm | Cu ppm | Dy ppm | Er ppm | Eu ppm | Ga ppm | Gd ppm | Hf ppm | Ho ppm | K ppm | La ppm | Lu ppm | Na ppm | Nb ppm | Nd ppm |
|-----------|---------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|--------|--------|--------|
| F2022     | FMD006  | 253.00   | 254.00 | <0.01  | <0.1   | 18.7   | 2.3    | 45.7   | 5.4    | 3.4    | 2.4    | 0.9    | 10     | 4.3    | 1.1    | 0.7    | 3286  | 20.9   | 0.2    | 2140   | 4      | 18.6   |
| F2023     | FMD006  | 254.00   | 255.00 | <0.01  | <0.1   | 6      | 2      | 53.2   | 3.6    | 3.1    | 1.6    | 1.2    | 20     | 3.5    | 3.6    | 0.6    | 13824 | 27     | 0.2    | 32017  | 6      | 23.1   |
| F2024     | FMD006  | 255.00   | 256.00 | <0.01  | <0.1   | 7.7    | 2.2    | 58.5   | 6.3    | 3.5    | 2      | 1      | 18     | 3.4    | 2.4    | 0.8    | 9644  | 28.6   | 0.2    | 15005  | 7      | 21     |
| F2026     | FMD006  | 256.00   | 257.00 | <0.01  | <0.1   | 25.6   | 2.1    | 39.1   | 3.7    | 4.6    | 2.6    | 0.8    | 9      | 4.2    | 1.2    | 0.9    | 3590  | 16.3   | 0.2    | 3323   | 4      | 20.5   |
| F2027     | FMD006  | 257.00   | 258.00 | <0.01  | <0.1   | 45.4   | 4.5    | 56.6   | 3.7    | 4.5    | 2.6    | 1.3    | 7      | 4.9    | 0.8    | 1.1    | 2609  | 25.1   | 0.2    | 2633   | 4      | 22.7   |
| F2028     | FMD006  | 258.00   | 259.00 | <0.01  | <0.1   | 52.8   | 3.5    | 56.1   | 4.2    | 5      | 2.7    | 1.2    | 9      | 4.3    | 0.9    | 0.9    | 2373  | 25.1   | 0.2    | 2319   | 4      | 22     |
| F2029     | FMD006  | 259.00   | 260.00 | <0.01  | 0.2    | 58.3   | 5.3    | 68.4   | 3.5    | 4.6    | 2.9    | 1.2    | 8      | 5.5    | 0.8    | 1.1    | 2511  | 30.5   | 0.2    | 2443   | 4      | 29.3   |
| F2030     | FMD006  | 260.00   | 261.00 | <0.01  | <0.1   | 37.8   | 3      | 58.3   | 4.4    | 4.6    | 2.8    | 1.2    | 12     | 5.3    | 1.4    | 1      | 4403  | 25.4   | 0.2    | 1593   | 8      | 24.1   |
| F2032     | FMD006  | 261.00   | 262.00 | <0.01  | <0.1   | 23.7   | 2.1    | 41.2   | 9.3    | 3.5    | 2.1    | 1.1    | 9      | 4      | 0.9    | 0.8    | 2128  | 18.6   | 0.2    | 1140   | 11     | 18.4   |
| F2033     | FMD006  | 262.00   | 263.00 | <0.01  | <0.1   | 23     | 3.4    | 52.6   | 14.1   | 4.3    | 2.6    | 1.1    | 11     | 5.2    | 1.5    | 0.9    | 3028  | 21.3   | 0.2    | 1845   | 14     | 22.9   |
| F2034     | FMD006  | 263.00   | 264.00 | <0.01  | 0.2    | 17     | 3.6    | 43.1   | 11.4   | 4.6    | 2.6    | 1      | 13     | 5.4    | 1.4    | 1.1    | 1730  | 18.6   | 0.2    | 1069   | 6      | 19.8   |
| F2035     | FMD006  | 264.00   | 265.00 | <0.01  | <0.1   | 19.6   | 4      | 46.2   | 15.9   | 4.8    | 2.6    | 0.9    | 16     | 4.8    | 2      | 1      | 2566  | 22.6   | 0.2    | 1052   | 7      | 21.4   |
| F2036     | FMD006  | 265.00   | 266.00 | <0.01  | <0.1   | 2.6    | 2.6    | 28.1   | 8.6    | 3.2    | 1.8    | 1.3    | 17     | 2.7    | 1.2    | 0.6    | 18669 | 16.7   | 0.2    | 4813   | 7      | 15.1   |
| F2037     | FMD006  | 266.00   | 267.00 | <0.01  | <0.1   | 11.2   | 4.9    | 18     | 30.4   | 2.2    | 1.4    | 0.5    | 16     | 1.5    | 1.4    | 0.4    | 21788 | 10     | 0.1    | 773    | 9      | 8.8    |
| F2038     | FMD006  | 267.00   | 268.00 | <0.01  | <0.1   | 11.8   | 6.1    | 15.4   | 21.9   | 2.1    | 1.1    | 0.4    | 16     | 1.6    | 1.6    | 0.4    | 16191 | 7.7    | 0.1    | 456    | 9      | 6.1    |
| F2039     | FMD006  | 268.00   | 269.00 | <0.01  | <0.1   | 27.7   | 8.9    | 57.5   | 77.2   | 6.6    | 3.5    | 1.6    | 11     | 7.8    | 1.9    | 1.4    | 746   | 25.6   | 0.3    | 483    | 10     | 29.5   |
| F2040     | FMD006  | 269.00   | 270.00 | <0.01  | 0.1    | 30.8   | 4.5    | 64.3   | 56     | 7.3    | 3.7    | 1.3    | 16     | 7.9    | 1.7    | 1.4    | 374   | 30.7   | 0.3    | 394    | 10     | 30.4   |
| F2041     | FMD006  | 270.00   | 271.00 | <0.01  | <0.1   | 11.1   | 3.5    | 33.6   | 25.2   | 3.6    | 2      | 0.7    | 21     | 2.8    | 3      | 0.6    | 28126 | 16.2   | 0.3    | 10479  | 19     | 13     |
| F2042     | FMD006  | 271.00   | 272.00 | 0.02   | <0.1   | 66.2   | 1.7    | 20.4   | 20.7   | 2.6    | 1.7    | 0.5    | 18     | 2.1    | 5.1    | 0.6    | 46796 | 10.6   | 0.2    | 15025  | 17     | 9.3    |
| F2043     | FMD006  | 288.00   | 289.00 | 0.01   | <0.1   | 13.6   | 1.8    | 61.1   | 178.1  | 8      | 5.3    | 0.7    | 23     | 6.1    | 3.8    | 1.8    | 49387 | 32.3   | 0.7    | 17709  | 16     | 27.8   |
| F2044     | FMD006  | 289.00   | 290.00 | 0.01   | 0.2    | 23.9   | 2.1    | 88     | 451.8  | 5.2    | 3.4    | 1.8    | 25     | 5.5    | 4      | 1.1    | 75300 | 45.2   | 0.4    | 10600  | 15     | 38.4   |
| F2045     | FMD006  | 290.00   | 291.00 | <0.01  | 0.2    | 95.3   | 3.1    | 80.6   | 1092.7 | 4.2    | 2      | 0.9    | 21     | 5.7    | 2.6    | 0.7    | 21798 | 39.5   | 0.2    | 6319   | 9      | 34.9   |
| F2046     | FMD006  | 291.00   | 292.00 | 0.03   | 0.1    | 5      | 3.5    | 63.3   | 111.9  | 4.9    | 2.8    | 0.9    | 26     | 5.6    | 3.6    | 1.1    | 25577 | 30.8   | 0.3    | 3945   | 17     | 26.2   |
| F2047     | FMD006  | 292.00   | 293.00 | <0.01  | 0.3    | 7.5    | 3.9    | 58.4   | 58.3   | 6      | 3      | 1.1    | 21     | 4.4    | 3.1    | 1      | 31102 | 27.8   | 0.4    | 4308   | 17     | 26.7   |
| F2048     | FMD006  | 293.00   | 294.00 | <0.01  | <0.1   | 4.4    | 2.4    | 67.5   | 101.4  | 6.8    | 3.3    | 1.1    | 21     | 5.8    | 3.6    | 1.3    | 16892 | 29.8   | 0.4    | 2582   | 13     | 28     |
| F2049     | FMD006  | 294.00   | 295.00 | <0.01  | <0.1   | 263.7  | 3      | 65.8   | 169.2  | 5.1    | 3      | 0.9    | 26     | 5.3    | 2.9    | 1.2    | 17440 | 28.5   | 0.3    | 4320   | 10     | 26     |
| F2051     | FMD006  | 295.00   | 296.00 | <0.01  | 0.2    | 111.2  | 3.4    | 100.3  | 213.8  | 6.8    | 3.7    | 1.9    | 20     | 7.1    | 2.7    | 1.4    | 28136 | 41.6   | 0.4    | 12038  | 10     | 37.2   |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | Au ppm | Ag ppm | As ppm | Be ppm | Ce ppm | Cu ppm | Dy ppm | Er ppm | Eu ppm | Ga ppm | Gd ppm | Hf ppm | Ho ppm | K ppm | La ppm | Lu ppm | Na ppm | Nb ppm | Nd ppm |
|-----------|---------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|--------|--------|--------|
| F2052     | FMD006  | 296.00   | 297.00 | <0.01  | 0.6    | 16     | 2.4    | 108    | 311    | 7.5    | 3.9    | 1.7    | 21     | 7.7    | 3.7    | 1.5    | 38467 | 44.8   | 0.4    | 11562  | 13     | 44.1   |
| F2053     | FMD006  | 297.00   | 298.00 | <0.01  | 0.9    | 17.6   | 3.2    | 114.4  | 266.3  | 6      | 3.4    | 2      | 19     | 7.2    | 3.7    | 1.2    | 38863 | 47.7   | 0.3    | 9154   | 13     | 41.9   |
| F2054     | FMD006  | 298.00   | 299.00 | <0.01  | 1.1    | 9.5    | 2      | 122.5  | 274.7  | 5.7    | 3.3    | 1.6    | 22     | 6.9    | 2.8    | 1.3    | 28533 | 50.4   | 0.4    | 9416   | 13     | 45.7   |
| F2055     | FMD006  | 299.00   | 300.00 | <0.01  | 0.6    | 10.7   | 2.8    | 112.4  | 321    | 7.5    | 3.9    | 1.9    | 20     | 8.2    | 3.4    | 1.6    | 21351 | 47.2   | 0.4    | 11046  | 13     | 45     |
| F2056     | FMD006  | 300.00   | 301.00 | <0.01  | 0.3    | 9.9    | 2.7    | 72.7   | 181.8  | 5.9    | 3.7    | 1.4    | 18     | 6.6    | 3.1    | 1.4    | 16313 | 29.5   | 0.3    | 7556   | 8      | 26.5   |
| F2057     | FMD006  | 301.00   | 302.00 | <0.01  | <0.1   | 2.8    | 1.3    | 22     | 82.4   | 3.1    | 1.7    | 1.2    | 17     | 3.5    | 1.4    | 0.7    | 27984 | 9.9    | 0.2    | 7289   | 19     | 12.7   |
| F2058     | FMD006  | 302.00   | 303.00 | <0.01  | 0.2    | 4.7    | 1      | 12.2   | 86.8   | 2.9    | 1.7    | 0.8    | 17     | 2.8    | 1.7    | 0.6    | 17826 | 5.2    | 0.2    | 10448  | 17     | 7.9    |
| F2059     | FMD006  | 303.00   | 304.00 | <0.01  | 0.2    | 11.5   | 0.9    | 13.1   | 81.6   | 2.9    | 1.7    | 0.8    | 17     | 2.6    | 1.6    | 0.6    | 18486 | 5.8    | 0.2    | 10772  | 4      | 8      |
| F2060     | FMD006  | 304.00   | 305.00 | <0.01  | <0.1   | 8.6    | 0.8    | 12.2   | 34.7   | 2.8    | 1.7    | 0.8    | 16     | 2.9    | 1.3    | 0.6    | 18141 | 5.3    | 0.2    | 9100   | 16     | 8      |
| F2062     | FMD006  | 305.00   | 306.00 | <0.01  | <0.1   | 7      | 1.2    | 14.2   | 88.6   | 2.9    | 1.6    | 0.8    | 15     | 2.6    | 1.6    | 0.6    | 18100 | 7      | 0.2    | 7195   | 15     | 8.7    |
| F2063     | FMD006  | 306.00   | 307.00 | <0.01  | <0.1   | 21.4   | 2.7    | 39.2   | 68.1   | 3.7    | 2.3    | 0.6    | 18     | 3.4    | 2.4    | 0.8    | 10573 | 17.6   | 0.2    | 1792   | 25     | 17.8   |
| F2064     | FMD006  | 307.00   | 307.95 | <0.01  | 0.2    | 35.5   | 1.8    | 90.3   | 235.9  | 8.4    | 4.3    | 1.3    | 28     | 7.6    | 3.8    | 1.6    | 12574 | 40.8   | 0.4    | 28058  | 11     | 38.7   |
| F2065     | FMD006  | 307.95   | 309.00 | <0.01  | 0.1    | 49.6   | 2.1    | 82.5   | 33.5   | 6      | 3      | 0.8    | 19     | 6.1    | 2.4    | 1.1    | 4478  | 38.3   | 0.3    | 15643  | 19     | 36.7   |
| F2066     | FMD006  | 309.00   | 310.00 | <0.01  | 0.2    | 26.6   | 2.5    | 64.9   | 334.6  | 6.9    | 3.7    | 0.7    | 24     | 6.4    | 4.1    | 1.2    | 17206 | 31.2   | 0.3    | 29071  | 13     | 30.5   |
| F2067     | FMD006  | 310.00   | 311.00 | <0.01  | 0.3    | 19.4   | 3.2    | 99.8   | 328.8  | 6.1    | 2.6    | 1.1    | 25     | 6.7    | 3.7    | 1.1    | 30148 | 46.5   | 0.3    | 15339  | 41     | 43.4   |
| F2068     | FMD006  | 311.00   | 312.00 | <0.01  | <0.1   | 83.5   | 2.9    | 79.6   | 126.1  | 6.4    | 3.3    | 1.5    | 20     | 6.7    | 3.8    | 1.3    | 28979 | 36.9   | 0.4    | 22053  | 24     | 36.3   |
| F2069     | FMD006  | 312.00   | 313.00 | <0.01  | <0.1   | 16.8   | 2.9    | 74.2   | 106.6  | 5.6    | 2.8    | 1.2    | 29     | 5.8    | 3.7    | 1      | 35318 | 36.1   | 0.3    | 17770  | 45     | 33.1   |
| F2070     | FMD006  | 313.00   | 314.00 | <0.01  | <0.1   | 1.2    | 4.4    | 66.2   | 20     | 5.3    | 3      | 1.1    | 21     | 5.8    | 4.7    | 1.3    | 30371 | 32.3   | 0.3    | 6430   | 13     | 30.6   |
| F2071     | FMD006  | 314.00   | 315.00 | <0.01  | <0.1   | 1.8    | 2.4    | 64.9   | 19.9   | 5.2    | 2.6    | 1.4    | 22     | 5.7    | 4      | 1      | 35460 | 33.3   | 0.3    | 2017   | 11     | 28.3   |
| F2072     | FMD006  | 315.00   | 316.00 | <0.01  | <0.1   | 1.5    | 2.8    | 79.9   | 29.9   | 5.2    | 2.7    | 1.3    | 20     | 6.8    | 3.8    | 1.1    | 33906 | 43.3   | 0.3    | 2689   | 12     | 37.5   |
| F2073     | FMD006  | 315.00   | 316.00 | <0.01  | <0.1   | 11.5   | 2.9    | 45.7   | 8.6    | 6.9    | 4.1    | 0.7    | 28     | 5.7    | 3.8    | 1.4    | 39686 | 23.4   | 0.4    | 17689  | 17     | 22.4   |
| F2074     | FMD006  | 392.00   | 393.00 | <0.01  | 0.1    | 17.9   | 0.2    | 10.1   | 168.6  | 4.3    | 2.2    | 1      | 19     | 3.8    | 1.9    | 0.8    | 2709  | 4.1    | 0.3    | 17597  | 3      | 8.2    |
| F2076     | FMD006  | 393.00   | 394.00 | <0.01  | <0.1   | 2.7    | 0.5    | 13.9   | 74.9   | 3      | 1.9    | 0.7    | 13     | 3.1    | 1.5    | 0.6    | 20254 | 6.2    | 0.2    | 9558   | 4      | 9.2    |
| F2077     | FMD006  | 394.00   | 395.00 | <0.01  | <0.1   | 7.2    | 1.2    | 16.5   | 41.1   | 2.8    | 1.9    | 0.7    | 13     | 2.7    | 1.9    | 0.7    | 14738 | 8.2    | 0.2    | 14985  | 4      | 10.5   |
| F2078     | FMD006  | 395.00   | 396.00 | <0.01  | 0.1    | 2.1    | 0.9    | 18.7   | 108.2  | 3.1    | 2      | 0.8    | 18     | 2.9    | 1.8    | 0.7    | 15703 | 10     | 0.2    | 10448  | 7      | 10.5   |
| F2079     | FMD006  | 396.00   | 397.00 | <0.01  | <0.1   | 1      | 0.8    | 12     | 116.6  | 3.6    | 2      | 0.9    | 15     | 3.3    | 1.7    | 0.7    | 15449 | 6.2    | 0.2    | 4102   | 5      | 8.8    |
| F2080     | FMD006  | 397.00   | 398.00 | <0.01  | <0.1   | 1.5    | 1.3    | 16.4   | 129.2  | 4.6    | 2      | 0.9    | 22     | 4.8    | 2.4    | 1      | 21585 | 7.6    | 0.2    | 4083   | 10     | 11.8   |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | Au ppm | Ag ppm | As ppm | Be ppm | Ce ppm | Cu ppm | Dy ppm | Er ppm | Eu ppm | Ga ppm | Gd ppm | Hf ppm | Ho ppm | K ppm | La ppm | Lu ppm | Na ppm | Nb ppm | Nd ppm |
|-----------|---------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|--------|--------|--------|
| F2081     | FMD006  | 398.00   | 399.00 | <0.01  | 0.1    | 3.3    | 2.3    | 33.1   | 345.7  | 4.1    | 1.8    | 1.1    | 27     | 4      | 3.2    | 0.7    | 22682 | 16.6   | 0.2    | 4509   | 11     | 19.2   |
| F2082     | FMD006  | 399.00   | 400.00 | <0.01  | <0.1   | 2.6    | 2.2    | 53.5   | 28.5   | 4.9    | 2.7    | 1.3    | 20     | 4.8    | 4.5    | 0.9    | 25252 | 29.1   | 0.3    | 26843  | 18     | 24.6   |
| F2083     | FMD006  | 400.00   | 401.00 | <0.01  | <0.1   | 2.8    | 2.6    | 74.2   | 25.4   | 4.4    | 2.3    | 1.2    | 24     | 5.1    | 4.1    | 1      | 27842 | 36.4   | 0.3    | 18580  | 13     | 33.3   |
| F2084     | FMD006  | 401.00   | 402.00 | <0.01  | <0.1   | 1.1    | 1.9    | 86     | 173.9  | 4.2    | 2.2    | 1.2    | 28     | 5.2    | 3.7    | 1      | 32535 | 41.4   | 0.2    | 9759   | 16     | 36.2   |
| F2085     | FMD006  | 402.00   | 403.00 | <0.01  | <0.1   | 1      | 3      | 85.9   | 2.5    | 4.9    | 2.8    | 1.1    | 26     | 5.6    | 4.6    | 1      | 30889 | 43.4   | 0.2    | 10874  | 23     | 36     |
| F2086     | FMD006  | 403.00   | 404.00 | <0.01  | <0.1   | <0.5   | 2.7    | 80.7   | 8.3    | 4.7    | 2.5    | 1.4    | 24     | 5.8    | 4.1    | 1      | 34648 | 41.2   | 0.3    | 16200  | 27     | 35.8   |
| F2087     | FMD006  | 404.00   | 405.00 | <0.01  | <0.1   | 0.6    | 3.3    | 56.4   | 19.9   | 5.2    | 3      | 1.2    | 25     | 4.8    | 3.8    | 1.1    | 31143 | 29.2   | 0.3    | 17365  | 19     | 25.6   |
| F2088     | FMD006  | 405.00   | 406.00 | <0.01  | <0.1   | 1      | 3.6    | 54.7   | 8.7    | 4.7    | 2.8    | 0.9    | 26     | 4.6    | 3.7    | 1      | 28147 | 27.4   | 0.3    | 12200  | 21     | 23.9   |
| F2089     | FMD006  | 406.00   | 407.00 | <0.01  | 0.1    | 4.2    | 3.3    | 73.8   | 17.4   | 4.8    | 2.7    | 1      | 24     | 5.4    | 4      | 0.9    | 34668 | 38.9   | 0.3    | 15856  | 18     | 35.8   |
| F2090     | FMD006  | 423.00   | 424.00 | <0.01  | 0.1    | 7.9    | 3      | 76.8   | 37.9   | 4.5    | 2.3    | 0.9    | 25     | 4.9    | 3.8    | 0.9    | 33236 | 39.2   | 0.2    | 13790  | 19     | 33.8   |
| F2092     | FMD006  | 424.00   | 425.00 | <0.01  | 0.1    | 8.1    | 2.8    | 80.7   | 101.5  | 3.9    | 2.2    | 1.2    | 26     | 4.9    | 3.6    | 0.9    | 32626 | 40     | 0.2    | 15704  | 16     | 32.3   |
| F2093     | FMD006  | 425.00   | 426.00 | 0.04   | 0.1    | 17.6   | 3.4    | 52     | 27     | 3.9    | 1.9    | 1.1    | 26     | 4.3    | 3.9    | 0.7    | 32108 | 27.7   | 0.2    | 9545   | 12     | 21.5   |
| F2094     | FMD006  | 426.00   | 427.00 | <0.01  | <0.1   | 3.9    | 3.2    | 52.8   | 21.3   | 7.3    | 3.6    | 0.9    | 24     | 6.1    | 3.1    | 1.4    | 44369 | 27.3   | 0.4    | 16990  | 21     | 24     |
| F2095     | FMD006  | 427.00   | 428.00 | <0.01  | 0.2    | 6.1    | 3.2    | 74.6   | 57.2   | 3.8    | 2.2    | 0.8    | 29     | 4.4    | 4.3    | 0.8    | 46512 | 37.9   | 0.3    | 8975   | 31     | 33.2   |
| F2096     | FMD006  | 428.00   | 429.00 | <0.01  | <0.1   | 2.5    | 2.7    | 80.9   | 41.7   | 3.6    | 2.3    | 1      | 27     | 5      | 4.3    | 0.8    | 41819 | 40     | 0.3    | 6278   | 15     | 34.5   |
| F2097     | FMD006  | 429.00   | 430.00 | <0.01  | 0.2    | 4.1    | 2.1    | 73.8   | 55.8   | 3.7    | 2.4    | 1      | 21     | 4.2    | 4.3    | 0.8    | 48930 | 38.4   | 0.2    | 5998   | 18     | 32.4   |
| F2098     | FMD006  | 430.00   | 430.74 | <0.01  | 0.3    | 6      | 2.8    | 76.9   | 49.4   | 5.1    | 3      | 0.8    | 30     | 5.9    | 4.2    | 1      | 48391 | 39.1   | 0.3    | 5083   | 17     | 36.7   |
| F2099     | FMD006  | 430.74   | 432.00 | <0.01  | 0.3    | 8.6    | 2.6    | 75.8   | 56.5   | 3.9    | 2      | 1.1    | 27     | 4.9    | 4.8    | 0.7    | 47690 | 39.2   | 0.2    | 5750   | 14     | 33.8   |
| F2100     | FMD006  | 432.00   | 433.00 | <0.01  | 0.2    | 4.9    | 3.4    | 81.9   | 44.7   | 4.3    | 2.6    | 1      | 26     | 5.6    | 4.4    | 0.9    | 48086 | 41.4   | 0.2    | 5516   | 15     | 33.5   |
| F2101     | FMD006  | 433.00   | 434.00 | <0.01  | 0.3    | 27.8   | 1.9    | 78.3   | 58.3   | 5      | 2.8    | 0.8    | 29     | 5.1    | 4.4    | 0.9    | 30909 | 39.1   | 0.3    | 9243   | 16     | 31.3   |
| F2102     | FMD006  | 434.00   | 435.00 | <0.01  | 0.5    | 13.5   | 2.9    | 83.2   | 47.8   | 4.4    | 2.4    | 1.1    | 22     | 5      | 4.1    | 1      | 27954 | 38.8   | 0.3    | 9710   | 14     | 32.5   |
| F2103     | FMD006  | 435.00   | 436.00 | <0.01  | 0.2    | 6.4    | 3.7    | 78     | 125    | 5.1    | 2.8    | 1.1    | 28     | 4.9    | 3.6    | 1      | 37583 | 38.4   | 0.3    | 9644   | 15     | 30.4   |
| F2104     | FMD006  | 436.00   | 437.00 | <0.01  | 0.2    | 5      | 2.9    | 86     | 36.6   | 5.1    | 3.1    | 1      | 30     | 6.2    | 3.6    | 1      | 41017 | 42.1   | 0.3    | 10175  | 16     | 37.5   |
| F2105     | FMD006  | 437.00   | 438.00 | <0.01  | 0.2    | 4.4    | 2.9    | 79.1   | 33.7   | 4.7    | 2.2    | 1.2    | 27     | 5.1    | 4.4    | 0.8    | 39534 | 38.6   | 0.3    | 10307  | 18     | 34.3   |
| F2106     | FMD006  | 458.00   | 459.00 | <0.01  | 0.5    | 28.8   | 2.6    | 77.7   | 189.1  | 4.6    | 2.2    | 1.2    | 25     | 5.6    | 4.1    | 0.9    | 35470 | 38.8   | 0.3    | 14144  | 13     | 30.9   |
| F2107     | FMD006  | 459.00   | 460.00 | <0.01  | 0.4    | 7.4    | 2.7    | 85.8   | 115.6  | 4.6    | 2.6    | 1.3    | 21     | 5.5    | 3.7    | 1      | 28858 | 41.3   | 0.3    | 18529  | 11     | 38.6   |
| F2108     | FMD006  | 460.00   | 461.00 | <0.01  | 0.7    | 29.8   | 1.3    | 39.3   | 120.8  | 4.3    | 2.3    | 1.2    | 19     | 4.5    | 2.9    | 0.9    | 23829 | 18.6   | 0.3    | 7949   | 7      | 18.2   |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | Au ppm | Ag ppm | As ppm | Be ppm | Ce ppm | Cu ppm | Dy ppm | Er ppm | Eu ppm | Ga ppm | Gd ppm | Hf ppm | Ho ppm | K ppm | La ppm | Lu ppm | Na ppm | Nb ppm | Nd ppm |
|-----------|---------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|--------|--------|--------|
| F2109     | FMD006  | 461.00   | 462.00 | <0.01  | 0.3    | 20     | 0.5    | 14.8   | 90.8   | 3.1    | 1.9    | 0.8    | 11     | 3.1    | 1.5    | 0.6    | 20884 | 6.4    | 0.2    | 6962   | 10     | 10.6   |
| F2110     | FMD006  | 462.00   | 462.80 | <0.01  | <0.1   | 31.5   | 0.5    | 15.6   | 70.8   | 3.4    | 2      | 0.9    | 18     | 3.5    | 1.7    | 0.7    | 16048 | 6.5    | 0.2    | 10327  | 11     | 11     |
| F2111     | FMD006  | 462.80   | 463.10 | 0.02   | 0.4    | 31.7   | 1.1    | 11.3   | 94.2   | 2.7    | 1.6    | 0.7    | 15     | 2.1    | 1.1    | 0.6    | 10507 | 5.6    | 0.2    | 5226   | 6      | 6.6    |
| F2112     | FMD006  | 463.10   | 464.00 | <0.01  | 0.1    | 9.8    | 1.3    | 13.8   | 50.2   | 3.2    | 1.7    | 0.8    | 16     | 3.3    | 1.8    | 0.7    | 22687 | 5.7    | 0.2    | 6818   | 5      | 7.7    |
| F2113     | FMD006  | 464.00   | 465.00 | <0.01  | 0.2    | 21.9   | 1.3    | 15.7   | 60.8   | 3.6    | 1.9    | 0.9    | 15     | 3.3    | 1.9    | 0.7    | 20594 | 6.8    | 0.2    | 7888   | 6      | 9.7    |
| F2114     | FMD006  | 465.00   | 465.50 | <0.01  | 0.2    | 16.3   | 3.1    | 42.7   | 91.8   | 3.7    | 2      | 0.9    | 20     | 4.1    | 2.9    | 0.7    | 16907 | 19.4   | 0.2    | 16322  | 9      | 18.3   |
| F2115     | FMD006  | 465.50   | 466.00 | 0.01   | 0.4    | 8.6    | 3.4    | 74.3   | 138.7  | 5      | 2.9    | 1.2    | 24     | 5.2    | 3.6    | 0.9    | 16805 | 32.7   | 0.3    | 20797  | 11     | 29.8   |
| F2116     | FMD006  | 466.00   | 467.00 | <0.01  | 0.5    | 11.2   | 3.9    | 87.6   | 110.8  | 5.5    | 2.6    | 1.4    | 22     | 6.2    | 3.4    | 1.2    | 21671 | 39     | 0.3    | 20656  | 12     | 34.4   |
| F2117     | FMD006  | 467.00   | 468.00 | 0.02   | 0.4    | 7      | 4.9    | 96.1   | 117.1  | 5      | 3      | 1.4    | 24     | 5.5    | 3.5    | 1      | 41387 | 40.8   | 0.3    | 11491  | 12     | 35.8   |
| F2118     | FMD006  | 468.00   | 469.00 | <0.01  | 0.5    | 23.5   | 4.8    | 81.5   | 54.4   | 4.1    | 2.1    | 1.1    | 26     | 5      | 3.6    | 0.8    | 41337 | 36.3   | 0.3    | 10398  | 13     | 30.1   |
| F2119     | FMD006  | 469.00   | 470.00 | <0.01  | 0.1    | 18.4   | 4.3    | 70.1   | 12.2   | 4.9    | 2.7    | 1.1    | 27     | 5.4    | 3.4    | 1      | 41306 | 35.7   | 0.3    | 11623  | 16     | 29.5   |
| F2120     | FMD006  | 470.00   | 471.00 | <0.01  | 0.2    | 9.9    | 4.3    | 81.4   | 25.1   | 4.4    | 1.9    | 1      | 30     | 4.9    | 3.8    | 0.8    | 41946 | 38.4   | 0.3    | 10691  | 13     | 31.6   |
| F2121     | FMD006  | 471.00   | 472.00 | <0.01  | 0.3    | 10.2   | 2.4    | 38.9   | 91.7   | 3.7    | 1.8    | 0.9    | 22     | 4.1    | 2.7    | 0.8    | 22727 | 19.2   | 0.2    | 8428   | 9      | 17.1   |
| F2122     | FMD006  | 472.00   | 473.00 | <0.01  | 0.1    | 10     | 2.6    | 44.8   | 33     | 3.5    | 2.1    | 1      | 24     | 4.2    | 2.8    | 0.8    | 27786 | 21.3   | 0.2    | 8082   | 9      | 17.6   |
| F2123     | FMD006  | 473.00   | 474.00 | <0.01  | 0.2    | 11.2   | 4.5    | 81.1   | 42.3   | 4.4    | 2.6    | 1      | 26     | 5.1    | 3.8    | 0.8    | 37284 | 37.2   | 0.3    | 10914  | 14     | 31.9   |
| F2124     | FMD006  | 489.00   | 490.00 | <0.01  | 0.9    | 93.2   | 5.1    | 79.2   | 97.8   | 5.6    | 2.7    | 1      | 29     | 6.1    | 5      | 1.2    | 34815 | 42.6   | 0.3    | 11228  | 19     | 36.5   |
| F2126     | FMD006  | 490.00   | 490.60 | <0.01  | 1.1    | 59.1   | 3.6    | 60.8   | 113.5  | 4.5    | 2.4    | 1.1    | 27     | 5.6    | 3.6    | 1      | 29503 | 34     | 0.3    | 10155  | 14     | 32.7   |
| F2127     | FMD006  | 490.60   | 491.25 | <0.01  | 0.2    | 33.5   | 3.1    | 9.2    | 53.4   | 22.8   | 10.5   | 1      | 24     | 14.1   | 1.1    | 3.9    | 29391 | 4.7    | 1.6    | 12322  | 125    | 6      |
| F2128     | FMD006  | 491.25   | 492.00 | <0.01  | 0.8    | 40.3   | 3.6    | 46.4   | 122.9  | 4.3    | 2.1    | 0.8    | 26     | 4.8    | 3.2    | 0.7    | 33159 | 26.6   | 0.3    | 10641  | 28     | 24.5   |
| F2129     | FMD006  | 492.00   | 493.00 | <0.01  | 0.8    | 19.4   | 2.6    | 60.9   | 212.2  | 4      | 2.1    | 1      | 26     | 4.9    | 3.9    | 0.8    | 33180 | 34.5   | 0.2    | 10165  | 15     | 31.4   |
| F2130     | FMD006  | 493.00   | 494.00 | <0.01  | 0.8    | 24.5   | 2.4    | 68.9   | 292.1  | 4.7    | 2.4    | 1      | 26     | 4.8    | 3.8    | 0.9    | 33566 | 39.1   | 0.3    | 8981   | 15     | 33.9   |
| F2132     | FMD006  | 494.00   | 495.00 | <0.01  | 0.8    | 12.9   | 2.6    | 74.5   | 284.7  | 4.2    | 2.6    | 1      | 33     | 5.6    | 3.8    | 0.9    | 36573 | 41.3   | 0.3    | 9479   | 13     | 36.6   |
| F2133     | FMD006  | 495.00   | 496.00 | <0.01  | 0.8    | 11.6   | 1.9    | 82.8   | 226.9  | 4.2    | 2.4    | 1      | 23     | 5.8    | 4.1    | 0.8    | 33749 | 46.2   | 0.2    | 9061   | 14     | 39.9   |
| F2134     | FMD006  | 496.00   | 497.00 | <0.01  | 0.6    | 183.8  | 2      | 161.5  | 828.9  | 4.7    | 2.1    | 1.7    | 31     | 9      | 3.9    | 0.9    | 23916 | 91.3   | 0.2    | 8360   | 12     | 75.5   |
| F2135     | FMD006  | 497.00   | 498.00 | <0.01  | 0.7    | 9.8    | 3      | 85.8   | 143.4  | 4.4    | 2.4    | 1      | 24     | 5.6    | 5.1    | 0.9    | 50143 | 46.5   | 0.3    | 8925   | 13     | 38.5   |
| F2136     | FMD006  | 498.00   | 499.00 | <0.01  | 0.6    | 9.4    | 4.8    | 78.6   | 103.4  | 5.8    | 3.1    | 1      | 26     | 6.2    | 4.6    | 1.3    | 45044 | 43.3   | 0.3    | 10286  | 19     | 35.5   |
| F2137     | FMD006  | 499.00   | 500.00 | <0.01  | 0.6    | 8.5    | 5.1    | 79.5   | 109.3  | 5      | 2.6    | 1.1    | 26     | 5.8    | 4.2    | 0.9    | 39437 | 42.9   | 0.3    | 11815  | 22     | 36.2   |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | Au ppm | Ag ppm | As ppm | Be ppm | Ce ppm | Cu ppm | Dy ppm | Er ppm | Eu ppm | Ga ppm | Gd ppm | Hf ppm | Ho ppm | K ppm | La ppm | Lu ppm | Na ppm | Nb ppm | Nd ppm |
|-----------|---------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|--------|--------|--------|
| F2138     | FMD006  | 500.00   | 501.00 | <0.01  | 0.7    | 8.5    | 3      | 92.1   | 101.1  | 5.5    | 2.5    | 1.1    | 27     | 6.9    | 5.1    | 1.2    | 44069 | 48.6   | 0.3    | 13557  | 13     | 40.7   |
| F2139     | FMD006  | 501.00   | 502.00 | <0.01  | 0.6    | 6.1    | 2.9    | 86.6   | 70.9   | 5.6    | 2.5    | 1.2    | 26     | 5.8    | 5.6    | 0.9    | 36085 | 45.9   | 0.3    | 15420  | 13     | 41.5   |
| F2140     | FMD006  | 502.00   | 503.00 | <0.01  | 0.6    | 6.7    | 2.9    | 73.9   | 68.1   | 4.4    | 2.9    | 1.2    | 29     | 5.7    | 5.1    | 0.9    | 39589 | 39     | 0.3    | 13598  | 14     | 36.3   |
| F2141     | FMD006  | 503.00   | 504.00 | <0.01  | 0.6    | 6.4    | 3      | 79.3   | 63.7   | 5.2    | 3.2    | 1.2    | 31     | 6      | 5.4    | 1      | 38350 | 44.3   | 0.3    | 14904  | 16     | 32.9   |
| F2142     | FMD006  | 504.00   | 505.00 | <0.01  | 0.5    | 5.9    | 2.9    | 74.3   | 67.3   | 4.1    | 2.1    | 1.2    | 24     | 4.9    | 4.7    | 0.7    | 40493 | 40.1   | 0.2    | 16230  | 15     | 35.3   |
| F2143     | FMD006  | 505.00   | 506.00 | <0.01  | 0.4    | 7.8    | 2.9    | 40.1   | 122.9  | 2.8    | 1.5    | 0.6    | 21     | 3.2    | 2.9    | 0.5    | 17486 | 21.9   | 0.2    | 18175  | 12     | 19.5   |
| F2144     | FMD006  | 506.00   | 507.00 | <0.01  | 0.3    | 15.6   | 1.5    | 24.1   | 81.7   | 4.3    | 2.3    | 1.1    | 22     | 4.5    | 1.9    | 0.8    | 6660  | 11.4   | 0.3    | 20868  | 15     | 13     |
| F2145     | FMD006  | 507.00   | 508.00 | <0.01  | 0.2    | 17.2   | 0.4    | 14     | 86.9   | 2.9    | 1.7    | 0.7    | 12     | 3.1    | 1.6    | 0.6    | 9518  | 6.1    | 0.2    | 14651  | 5      | 8.3    |
| F2146     | FMD006  | 508.00   | 509.00 | <0.01  | 0.1    | 21.1   | 0.2    | 16.3   | 88.4   | 3.3    | 1.9    | 0.9    | 15     | 3.2    | 1.9    | 0.7    | 8422  | 7      | 0.2    | 18033  | 6      | 10.9   |
| F2147     | FMD006  | 509.00   | 510.00 | <0.01  | 0.1    | 12.1   | 0.8    | 15.9   | 65     | 3.7    | 2      | 0.8    | 15     | 3.1    | 1.9    | 0.7    | 8814  | 6.7    | 0.2    | 16089  | 6      | 10.2   |
| F2148     | FMD006  | 510.00   | 511.00 | <0.01  | 0.2    | 40.2   | 1.1    | 18.4   | 63.8   | 3.1    | 1.5    | 0.8    | 17     | 2.9    | 1.7    | 0.6    | 8259  | 7.5    | 0.2    | 18630  | 7      | 10.6   |
| F2149     | FMD006  | 511.00   | 512.11 | 0.02   | 0.1    | 4.7    | 5.6    | 15.9   | 7.6    | 6      | 3.8    | 0.4    | 25     | 4.5    | 1.3    | 1.3    | 14570 | 7.4    | 0.4    | 32696  | 19     | 9.2    |
| F2151     | FMD006  | 512.11   | 513.00 | <0.01  | 0.1    | 11.5   | 2.2    | 13.8   | 50.6   | 2.5    | 1.3    | 0.6    | 18     | 2.2    | 1.9    | 0.4    | 8228  | 6      | 0.2    | 18985  | 7      | 6.9    |
| F2152     | FMD006  | 513.00   | 514.00 | <0.01  | 0.1    | 17.2   | 0.7    | 15.6   | 61.8   | 3.4    | 1.8    | 0.7    | 18     | 3.5    | 1.4    | 0.7    | 11259 | 6.8    | 0.2    | 16939  | 6      | 10.6   |
| F2153     | FMD006  | 514.00   | 515.00 | 0.02   | 0.1    | 16.8   | 0.8    | 17.7   | 52.3   | 3.3    | 1.8    | 1      | 18     | 3.3    | 2      | 0.7    | 11025 | 7.4    | 0.2    | 17719  | 8      | 10.1   |
| F2154     | FMD006  | 515.00   | 516.00 | <0.01  | 0.3    | 12.5   | 1.4    | 30     | 140.8  | 3.7    | 1.8    | 1      | 17     | 3.8    | 1.9    | 0.8    | 10274 | 13.1   | 0.2    | 13841  | 7      | 17.3   |
| F2155     | FMD006  | 516.00   | 517.00 | <0.01  | <0.1   | 23.2   | 1      | 10.3   | 67.1   | 1.9    | 1.1    | 0.4    | 18     | 1.6    | 1.7    | 0.4    | 9762  | 4.6    | 0.1    | 19714  | 6      | 5.8    |
| F2156     | FMD006  | 517.00   | 518.00 | <0.01  | <0.1   | 29.8   | 2.8    | 7.6    | 16.7   | 1.3    | 0.9    | 0.3    | 17     | 1.3    | 1.2    | 0.3    | 8112  | 3.5    | 0.1    | 17759  | 5      | 4.4    |
| F2157     | FMD006  | 518.00   | 518.50 | <0.01  | <0.1   | 9.6    | 2.1    | 8.2    | 17.7   | 1.4    | 0.9    | 0.2    | 11     | 1.1    | 0.8    | 0.3    | 1123  | 3.7    | <0.1   | 6266   | 3      | 4.4    |
| F2158     | FMD006  | 518.50   | 519.00 | <0.01  | <0.1   | 31.9   | 3.3    | 7.7    | 33.2   | 1.6    | 1.3    | 0.2    | 12     | 1.5    | 1      | 0.4    | 1085  | 3.6    | 0.1    | 6841   | 3      | 4      |
| F2159     | FMD006  | 519.00   | 520.00 | <0.01  | 0.1    | 18.9   | 4.4    | 9.1    | 46.8   | 2.7    | 1.7    | 0.5    | 22     | 2.5    | 1.4    | 0.5    | 7156  | 4      | 0.2    | 6730   | 15     | 5.5    |
| F2160     | FMD006  | 520.00   | 521.00 | <0.01  | <0.1   | 27.7   | 2.6    | 16.1   | 68.4   | 1.8    | 0.9    | 0.5    | 16     | 1.9    | 1      | 0.3    | 11056 | 7.1    | 0.1    | 17800  | 3      | 9      |
| F2162     | FMD006  | 521.00   | 522.00 | <0.01  | 0.2    | 47.7   | 2.1    | 6.1    | 36.8   | 1.3    | 0.7    | 0.3    | 13     | 1.2    | 0.8    | 0.2    | 4826  | 3.1    | <0.1   | 8614   | 2      | 4      |
| F2163     | FMD006  | 522.00   | 523.00 | <0.01  | <0.1   | 59     | 2.7    | 13.4   | 56.5   | 2.3    | 1.3    | 0.6    | 13     | 2.9    | 1.1    | 0.5    | 20249 | 6.4    | 0.2    | 10985  | 3      | 9.1    |
| F2164     | FMD006  | 523.00   | 524.00 | <0.01  | <0.1   | 26.3   | 2.3    | 11.3   | 46     | 2.9    | 1.5    | 0.6    | 13     | 3      | 1      | 0.5    | 17222 | 5.7    | 0.2    | 13203  | 4      | 7.4    |
| F2165     | FMD006  | 524.00   | 525.00 | <0.01  | <0.1   | 53.6   | 1.7    | 8.5    | 41.3   | 2.4    | 1.1    | 0.5    | 17     | 2.3    | 0.8    | 0.4    | 9037  | 4.1    | 0.1    | 10934  | 3      | 5.3    |
| F2166     | FMD006  | 525.00   | 526.00 | <0.01  | 0.1    | 8.2    | 0.7    | 11.2   | 62     | 2.3    | 1.4    | 0.6    | 11     | 2.3    | 0.9    | 0.5    | 17076 | 5.4    | 0.1    | 10513  | 3      | 6.7    |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | Au ppm | Ag ppm | As ppm | Be ppm | Ce ppm | Cu ppm | Dy ppm | Er ppm | Eu ppm | Ga ppm | Gd ppm | Hf ppm | Ho ppm | K ppm | La ppm | Lu ppm | Na ppm | Nb ppm | Nd ppm |
|-----------|---------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|--------|--------|--------|
| F2167     | FMD006  | 526.00   | 527.00 | <0.01  | <0.1   | 20.1   | 0.4    | 7.8    | 47.7   | 2      | 0.9    | 0.6    | 14     | 2      | 0.8    | 0.4    | 14415 | 3.5    | 0.1    | 8142   | 9      | 6.5    |
| F2168     | FMD006  | 527.00   | 528.00 | <0.01  | 0.1    | 11.4   | 0.4    | 8.2    | 49     | 1.9    | 1.1    | 0.4    | 11     | 2      | 1.1    | 0.4    | 14405 | 3.4    | 0.1    | 9288   | 5      | 5.4    |
| F2169     | FMD006  | 528.00   | 529.00 | <0.01  | 0.4    | 11.3   | 0.4    | 9      | 48.2   | 2      | 0.9    | 0.5    | 14     | 2      | 1      | 0.5    | 15990 | 4      | <0.1   | 8294   | 6      | 6.1    |
| F2170     | FMD006  | 529.00   | 530.00 | <0.01  | <0.1   | 5.3    | 0.6    | 8.6    | 46.9   | 2      | 1.3    | 0.5    | 11     | 2.1    | 1      | 0.4    | 11032 | 3.7    | 0.1    | 11546  | 6      | 5.9    |
| F2171     | FMD006  | 530.00   | 531.00 | <0.01  | <0.1   | 5.1    | 1.1    | 10.8   | 38.5   | 2.7    | 1.6    | 0.8    | 18     | 2.1    | 1.2    | 0.6    | 10789 | 4.5    | 0.1    | 12579  | 10     | 8      |
| F2172     | FMD006  | 531.00   | 532.00 | <0.01  | <0.1   | 14.6   | 0.9    | 10     | 46.3   | 2.1    | 1.3    | 0.7    | 17     | 2.6    | 1.3    | 0.5    | 13227 | 4.3    | 0.2    | 11516  | 6      | 5.4    |
| F2173     | FMD006  | 532.00   | 533.00 | <0.01  | <0.1   | 9.7    | 0.3    | 8.8    | 67     | 2      | 1.2    | 0.7    | 14     | 2.2    | 1.1    | 0.4    | 13216 | 3.7    | 0.1    | 9576   | 4      | 7      |
| F2174     | FMD006  | 533.00   | 534.00 | <0.01  | <0.1   | 3.6    | 0.3    | 10.4   | 30.3   | 2      | 1.2    | 0.6    | 11     | 2.2    | 1.1    | 0.6    | 14080 | 4.4    | 0.1    | 9484   | 4      | 6.3    |
| F2176     | FMD006  | 534.00   | 535.00 | 0.01   | 0.1    | 8.6    | 0.7    | 10.2   | 109.8  | 2.3    | 1.3    | 0.5    | 12     | 2.2    | 1.1    | 0.5    | 15532 | 4.3    | 0.1    | 12731  | 5      | 6.9    |
| F2177     | FMD006  | 535.00   | 536.00 | 0.01   | <0.1   | 42.8   | 0.4    | 9.3    | 87.3   | 2.4    | 1.4    | 0.6    | 14     | 2.4    | 1.1    | 0.5    | 13409 | 4      | 0.1    | 10655  | 4      | 6.6    |
| F2178     | FMD006  | 536.00   | 537.00 | <0.01  | 0.2    | 2.5    | 0.4    | 11.6   | 41.2   | 2.5    | 1.6    | 0.8    | 16     | 2.3    | 1.3    | 0.6    | 13227 | 4.9    | 0.1    | 15455  | 4      | 8.1    |
| F2179     | FMD006  | 537.00   | 538.00 | <0.01  | <0.1   | 2.8    | 0.6    | 12.1   | 57     | 2.9    | 1.6    | 0.6    | 14     | 2.6    | 1.2    | 0.6    | 11500 | 5      | 0.2    | 14290  | 5      | 7.6    |
| F2180     | FMD006  | 538.00   | 539.00 | <0.01  | <0.1   | 2.4    | 0.2    | 11.4   | 64.3   | 2.4    | 1.5    | 0.7    | 14     | 2.4    | 1.3    | 0.6    | 13155 | 4.9    | 0.1    | 16204  | 5      | 7.8    |
| F2181     | FMD006  | 539.00   | 540.00 | <0.01  | <0.1   | 2.4    | 0.3    | 11.7   | 52     | 2.5    | 1.5    | 0.7    | 12     | 2.6    | 1.3    | 0.4    | 12272 | 5.3    | 0.2    | 14169  | 6      | 7.2    |
| F2182     | FMD006  | 540.00   | 541.00 | <0.01  | <0.1   | 45.2   | 0.5    | 16.1   | 73.5   | 2.7    | 1.7    | 0.6    | 17     | 2.7    | 1.3    | 0.5    | 7626  | 7.2    | 0.2    | 10645  | 6      | 10.3   |
| F2183     | FMD006  | 541.00   | 542.00 | <0.01  | <0.1   | 3.2    | 0.5    | 9.9    | 67.9   | 2.6    | 1.6    | 0.7    | 13     | 2.1    | 1.2    | 0.5    | 9019  | 4.3    | 0.2    | 15121  | 5      | 7.3    |
| F2184     | FMD006  | 542.00   | 543.00 | <0.01  | 0.2    | 3.8    | 0.6    | 14.4   | 67.4   | 3.3    | 1.5    | 0.8    | 16     | 3      | 1.4    | 0.6    | 12922 | 6.4    | 0.2    | 15364  | 6      | 8.4    |
| F2185     | FMD006  | 543.00   | 544.00 | <0.01  | 0.1    | 2.4    | 0.8    | 14.1   | 89.8   | 3.3    | 2      | 0.8    | 18     | 3.2    | 1.6    | 0.7    | 14781 | 6.1    | 0.2    | 13186  | 8      | 7.8    |
| F2186     | FMD006  | 544.00   | 545.00 | <0.01  | 0.1    | 29.5   | 1.6    | 20     | 115    | 3.4    | 1.8    | 0.8    | 14     | 3.6    | 1.4    | 0.7    | 11672 | 9.2    | 0.2    | 11900  | 6      | 11.6   |
| F2187     | FMD006  | 545.00   | 546.00 | <0.01  | 0.2    | 6.1    | 1.5    | 24     | 131.9  | 3.6    | 1.7    | 1.1    | 15     | 4.2    | 1.5    | 0.6    | 18712 | 12.1   | 0.2    | 10422  | 7      | 15.7   |
| F2188     | FMD006  | 546.00   | 547.00 | <0.01  | 0.2    | 18.3   | 2.9    | 42.7   | 96     | 3.8    | 2.2    | 0.9    | 21     | 4.3    | 3.7    | 0.7    | 11195 | 24     | 0.2    | 23444  | 11     | 19     |
| F2189     | FMD006  | 547.00   | 548.00 | <0.01  | 0.3    | 10.6   | 1.9    | 77.7   | 121.3  | 4.5    | 2.7    | 1.2    | 31     | 5.4    | 4.8    | 1      | 26351 | 42.6   | 0.3    | 24963  | 15     | 39.7   |
| F2190     | FMD006  | 548.00   | 549.00 | <0.01  | 0.3    | 7.2    | 2.5    | 72.3   | 99.1   | 4.5    | 2.2    | 0.9    | 26     | 4.9    | 3.8    | 0.9    | 34934 | 40.5   | 0.2    | 22401  | 17     | 38.1   |
| F2192     | FMD006  | 549.00   | 550.00 | <0.01  | 0.4    | 6.1    | 3.2    | 65.3   | 91.7   | 4.4    | 2      | 1      | 22     | 5.1    | 3.6    | 0.7    | 43497 | 35.4   | 0.2    | 17004  | 18     | 34.5   |
| F2193     | FMD006  | 550.00   | 551.00 | <0.01  | 0.5    | 12.2   | 3.2    | 76     | 69.3   | 4.3    | 2.4    | 1.1    | 29     | 5.8    | 3.9    | 0.7    | 43802 | 41.1   | 0.2    | 14685  | 14     | 38.8   |
| F2194     | FMD006  | 551.00   | 552.00 | <0.01  | 0.5    | 19     | 2.3    | 72.3   | 75.6   | 4.3    | 2.3    | 1      | 25     | 5      | 3.7    | 0.8    | 45915 | 38.3   | 0.3    | 13257  | 14     | 32.1   |
| F2195     | FMD006  | 552.00   | 553.00 | <0.01  | 0.4    | 15.6   | 3.8    | 65     | 56.2   | 4.3    | 2      | 1      | 25     | 5.9    | 3.9    | 0.8    | 40419 | 35.5   | 0.3    | 17166  | 19     | 29.4   |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | Au ppm | Ag ppm | As ppm | Be ppm | Ce ppm | Cu ppm | Dy ppm | Er ppm | Eu ppm | Ga ppm | Gd ppm | Hf ppm | Ho ppm | K ppm | La ppm | Lu ppm | Na ppm | Nb ppm | Nd ppm |
|-----------|---------|----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|--------|--------|--------|--------|--------|
| F2196     | FMD006  | 553.00   | 554.00 | <0.01  | 0.4    | 13     | 2.2    | 76.8   | 89     | 5      | 2.5    | 1.1    | 26     | 4.9    | 3.5    | 0.8    | 40714 | 41.3   | 0.3    | 14412  | 14     | 35.9   |
| F2197     | FMD006  | 554.00   | 555.00 | <0.01  | 0.4    | 15.5   | 2.8    | 70.5   | 61.7   | 3.5    | 2.4    | 1      | 19     | 5      | 3.8    | 0.8    | 39434 | 36.8   | 0.2    | 12143  | 12     | 36.1   |
| F2198     | FMD006  | 555.00   | 556.00 | <0.01  | 0.4    | 16.1   | 2.4    | 70.9   | 72.3   | 4.5    | 2.4    | 1      | 25     | 4.8    | 4      | 0.8    | 44381 | 39.4   | 0.2    | 13561  | 13     | 36     |
| F2199     | FMD006  | 556.00   | 557.00 | <0.01  | 0.6    | 14.5   | 2      | 69.3   | 106.6  | 4.4    | 2.2    | 1      | 25     | 5.6    | 4.2    | 1      | 41029 | 37.8   | 0.3    | 10675  | 14     | 35.5   |
| F2200     | FMD006  | 557.00   | 558.00 | <0.01  | 0.6    | 28.8   | 1.6    | 62     | 111.4  | 4.6    | 2.4    | 1      | 22     | 4.7    | 3.7    | 0.8    | 33989 | 33.3   | 0.3    | 13065  | 11     | 32.3   |
| F2201     | FMD006  | 558.00   | 559.00 | <0.01  | 0.8    | 24.4   | 1.9    | 58     | 138.7  | 3.7    | 1.6    | 1      | 21     | 4.7    | 4      | 0.8    | 32323 | 30.5   | 0.3    | 16872  | 11     | 28.3   |
| F2202     | FMD006  | 559.00   | 560.00 | <0.01  | 0.8    | 23.3   | 1.6    | 57.8   | 118.2  | 4.1    | 2      | 0.8    | 20     | 4.4    | 4.2    | 0.7    | 29947 | 32.4   | 0.2    | 14797  | 13     | 28.8   |
| F2203     | FMD006  | 560.00   | 561.00 | <0.01  | 0.8    | 13.6   | 1.7    | 53.2   | 147.1  | 4.2    | 2.2    | 0.9    | 21     | 4.2    | 4.8    | 0.8    | 31318 | 28.1   | 0.3    | 17217  | 12     | 27.5   |
| F2204     | FMD006  | 561.00   | 562.00 | <0.01  | 0.5    | 13.8   | 1.6    | 69.7   | 135.5  | 5.1    | 2      | 1.2    | 25     | 6      | 4.5    | 0.8    | 36488 | 37.7   | 0.3    | 15799  | 13     | 35.9   |
| F2205     | FMD006  | 562.00   | 563.00 | <0.01  | 0.5    | 19.9   | 3.2    | 69.1   | 131.3  | 5      | 2.9    | 1.6    | 23     | 5.8    | 4.8    | 1      | 21069 | 37     | 0.3    | 11212  | 14     | 36.4   |
| F2206     | FMD006  | 563.00   | 564.00 | <0.01  | 0.4    | 19.1   | 2.2    | 69.9   | 115    | 5.6    | 2.8    | 1.3    | 19     | 5.9    | 5.1    | 1      | 34558 | 37.8   | 0.3    | 20093  | 14     | 34.4   |
| F2207     | FMD006  | 564.00   | 565.00 | <0.01  | 0.2    | 129.3  | 6.2    | 42.6   | 69.2   | 5.6    | 2.6    | 0.7    | 30     | 6.3    | 2.8    | 1.1    | 42339 | 21.2   | 0.4    | 18371  | 26     | 24.5   |
| F2208     | FMD006  | 565.00   | 566.00 | <0.01  | 0.3    | 13     | 1.3    | 73.3   | 128.7  | 5.4    | 2.8    | 1.2    | 24     | 6.4    | 5.4    | 1.1    | 29418 | 37.9   | 0.3    | 19698  | 14     | 36.3   |
| F2209     | FMD006  | 566.00   | 566.90 | <0.01  | 0.4    | 20.8   | 3.4    | 89.5   | 124    | 7.5    | 3.7    | 1.6    | 24     | 7.9    | 6.5    | 1.4    | 34639 | 46     | 0.4    | 22766  | 21     | 45.2   |
| F2047     | FMD006  | 292.00   | 293.00 | <0.01  | 0.3    | 7.5    | 3.9    | 58.4   | 58.3   | 6      | 3      | 1.1    | 21     | 4.4    | 3.1    | 1      | 31102 | 27.8   | 0.4    | 4308   | 17     | 26.7   |

| Sample ID | Hole ID | From (m) | To (m) | P ppm | Pb ppm | Pr ppm | S ppm | Sb ppm | Sm ppm | Sn ppm | Ta ppm | Tb ppm | Th ppm | Tl ppm | Tm ppm | U ppm | W ppm | Y ppm | Yb ppm | Zn ppm | Zr ppm |
|-----------|---------|----------|--------|-------|--------|--------|-------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|-------|--------|--------|--------|
| F2001     | FMD006  | 219.00   | 220.00 | 566   | 4.6    | 7.1    | 71    | 0.7    | 6.1    | 3.1    | 1.1    | 0.8    | 11.9   | <1     | 0.4    | 2.8   | 2     | 26.1  | 2.4    | 33.8   | 235    |
| F2002     | FMD006  | 220.00   | 221.00 | 597   | 5.6    | 6.4    | 273   | 0.8    | 5.4    | 3.1    | 1.2    | 0.8    | 11.8   | <1     | 0.4    | 2.8   | 2     | 26.7  | 2.8    | 36.3   | 219    |
| F2003     | FMD006  | 221.00   | 222.00 | 591   | 5      | 6.4    | 232   | 0.6    | 4.9    | 3.1    | 1.1    | 0.7    | 11     | 1      | 0.3    | 2.7   | 3     | 26.9  | 2.6    | 38.9   | 201    |
| F2004     | FMD006  | 222.00   | 222.41 | 483   | 3.8    | 3.3    | 286   | 0.6    | 3      | 1.5    | 0.8    | 0.5    | 4.2    | <1     | 0.3    | 1.6   | 1     | 16.8  | 1.7    | 43.2   | 122    |
| F2005     | FMD006  | 222.41   | 223.00 | 477   | 2.2    | 2.2    | 99    | <0.5   | 2.8    | 1      | 0.4    | 0.6    | 1.1    | <1     | 0.3    | 1.1   | <1    | 16.1  | 1.8    | 57.4   | 62     |
| F2006     | FMD006  | 223.00   | 224.00 | 468   | 0.5    | 2.8    | 124   | <0.5   | 3      | 0.6    | 0.4    | 0.4    | 0.9    | <1     | 0.3    | 0.8   | <1    | 17.8  | 1.9    | 70     | 56     |
| F2007     | FMD006  | 224.00   | 225.00 | 456   | 1.3    | 1.8    | 69    | <0.5   | 2.6    | 1.8    | 0.3    | 0.4    | 0.5    | <1     | 0.3    | 0.6   | <1    | 18.7  | 1.9    | 81.4   | 52     |
| F2008     | FMD006  | 239.00   | 240.00 | 383   | 2.6    | 1.5    | 43    | <0.5   | 1.7    | 1      | 0.4    | 0.4    | 0.6    | <1     | 0.3    | 3     | 2     | 16    | 1.6    | 123.4  | 48     |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | P<br>ppm | Pb<br>ppm | Pr<br>ppm | S<br>ppm | Sb<br>ppm | Sm<br>ppm | Sn<br>ppm | Ta<br>ppm | Tb<br>ppm | Th<br>ppm | Tl<br>ppm | Tm<br>ppm | U<br>ppm | W<br>ppm | Y<br>ppm | Yb<br>ppm | Zn<br>ppm | Zr<br>ppm |
|-----------|---------|----------|--------|----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|----------|-----------|-----------|-----------|
| F2009     | FMD006  | 240.00   | 241.00 | 441      | 0.7       | 1.8       | 1128     | 0.8       | 2.2       | 0.9       | 0.3       | 0.4       | 0.5       | <1        | 0.3       | 3.7      | 1        | 16.5     | 2         | 124.5     | 49        |
| F2010     | FMD006  | 241.00   | 242.00 | 376      | 1.3       | 1.6       | 53       | <0.5      | 2.3       | 1.3       | 0.3       | 0.4       | 0.5       | <1        | 0.3       | 4.2      | 2        | 16.9     | 1.9       | 121.2     | 42        |
| F2011     | FMD006  | 242.00   | 243.00 | 419      | 3.6       | 2.1       | 63       | <0.5      | 3.1       | 1.1       | 0.3       | 0.5       | 0.5       | <1        | 0.3       | 3.2      | 1        | 19.9     | 1.9       | 113.6     | 51        |
| F2012     | FMD006  | 243.00   | 244.00 | 405      | 0.7       | 2.4       | 36       | 0.5       | 2.9       | 1         | 0.2       | 0.5       | 0.5       | <1        | 0.3       | 3.1      | 2        | 16.2     | 1.6       | 110.3     | 47        |
| F2013     | FMD006  | 244.00   | 245.00 | 3119     | 3.9       | 6.2       | 202      | <0.5      | 5.1       | 4.9       | 0.3       | 0.6       | 4.3       | <1        | 0.4       | 6.5      | 2        | 28.1     | 1.9       | 176.9     | 48        |
| F2014     | FMD006  | 245.00   | 246.00 | 4352     | 2.6       | 6.9       | 138      | <0.5      | 5         | 2.9       | 0.5       | 0.8       | 8.9       | 1         | 0.4       | 6.3      | 2        | 33.9     | 2.1       | 130       | 67        |
| F2015     | FMD006  | 246.00   | 247.00 | 1073     | 2.9       | 8.9       | 95       | <0.5      | 5.5       | 1.8       | 0.6       | 0.6       | 9.8       | <1        | 0.3       | 3        | 2        | 22.6     | 2         | 69.4      | 77        |
| F2016     | FMD006  | 247.00   | 248.00 | 2056     | 4         | 6.2       | 136      | 0.7       | 5         | 3         | 0.6       | 0.6       | 8.3       | <1        | 0.3       | 5.3      | 2        | 22.4     | 1.7       | 100.9     | 66        |
| F2017     | FMD006  | 248.00   | 249.00 | 4874     | 5.3       | 6.4       | 118      | 0.8       | 5.5       | 2.5       | 0.3       | 0.5       | 5         | <1        | 0.2       | 7.6      | 2        | 26.6     | 1.9       | 105       | 46        |
| F2018     | FMD006  | 249.00   | 250.00 | 2888     | 4.1       | 4.4       | 91       | <0.5      | 3.2       | 1.5       | 0.1       | 0.4       | 1.9       | <1        | 0.2       | 4.2      | 1        | 16.5     | 1         | 74.3      | 18        |
| F2019     | FMD006  | 250.00   | 251.00 | 5265     | 5.3       | 4.9       | 85       | 0.8       | 4         | 2.6       | 0.3       | 0.6       | 3.7       | 1         | 0.3       | 4.5      | 3        | 25.9     | 1.6       | 131.1     | 38        |
| F2020     | FMD006  | 251.00   | 252.00 | 3710     | 4.5       | 5.6       | 108      | 0.8       | 4.5       | 1.2       | 0.3       | 0.5       | 4.2       | <1        | 0.3       | 2.8      | 3        | 24.1     | 1.4       | 120.2     | 38        |
| F2021     | FMD006  | 252.00   | 253.00 | 4563     | 6         | 6         | 105      | 1.1       | 3.7       | 1.2       | 0.3       | 0.7       | 3.8       | <1        | 0.4       | 5.7      | 3        | 29.3     | 2         | 90        | 35        |
| F2022     | FMD006  | 253.00   | 254.00 | 3831     | 2.4       | 4.9       | 145      | 1.3       | 3.1       | 1.2       | 0.3       | 0.5       | 4.4       | 1         | 0.3       | 3.9      | 2        | 25.2     | 1.5       | 96.5      | 40        |
| F2023     | FMD006  | 254.00   | 255.00 | 864      | 6.5       | 6.5       | 75       | <0.5      | 4.7       | 1.4       | 0.5       | 0.5       | 8.8       | <1        | 0.3       | 2.7      | 2        | 16.1     | 1.7       | 65.7      | 156       |
| F2024     | FMD006  | 255.00   | 256.00 | 1133     | 10.5      | 7.2       | 65       | 0.6       | 4.1       | 1.6       | 0.6       | 0.6       | 9.5       | <1        | 0.3       | 2.8      | 2        | 18.9     | 1.8       | 91.8      | 102       |
| F2026     | FMD006  | 256.00   | 257.00 | 3600     | 5         | 4.9       | 129      | 1.1       | 4.7       | 2         | 0.4       | 0.7       | 5.2       | 1         | 0.4       | 5.8      | 4        | 29       | 1.8       | 80        | 49        |
| F2027     | FMD006  | 257.00   | 258.00 | 4342     | 8.3       | 5.8       | 127      | 1.2       | 4.7       | 1.9       | 0.3       | 0.7       | 4.4       | <1        | 0.3       | 5.2      | 6        | 29.7     | 1.9       | 62.6      | 40        |
| F2028     | FMD006  | 258.00   | 259.00 | 4633     | 5.6       | 5.6       | 149      | 1.7       | 3.4       | 1.4       | 0.3       | 0.7       | 3.9       | <1        | 0.3       | 4        | 4        | 29.6     | 1.8       | 64.7      | 37        |
| F2029     | FMD006  | 259.00   | 260.00 | 4954     | 15.5      | 6.3       | 168      | 2.3       | 4.6       | 1.1       | 0.2       | 0.7       | 4         | 1         | 0.4       | 2.7      | 4        | 34.8     | 1.9       | 71.2      | 36        |
| F2030     | FMD006  | 260.00   | 261.00 | 4051     | <0.5      | 6.5       | 150      | 1.1       | 3.8       | 1.5       | 0.4       | 0.7       | 5.1       | 1         | 0.3       | 2.6      | 5        | 30.5     | 2         | 87.1      | 49        |
| F2032     | FMD006  | 261.00   | 262.00 | 3470     | 2.2       | 4.4       | 150      | 1         | 3.8       | 1.6       | 0.4       | 0.6       | 4.1       | <1        | 0.3       | 3.6      | 3        | 24.4     | 1.5       | 61.2      | 37        |
| F2033     | FMD006  | 262.00   | 263.00 | 3379     | 3.4       | 5.9       | 189      | 0.9       | 5.5       | 2.2       | 0.4       | 0.8       | 6         | <1        | 0.4       | 4        | 3        | 29.2     | 2.1       | 86.2      | 53        |
| F2034     | FMD006  | 263.00   | 264.00 | 2306     | 2.7       | 5.3       | 155      | 0.9       | 4.4       | 4.4       | 0.4       | 0.8       | 5.6       | 1         | 0.4       | 3.7      | 2        | 28       | 1.9       | 104.2     | 51        |
| F2035     | FMD006  | 264.00   | 265.00 | 2006     | 4         | 5.3       | 128      | 0.7       | 4.5       | 5.2       | 0.5       | 0.7       | 5.8       | <1        | 0.4       | 6.7      | 2        | 26.1     | 2.1       | 96.1      | 66        |
| F2036     | FMD006  | 265.00   | 266.00 | 368      | 3.1       | 3.5       | 31       | <0.5      | 3         | 2.7       | 0.3       | 0.4       | 1.2       | 1         | 0.2       | 1.8      | <1       | 17.3     | 1.9       | 76.4      | 56        |
| F2037     | FMD006  | 266.00   | 267.00 | 341      | 2.5       | 2         | 54       | <0.5      | 1.5       | 2.7       | 0.3       | 0.3       | 1.1       | 1         | 0.2       | 2.2      | 2        | 11       | 1.2       | 72.3      | 50        |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | P<br>ppm | Pb<br>ppm | Pr<br>ppm | S<br>ppm | Sb<br>ppm | Sm<br>ppm | Sn<br>ppm | Ta<br>ppm | Tb<br>ppm | Th<br>ppm | Tl<br>ppm | Tm<br>ppm | U<br>ppm | W<br>ppm | Y<br>ppm | Yb<br>ppm | Zn<br>ppm | Zr<br>ppm |
|-----------|---------|----------|--------|----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|----------|-----------|-----------|-----------|
| F2038     | FMD006  | 267.00   | 268.00 | 340      | 1.1       | 1.8       | 57       | <0.5      | 1.7       | 3.8       | 0.3       | 0.4       | 1         | 1         | 0.2       | 2        | 2        | 11.8     | 1         | 65.9      | 53        |
| F2039     | FMD006  | 268.00   | 269.00 | 3219     | <0.5      | 7.1       | 174      | <0.5      | 7.3       | 6.7       | 0.4       | 1.2       | 6.7       | <1        | 0.5       | 4.2      | 2        | 43.8     | 2.6       | 51.3      | 63        |
| F2040     | FMD006  | 269.00   | 270.00 | 2266     | 1.4       | 7.3       | 182      | 0.9       | 6         | 5.9       | 0.5       | 1.2       | 6.2       | <1        | 0.5       | 5.5      | 2        | 48.3     | 2.8       | 48.6      | 61        |
| F2041     | FMD006  | 270.00   | 271.00 | 565      | 6.2       | 3.7       | 136      | 0.5       | 3.1       | 3.9       | 1.4       | 0.5       | 14.7      | 2         | 0.3       | 9.2      | 3        | 19.8     | 2.2       | 35.9      | 99        |
| F2042     | FMD006  | 271.00   | 272.00 | 161      | 15.1      | 2.5       | 75       | <0.5      | 1.9       | 3         | 0.9       | 0.4       | 24.5      | 1         | 0.3       | 12.1     | 2        | 18.2     | 1.5       | 12.1      | 116       |
| F2043     | FMD006  | 288.00   | 289.00 | 205      | 42.1      | 7.3       | 3950     | <0.5      | 6.1       | 4.3       | 1.2       | 1.1       | 18.1      | 2         | 0.8       | 30.8     | 3        | 47.7     | 5.7       | 18.6      | 99        |
| F2044     | FMD006  | 289.00   | 290.00 | 232      | 49.2      | 11.1      | 29945    | <0.5      | 7.2       | 5         | 1         | 0.7       | 16.7      | 2         | 0.4       | 11.3     | 7        | 30.3     | 3.1       | 28.7      | 133       |
| F2045     | FMD006  | 290.00   | 291.00 | 554      | 4.9       | 10.1      | 18143    | <0.5      | 5.9       | 4.2       | 0.8       | 0.7       | 11.9      | <1        | 0.3       | 6.2      | 3        | 19.7     | 1.8       | 29.8      | 104       |
| F2046     | FMD006  | 291.00   | 292.00 | 581      | 4.8       | 7.8       | 5725     | <0.5      | 5.9       | 4.2       | 1.1       | 0.8       | 15.9      | <1        | 0.4       | 3.2      | 2        | 30       | 2.3       | 52.2      | 132       |
| F2047     | FMD006  | 292.00   | 293.00 | 414      | 8.6       | 6.9       | 793      | <0.5      | 4.8       | 5.7       | 1.6       | 0.8       | 13        | <1        | 0.4       | 4.4      | 2        | 31       | 3.1       | 39.3      | 107       |
| F2048     | FMD006  | 293.00   | 294.00 | 574      | 6.2       | 7.2       | 4094     | <0.5      | 5.2       | 2.9       | 1         | 1         | 12.4      | <1        | 0.6       | 3.3      | 6        | 35.1     | 3.2       | 42        | 123       |
| F2049     | FMD006  | 294.00   | 295.00 | 464      | 3.8       | 6.5       | 8096     | 1.6       | 4.4       | 2.4       | 0.8       | 0.7       | 10.9      | <1        | 0.5       | 2.4      | 2        | 28.9     | 2.5       | 43.9      | 103       |
| F2051     | FMD006  | 295.00   | 296.00 | 336      | 37.7      | 9.9       | 14141    | 1.4       | 7.3       | 3.2       | 0.7       | 0.9       | 10.2      | 1         | 0.6       | 9.4      | 3        | 35.9     | 3.5       | 34.4      | 111       |
| F2052     | FMD006  | 296.00   | 297.00 | 351      | 52.2      | 10.4      | 29226    | <0.5      | 8.3       | 2.7       | 0.9       | 1.1       | 12.8      | 2         | 0.6       | 9.1      | 4        | 37.3     | 3.9       | 24.3      | 118       |
| F2053     | FMD006  | 297.00   | 298.00 | 222      | 46.7      | 11.2      | 28713    | 0.9       | 8.5       | 2.9       | 0.9       | 1         | 12.6      | 1         | 0.5       | 6.5      | 3        | 32.4     | 3         | 29.4      | 123       |
| F2054     | FMD006  | 298.00   | 299.00 | 250      | 50.2      | 12        | 39797    | 0.5       | 8.7       | 2.4       | 0.9       | 1.1       | 11.2      | <1        | 0.5       | 5        | 2        | 30.8     | 3.3       | 35.4      | 104       |
| F2055     | FMD006  | 299.00   | 300.00 | 689      | 39.4      | 11.5      | 40618    | 1         | 8.2       | 2.4       | 0.9       | 1.2       | 9.9       | <1        | 0.6       | 5.5      | 4        | 39.3     | 3.1       | 40.1      | 132       |
| F2056     | FMD006  | 300.00   | 301.00 | 810      | 17.3      | 7.4       | 17630    | <0.5      | 5.2       | 2.7       | 0.8       | 1         | 9.7       | 1         | 0.4       | 4.7      | 2        | 32.1     | 2.9       | 34.2      | 108       |
| F2057     | FMD006  | 301.00   | 302.00 | 361      | 6         | 2.9       | 742      | <0.5      | 3.2       | 1.7       | 0.4       | 0.5       | 1.2       | 2         | 0.3       | 0.7      | 1        | 17.4     | 1.6       | 79.2      | 58        |
| F2058     | FMD006  | 302.00   | 303.00 | 336      | 11.9      | 1.9       | 3037     | <0.5      | 2.3       | 1.9       | 0.4       | 0.5       | 1.5       | <1        | 0.2       | 0.4      | <1       | 16.2     | 1.9       | 134.3     | 56        |
| F2059     | FMD006  | 303.00   | 304.00 | 347      | 85.8      | 1.9       | 2318     | <0.5      | 1.9       | 1.5       | 0.3       | 0.5       | 1.2       | <1        | 0.3       | 0.5      | <1       | 16.2     | 1.7       | 297       | 61        |
| F2060     | FMD006  | 304.00   | 305.00 | 351      | 55.2      | 2.1       | 1200     | 0.6       | 2.3       | 1.6       | 0.3       | 0.4       | 1.1       | <1        | 0.3       | 0.4      | <1       | 16.5     | 1.7       | 180.2     | 57        |
| F2062     | FMD006  | 305.00   | 306.00 | 359      | 3.1       | 2.2       | 5951     | <0.5      | 2.2       | 3.8       | 0.4       | 0.5       | 0.9       | <1        | 0.3       | 0.7      | <1       | 15.4     | 1.6       | 71.6      | 56        |
| F2063     | FMD006  | 306.00   | 307.00 | 438      | 5         | 4.5       | 14448    | <0.5      | 3.8       | 1.6       | 0.6       | 0.5       | 4.6       | <1        | 0.3       | 2.5      | 1        | 19.7     | 1.8       | 56        | 86        |
| F2064     | FMD006  | 307.00   | 307.95 | 744      | 6.4       | 10.2      | 19580    | <0.5      | 7.8       | 3.1       | 1         | 1.1       | 12.5      | <1        | 0.6       | 5.3      | 3        | 42.2     | 3.9       | 33.8      | 145       |
| F2065     | FMD006  | 307.95   | 309.00 | 386      | 4.4       | 9.2       | 2174     | <0.5      | 8         | 3.4       | 0.7       | 0.9       | 10.1      | <1        | 0.5       | 3.6      | 3        | 32.6     | 2.7       | 39.3      | 102       |
| F2066     | FMD006  | 309.00   | 310.00 | 578      | 8.8       | 7.6       | 23685    | <0.5      | 6.1       | 4         | 1         | 0.9       | 11.7      | <1        | 0.5       | 9.2      | 5        | 34.8     | 2.8       | 30.3      | 151       |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | P<br>ppm | Pb<br>ppm | Pr<br>ppm | S<br>ppm | Sb<br>ppm | Sm<br>ppm | Sn<br>ppm | Ta<br>ppm | Tb<br>ppm | Th<br>ppm | Tl<br>ppm | Tm<br>ppm | U<br>ppm | W<br>ppm | Y<br>ppm | Yb<br>ppm | Zn<br>ppm | Zr<br>ppm |
|-----------|---------|----------|--------|----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|----------|-----------|-----------|-----------|
| F2067     | FMD006  | 310.00   | 311.00 | 393      | 18.3      | 11        | 11062    | <0.5      | 9         | 4.5       | 1.2       | 0.9       | 14.5      | <1        | 0.4       | 10.4     | 4        | 29.3     | 2.6       | 30.6      | 144       |
| F2068     | FMD006  | 311.00   | 312.00 | 474      | 15        | 8.7       | 1312     | <0.5      | 6.5       | 4.8       | 1.9       | 1         | 13.9      | 1         | 0.5       | 12.4     | 3        | 33.8     | 3.1       | 33        | 141       |
| F2069     | FMD006  | 312.00   | 313.00 | 600      | 17.5      | 8.8       | 1395     | 5.9       | 7.3       | 6.7       | 2.2       | 0.9       | 16.2      | <1        | 0.4       | 10.2     | 2        | 29.9     | 2.4       | 36.2      | 136       |
| F2070     | FMD006  | 313.00   | 314.00 | 848      | 6         | 8         | 199      | <0.5      | 6.6       | 6.7       | 1.4       | 0.8       | 14.8      | 1         | 0.5       | 5        | 1        | 33       | 2.3       | 51.4      | 160       |
| F2071     | FMD006  | 314.00   | 315.00 | 871      | 9.7       | 7.9       | 235      | <0.5      | 6.1       | 4.9       | 1.1       | 0.7       | 13.5      | 1         | 0.4       | 5.8      | 2        | 29.5     | 2.4       | 49.4      | 135       |
| F2072     | FMD006  | 315.00   | 316.00 | 843      | 11.1      | 10.3      | 165      | <0.5      | 5.8       | 4.2       | 1.2       | 0.8       | 15.5      | 1         | 0.4       | 3.3      | 2        | 29       | 2.6       | 64.7      | 134       |
| F2073     | FMD006  | 315.00   | 316.00 | 407      | 18        | 6.3       | 127      | <0.5      | 4.1       | 4.8       | 1.4       | 0.9       | 18.8      | 1         | 0.7       | 6        | 1        | 41.9     | 3.9       | 40.3      | 105       |
| F2074     | FMD006  | 392.00   | 393.00 | 412      | 8         | 1.8       | 1954     | 0.6       | 2.9       | 0.8       | 0.3       | 0.5       | 0.6       | <1        | 0.3       | 0.2      | 9        | 21.8     | 2.3       | 100.1     | 62        |
| F2076     | FMD006  | 393.00   | 394.00 | 357      | 35.9      | 2.3       | 827      | <0.5      | 2.2       | 2.7       | 0.3       | 0.5       | 1.3       | <1        | 0.3       | 0.4      | <1       | 16.8     | 1.5       | 271.9     | 54        |
| F2077     | FMD006  | 394.00   | 395.00 | 461      | 6.8       | 2.3       | 495      | <0.5      | 2.4       | 3.1       | 0.4       | 0.4       | 4.1       | <1        | 0.2       | 0.7      | <1       | 17       | 1.6       | 220.6     | 78        |
| F2078     | FMD006  | 395.00   | 396.00 | 449      | 5.9       | 2.9       | 698      | <0.5      | 2.6       | 3.4       | 0.5       | 0.4       | 4.8       | <1        | 0.3       | 1        | <1       | 16.3     | 1.6       | 217.3     | 69        |
| F2079     | FMD006  | 396.00   | 397.00 | 393      | 3         | 2         | 365      | <0.5      | 2.2       | 4.9       | 0.5       | 0.5       | 1.7       | <1        | 0.3       | 0.6      | 1        | 19.1     | 1.9       | 89.3      | 57        |
| F2080     | FMD006  | 397.00   | 398.00 | 605      | 3.2       | 2.6       | 347      | <0.5      | 4.1       | 3.3       | 0.8       | 0.6       | 2.2       | <1        | 0.3       | 0.7      | 1        | 22.1     | 1.7       | 115.8     | 88        |
| F2081     | FMD006  | 398.00   | 399.00 | 734      | 4.6       | 4.6       | 1081     | 0.6       | 4.3       | 3.7       | 0.7       | 0.6       | 8.9       | <1        | 0.2       | 1.4      | 2        | 20.3     | 1.6       | 57.4      | 122       |
| F2082     | FMD006  | 399.00   | 400.00 | 478      | 12.6      | 6.3       | 166      | 1.4       | 4.6       | 4.4       | 1.5       | 0.6       | 15.9      | <1        | 0.4       | 8.7      | 4        | 27.4     | 2.4       | 35.1      | 160       |
| F2083     | FMD006  | 400.00   | 401.00 | 697      | 8.3       | 9.1       | 337      | <0.5      | 6.5       | 5.4       | 1.5       | 0.7       | 15.7      | 1         | 0.4       | 4.2      | 3        | 25.2     | 2.2       | 51.3      | 145       |
| F2084     | FMD006  | 401.00   | 402.00 | 388      | 5.4       | 9.9       | 1410     | <0.5      | 6         | 5.4       | 1.4       | 0.8       | 16.3      | 1         | 0.4       | 2.6      | 2        | 23.3     | 2.2       | 55.8      | 132       |
| F2085     | FMD006  | 402.00   | 403.00 | 496      | 5.2       | 10.5      | 497      | <0.5      | 6.7       | 4.4       | 1.4       | 0.8       | 17.8      | 1         | 0.4       | 3.5      | 2        | 27       | 2.2       | 49.3      | 167       |
| F2086     | FMD006  | 403.00   | 404.00 | 703      | 6.9       | 9.8       | 98       | <0.5      | 6.2       | 5.2       | 1.4       | 0.7       | 16.9      | 1         | 0.4       | 2.7      | 3        | 26.6     | 2.2       | 65        | 146       |
| F2087     | FMD006  | 404.00   | 405.00 | 436      | 21.3      | 7         | 104      | <0.5      | 5.1       | 5.8       | 2.2       | 0.9       | 15.9      | 2         | 0.5       | 6.9      | 2        | 31.6     | 2.8       | 46.8      | 109       |
| F2088     | FMD006  | 405.00   | 406.00 | 434      | 17.6      | 6.7       | 162      | <0.5      | 6         | 7.9       | 2.5       | 0.8       | 19.9      | 1         | 0.4       | 8.4      | 2        | 28.8     | 2.6       | 53.8      | 122       |
| F2089     | FMD006  | 406.00   | 407.00 | 339      | 21.6      | 9.6       | 2836     | <0.5      | 6.5       | 7.1       | 1.6       | 0.8       | 18.1      | 1         | 0.4       | 5.5      | 2        | 27.2     | 2.4       | 49.4      | 143       |
| F2090     | FMD006  | 423.00   | 424.00 | 252      | 32.1      | 9         | 5043     | <0.5      | 5.4       | 8.1       | 2         | 0.6       | 19.4      | 2         | 0.3       | 5.1      | 3        | 25.3     | 2.2       | 60.4      | 151       |
| F2092     | FMD006  | 424.00   | 425.00 | 265      | 28.2      | 9.3       | 9856     | <0.5      | 5.8       | 11.2      | 1.3       | 0.7       | 16.8      | 1         | 0.3       | 3.6      | 3        | 22.5     | 1.8       | 48.6      | 146       |
| F2093     | FMD006  | 425.00   | 426.00 | 655      | 14.2      | 6.4       | 3678     | <0.5      | 4.2       | 6         | 1         | 0.6       | 9.8       | 1         | 0.3       | 5.2      | 3        | 19.3     | 1.8       | 52.4      | 146       |
| F2094     | FMD006  | 426.00   | 427.00 | 149      | 35.8      | 6.6       | 1594     | <0.5      | 5.5       | 6.6       | 4.3       | 0.9       | 20.2      | 1         | 0.5       | 17.8     | 1        | 39.7     | 3.8       | 17.2      | 99        |
| F2095     | FMD006  | 427.00   | 428.00 | 196      | 31.8      | 8.4       | 10656    | <0.5      | 4.4       | 7.5       | 1.4       | 0.6       | 16.8      | 1         | 0.4       | 5.7      | 3        | 22.1     | 2.2       | 43.3      | 160       |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | P<br>ppm | Pb<br>ppm | Pr<br>ppm | S<br>ppm | Sb<br>ppm | Sm<br>ppm | Sn<br>ppm | Ta<br>ppm | Tb<br>ppm | Th<br>ppm | Tl<br>ppm | Tm<br>ppm | U<br>ppm | W<br>ppm | Y<br>ppm | Yb<br>ppm | Zn<br>ppm | Zr<br>ppm |
|-----------|---------|----------|--------|----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|----------|-----------|-----------|-----------|
| F2096     | FMD006  | 428.00   | 429.00 | 215      | 18.4      | 9.3       | 10759    | <0.5      | 5.9       | 4.7       | 1.2       | 0.7       | 17.4      | <1        | 0.3       | 4.6      | 2        | 20.6     | 2.4       | 42.2      | 160       |
| F2097     | FMD006  | 429.00   | 430.00 | 203      | 25.2      | 9.2       | 13017    | <0.5      | 5.2       | 4.9       | 1.1       | 0.6       | 17.9      | 1         | 0.3       | 5.3      | 3        | 21.5     | 2.1       | 40.8      | 169       |
| F2098     | FMD006  | 430.00   | 430.74 | 190      | 31.4      | 9.1       | 8532     | <0.5      | 6.6       | 5.2       | 2.5       | 0.9       | 16.6      | 1         | 0.4       | 5.4      | 2        | 28.6     | 2.6       | 55.3      | 141       |
| F2099     | FMD006  | 430.74   | 432.00 | 210      | 33.9      | 9.2       | 11785    | <0.5      | 6         | 5         | 1.3       | 0.7       | 18.2      | 1         | 0.4       | 5.2      | 4        | 22.2     | 2         | 48.1      | 178       |
| F2100     | FMD006  | 432.00   | 433.00 | 227      | 30        | 9.3       | 10153    | <0.5      | 6.6       | 5.4       | 1.5       | 0.8       | 18.2      | 1         | 0.4       | 5.3      | 3        | 25.6     | 2.2       | 50.9      | 165       |
| F2101     | FMD006  | 433.00   | 434.00 | 225      | 19.5      | 8.9       | 10554    | <0.5      | 5         | 8.6       | 1.3       | 0.7       | 17.8      | 1         | 0.4       | 5.4      | 3        | 26.1     | 2.5       | 34.6      | 145       |
| F2102     | FMD006  | 434.00   | 435.00 | 251      | 28.2      | 8.6       | 4786     | <0.5      | 6.2       | 5.6       | 1.6       | 0.7       | 16.4      | <1        | 0.4       | 4.3      | 3        | 24.8     | 2.7       | 42.4      | 143       |
| F2103     | FMD006  | 435.00   | 436.00 | 215      | 23.2      | 9.2       | 7619     | <0.5      | 5.7       | 7         | 1.8       | 0.8       | 16.4      | 1         | 0.4       | 5.2      | 3        | 26.8     | 2.6       | 67.5      | 126       |
| F2104     | FMD006  | 436.00   | 437.00 | 250      | 27.6      | 10.1      | 9558     | <0.5      | 7.3       | 6.4       | 2         | 0.9       | 17.9      | 1         | 0.4       | 5        | 3        | 28.1     | 2.8       | 53.4      | 124       |
| F2105     | FMD006  | 437.00   | 438.00 | 235      | 22.7      | 9.3       | 10246    | 0.6       | 6         | 4.5       | 1.3       | 0.8       | 16.9      | 1         | 0.3       | 4.8      | 2        | 24.2     | 2.4       | 61.5      | 157       |
| F2106     | FMD006  | 458.00   | 459.00 | 258      | 15.5      | 9.4       | 21227    | <0.5      | 6.4       | 5.2       | 1.3       | 0.7       | 17.4      | 1         | 0.4       | 7.8      | 3        | 24.4     | 2.2       | 31.8      | 142       |
| F2107     | FMD006  | 459.00   | 460.00 | 241      | 14.5      | 9.4       | 16403    | 1         | 7.2       | 4         | 1.3       | 0.8       | 16.6      | 2         | 0.3       | 5.9      | 3        | 25.2     | 2.5       | 30.6      | 138       |
| F2108     | FMD006  | 460.00   | 461.00 | 364      | 12.9      | 4.6       | 14145    | 1.3       | 5         | 2.2       | 0.6       | 0.7       | 5.3       | 1         | 0.3       | 2.2      | 1        | 21.6     | 2.3       | 139.8     | 86        |
| F2109     | FMD006  | 461.00   | 462.00 | 375      | 8.3       | 2.2       | 7998     | 1.5       | 2.4       | 1.3       | 0.4       | 0.5       | 1         | <1        | 0.3       | 0.3      | 1        | 17.4     | 1.6       | 92.6      | 56        |
| F2110     | FMD006  | 462.00   | 462.80 | 384      | 4.5       | 2.1       | 3329     | 2.2       | 2.7       | 3         | 0.5       | 0.5       | 1         | <1        | 0.3       | 0.4      | <1       | 17.6     | 1.7       | 122.3     | 63        |
| F2111     | FMD006  | 462.80   | 463.10 | 302      | 22.4      | 1.7       | 33542    | 1.1       | 2         | 2.4       | 0.4       | 0.4       | 0.9       | <1        | 0.2       | 0.4      | 2        | 14.4     | 1.6       | 92.3      | 47        |
| F2112     | FMD006  | 463.10   | 464.00 | 387      | 5.6       | 2.2       | 2703     | 1.3       | 2.4       | 1.3       | 0.4       | 0.5       | 1         | <1        | 0.3       | 0.3      | <1       | 17.3     | 1.7       | 199.9     | 61        |
| F2113     | FMD006  | 464.00   | 465.00 | 399      | 7.3       | 2.4       | 3780     | 0.6       | 2.5       | 1.4       | 0.4       | 0.6       | 1         | 1         | 0.3       | 0.3      | <1       | 19.5     | 2.1       | 214.1     | 63        |
| F2114     | FMD006  | 465.00   | 465.50 | 377      | 20.5      | 5         | 7157     | <0.5      | 4.6       | 2         | 0.7       | 0.7       | 7.8       | <1        | 0.3       | 3.6      | 1        | 20       | 1.7       | 259.9     | 97        |
| F2115     | FMD006  | 465.50   | 466.00 | 348      | 27.9      | 8         | 20713    | <0.5      | 5.8       | 3         | 1         | 0.8       | 15        | 1         | 0.4       | 6.3      | 2        | 26.5     | 2.6       | 276.3     | 117       |
| F2116     | FMD006  | 466.00   | 467.00 | 220      | 44.5      | 9         | 16608    | 0.5       | 6.7       | 4.4       | 1.1       | 0.8       | 16.7      | 1         | 0.5       | 6.8      | 2        | 28.8     | 2.5       | 1167.2    | 128       |
| F2117     | FMD006  | 467.00   | 468.00 | 273      | 32.7      | 10.4      | 20303    | <0.5      | 6.1       | 4.6       | 1.2       | 0.8       | 17        | 2         | 0.5       | 6        | 2        | 27       | 2.5       | 59.8      | 129       |
| F2118     | FMD006  | 468.00   | 469.00 | 276      | 27.8      | 9.2       | 5771     | <0.5      | 6.2       | 5.3       | 1.3       | 0.7       | 15.1      | 2         | 0.3       | 4.6      | 2        | 22.6     | 2.5       | 43        | 122       |
| F2119     | FMD006  | 469.00   | 470.00 | 272      | 19.1      | 8.3       | 1410     | <0.5      | 5.7       | 6         | 1.5       | 0.7       | 18.6      | 2         | 0.4       | 6.3      | 2        | 27.3     | 2.5       | 49.7      | 119       |
| F2120     | FMD006  | 470.00   | 471.00 | 301      | 19.1      | 9.2       | 1707     | 0.6       | 5.8       | 4         | 1.2       | 0.6       | 17.4      | 1         | 0.3       | 3.7      | 2        | 22.6     | 2.5       | 131.1     | 132       |
| F2121     | FMD006  | 471.00   | 472.00 | 382      | 19.6      | 4.9       | 5084     | <0.5      | 3.8       | 2.5       | 0.7       | 0.6       | 8.2       | 1         | 0.3       | 1.3      | 1        | 20.7     | 2.2       | 388.7     | 99        |
| F2122     | FMD006  | 472.00   | 473.00 | 367      | 11.7      | 5.3       | 4078     | <0.5      | 3.7       | 2.4       | 0.8       | 0.6       | 8.9       | 1         | 0.3       | 1.3      | 1        | 19.9     | 2.1       | 174.7     | 103       |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | P<br>ppm | Pb<br>ppm | Pr<br>ppm | S<br>ppm | Sb<br>ppm | Sm<br>ppm | Sn<br>ppm | Ta<br>ppm | Tb<br>ppm | Th<br>ppm | Tl<br>ppm | Tm<br>ppm | U<br>ppm | W<br>ppm | Y<br>ppm | Yb<br>ppm | Zn<br>ppm | Zr<br>ppm |
|-----------|---------|----------|--------|----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|----------|-----------|-----------|-----------|
| F2123     | FMD006  | 473.00   | 474.00 | 313      | 20        | 9.1       | 4140     | <0.5      | 5.4       | 4.6       | 1.2       | 0.7       | 16.7      | <1        | 0.4       | 4.4      | 2        | 25.9     | 2.3       | 84.5      | 127       |
| F2124     | FMD006  | 489.00   | 490.00 | 1013     | 21.4      | 10.7      | 14453    | 0.6       | 7.6       | 6.8       | 1.6       | 0.9       | 20.2      | 2         | 0.4       | 10.3     | 4        | 30.5     | 2.8       | 3012.4    | 176       |
| F2126     | FMD006  | 490.00   | 490.60 | 245      | 40.4      | 8.2       | 35594    | 1.2       | 5.6       | 24.9      | 2.2       | 0.7       | 20.4      | 2         | 0.5       | 12.8     | 10       | 28.5     | 3.1       | 1298.2    | 120       |
| F2127     | FMD006  | 490.60   | 491.25 | 171      | 8.6       | 1.5       | 1410     | 0.6       | 5.5       | 34.5      | 47.4      | 3.3       | 13.9      | 1         | 1.9       | 28.1     | 21       | 136.1    | 13.9      | 903       | 13        |
| F2128     | FMD006  | 491.25   | 492.00 | 266      | 26.6      | 6.5       | 22971    | 1         | 5.2       | 28        | 6.5       | 0.7       | 17.8      | <1        | 0.4       | 12.6     | 11       | 23.4     | 2.5       | 1320.1    | 103       |
| F2129     | FMD006  | 492.00   | 493.00 | 256      | 23.4      | 8         | 33952    | <0.5      | 5.5       | 6.5       | 1.3       | 0.6       | 21.6      | 1         | 0.3       | 11.9     | 5        | 21.9     | 2.1       | 975       | 134       |
| F2130     | FMD006  | 493.00   | 494.00 | 275      | 19.4      | 9.6       | 27795    | <0.5      | 6.2       | 6.5       | 1.7       | 0.7       | 21.5      | 1         | 0.5       | 12.9     | 4        | 25.3     | 2.7       | 862.6     | 134       |
| F2132     | FMD006  | 494.00   | 495.00 | 277      | 36.5      | 9.7       | 21329    | <0.5      | 6.7       | 6.5       | 1.6       | 0.8       | 23.6      | 2         | 0.4       | 13.2     | 4        | 24.7     | 2.5       | 118       | 144       |
| F2133     | FMD006  | 495.00   | 496.00 | 296      | 33        | 11.1      | 23587    | <0.5      | 7         | 10.7      | 1.6       | 0.8       | 24        | 1         | 0.4       | 12       | 4        | 22.7     | 2.2       | 2521.1    | 147       |
| F2134     | FMD006  | 496.00   | 497.00 | 295      | 11.9      | 21.7      | 11067    | 0.8       | 14.2      | 19.3      | 1.4       | 1.1       | 23        | 1         | 0.4       | 9.5      | 5        | 22       | 1.9       | 215.1     | 153       |
| F2135     | FMD006  | 497.00   | 498.00 | 306      | 28.7      | 10.9      | 15274    | <0.5      | 7.3       | 4.3       | 1.3       | 0.9       | 23.7      | 2         | 0.4       | 9.2      | 3        | 24.2     | 2.3       | 432.4     | 170       |
| F2136     | FMD006  | 498.00   | 499.00 | 295      | 24.2      | 9.9       | 15274    | <0.5      | 6.2       | 6.9       | 2.3       | 0.9       | 21        | 2         | 0.4       | 9.5      | 5        | 32.8     | 2.9       | 195.5     | 162       |
| F2137     | FMD006  | 499.00   | 500.00 | 308      | 32.2      | 10.1      | 18353    | <0.5      | 6.4       | 7.4       | 4.4       | 0.7       | 19.9      | 2         | 0.5       | 8.9      | 5        | 27.1     | 2.4       | 181.3     | 159       |
| F2138     | FMD006  | 500.00   | 501.00 | 266      | 33.4      | 12        | 16711    | 0.6       | 6.5       | 5.1       | 1.5       | 0.8       | 21.3      | 2         | 0.5       | 8.1      | 5        | 29.5     | 2.6       | 124.5     | 185       |
| F2139     | FMD006  | 501.00   | 502.00 | 240      | 28        | 11.3      | 20919    | <0.5      | 7.8       | 4.4       | 1.5       | 1         | 20.3      | 2         | 0.4       | 9.4      | 4        | 27.1     | 2.7       | 122.3     | 190       |
| F2140     | FMD006  | 502.00   | 503.00 | 264      | 23.1      | 9.8       | 17840    | <0.5      | 6.1       | 4         | 1.4       | 0.9       | 17.9      | 2         | 0.4       | 9.2      | 5        | 26.3     | 2.4       | 495.7     | 178       |
| F2141     | FMD006  | 503.00   | 504.00 | 240      | 24.5      | 10.3      | 21329    | <0.5      | 7.6       | 2.8       | 1.5       | 0.8       | 20.4      | 2         | 0.5       | 8.9      | 4        | 30.1     | 3         | 204.2     | 191       |
| F2142     | FMD006  | 504.00   | 505.00 | 220      | 24        | 9.2       | 23792    | <0.5      | 6.1       | 2.9       | 1.5       | 0.7       | 18        | 2         | 0.3       | 8.9      | 3        | 22.1     | 2.1       | 103.6     | 157       |
| F2143     | FMD006  | 505.00   | 506.00 | 306      | 18.7      | 5.4       | 24511    | 0.6       | 3.8       | 4.6       | 1.5       | 0.4       | 8.3       | 2         | 0.3       | 5.3      | 2        | 15.6     | 1.7       | 46        | 98        |
| F2144     | FMD006  | 506.00   | 507.00 | 369      | 16.9      | 3.2       | 7157     | <0.5      | 3.4       | 5.2       | 1.7       | 0.5       | 3.4       | 1         | 0.3       | 3.9      | 1        | 24.6     | 2.2       | 4246.1    | 63        |
| F2145     | FMD006  | 507.00   | 508.00 | 355      | 8.5       | 2         | 7988     | 0.5       | 2.6       | 2.4       | 0.4       | 0.5       | 1.1       | 1         | 0.3       | 0.3      | <1       | 16.7     | 1.6       | 445.5     | 58        |
| F2146     | FMD006  | 508.00   | 509.00 | 466      | 7.8       | 2.4       | 9466     | <0.5      | 3         | 2.4       | 0.5       | 0.5       | 1.2       | 1         | 0.3       | 0.4      | 1        | 18.6     | 1.9       | 233.7     | 71        |
| F2147     | FMD006  | 509.00   | 510.00 | 410      | 7         | 2.2       | 6120     | 0.7       | 2.8       | 2.2       | 0.5       | 0.5       | 1.2       | 1         | 0.2       | 0.3      | 1        | 18.3     | 1.6       | 529.6     | 71        |
| F2148     | FMD006  | 510.00   | 511.00 | 442      | 9.2       | 2.7       | 6418     | <0.5      | 3.1       | 6.8       | 0.5       | 0.4       | 1.1       | 1         | 0.2       | 0.3      | <1       | 16.6     | 1.5       | 1440.2    | 70        |
| F2149     | FMD006  | 511.00   | 512.11 | 72       | 9.7       | 2.1       | 1553     | <0.5      | 3.2       | 7.2       | 3.1       | 0.8       | 10.7      | 2         | 0.6       | 12.1     | <1       | 35.7     | 3.7       | 21.7      | 22        |
| F2151     | FMD006  | 512.11   | 513.00 | 470      | 5.7       | 1.9       | 3319     | <0.5      | 1.4       | 6.3       | 0.5       | 0.3       | 1.1       | 2         | 0.2       | 0.3      | 1        | 11.5     | 1.4       | 140.9     | 67        |
| F2152     | FMD006  | 513.00   | 514.00 | 414      | 3.3       | 2.4       | 5915     | 0.6       | 3.2       | 2         | 0.4       | 0.5       | 0.9       | 1         | 0.3       | 0.3      | <1       | 17.3     | 1.7       | 92        | 60        |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | P<br>ppm | Pb<br>ppm | Pr<br>ppm | S<br>ppm | Sb<br>ppm | Sm<br>ppm | Sn<br>ppm | Ta<br>ppm | Tb<br>ppm | Th<br>ppm | Tl<br>ppm | Tm<br>ppm | U<br>ppm | W<br>ppm | Y<br>ppm | Yb<br>ppm | Zn<br>ppm | Zr<br>ppm |
|-----------|---------|----------|--------|----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|----------|-----------|-----------|-----------|
| F2153     | FMD006  | 514.00   | 515.00 | 401      | 5.9       | 2.5       | 5679     | <0.5      | 3.3       | 1.8       | 0.5       | 0.4       | 1.1       | 1         | 0.3       | 0.3      | <1       | 18.2     | 2         | 121.2     | 71        |
| F2154     | FMD006  | 515.00   | 516.00 | 437      | 9.6       | 4.2       | 24716    | 0.7       | 4.5       | 8.3       | 0.6       | 0.6       | 1.1       | 1         | 0.3       | 0.3      | 1        | 19.2     | 1.8       | 300.3     | 72        |
| F2155     | FMD006  | 516.00   | 517.00 | 392      | 3.6       | 1.4       | 9733     | <0.5      | 2.1       | 1.5       | 0.4       | 0.2       | 1         | 1         | 0.2       | 0.3      | 1        | 9.9      | 0.9       | 72.9      | 63        |
| F2156     | FMD006  | 517.00   | 518.00 | 333      | 3.9       | 1         | 2734     | <0.5      | 1.1       | 1.6       | 0.4       | 0.2       | 0.8       | <1        | 0.2       | 0.3      | 1        | 9.1      | 1.1       | 42.3      | 51        |
| F2157     | FMD006  | 518.00   | 518.50 | 190      | 3         | 1         | 2559     | <0.5      | 0.8       | 1.5       | 0.3       | 0.1       | 0.5       | 1         | 0.3       | 0.2      | 1        | 8.6      | 0.9       | 34.6      | 30        |
| F2158     | FMD006  | 518.50   | 519.00 | 212      | 4.3       | 1.3       | 5433     | <0.5      | 1.2       | 2.5       | 0.6       | 0.2       | 1.2       | <1        | 0.2       | 0.8      | 2        | 10.4     | 1.2       | 34.6      | 34        |
| F2159     | FMD006  | 519.00   | 520.00 | 244      | 5.2       | 1.3       | 1184     | <0.5      | 1.8       | 9.8       | 2.1       | 0.4       | 3         | <1        | 0.2       | 1.7      | 2        | 15.2     | 1.5       | 529.6     | 42        |
| F2160     | FMD006  | 520.00   | 521.00 | 242      | 2.4       | 2.1       | 965      | <0.5      | 1.8       | 3.4       | 0.3       | 0.3       | 0.5       | 1         | 0.1       | 0.2      | 1        | 8.6      | 1         | 201       | 38        |
| F2162     | FMD006  | 521.00   | 522.00 | 191      | 1.9       | 0.8       | 1769     | <0.5      | 0.9       | 1.6       | 0.2       | 0.2       | 0.5       | <1        | 0.1       | 0.2      | <1       | 6.4      | 0.8       | 46.1      | 31        |
| F2163     | FMD006  | 522.00   | 523.00 | 268      | 2.3       | 1.9       | 1933     | <0.5      | 2         | 3.2       | 0.3       | 0.5       | 0.5       | 1         | 0.2       | 0.2      | 1        | 13.4     | 1.3       | 386.6     | 33        |
| F2164     | FMD006  | 523.00   | 524.00 | 275      | 4.9       | 1.5       | 946      | <0.5      | 2.6       | 1.6       | 0.2       | 0.5       | 0.6       | <1        | 0.3       | 0.2      | 1        | 16.7     | 1.4       | 427       | 42        |
| F2165     | FMD006  | 524.00   | 525.00 | 252      | 3.1       | 1.2       | 5114     | 0.6       | 1.7       | 10.6      | 0.3       | 0.3       | 0.5       | <1        | 0.2       | 0.2      | 2        | 11.9     | 1.2       | 69        | 36        |
| F2166     | FMD006  | 525.00   | 526.00 | 243      | 16.7      | 1.6       | 1441     | 1         | 2.1       | 1.9       | 0.2       | 0.3       | 0.5       | <1        | 0.1       | 0.2      | <1       | 13.1     | 1.1       | 639.9     | 36        |
| F2167     | FMD006  | 526.00   | 527.00 | 213      | 6.9       | 1.2       | 1759     | <0.5      | 1.4       | 1.8       | 0.2       | 0.3       | 0.5       | <1        | 0.2       | 0.1      | <1       | 10.8     | 0.9       | 305.8     | 31        |
| F2168     | FMD006  | 527.00   | 528.00 | 239      | 7.5       | 1.2       | 2467     | <0.5      | 1.7       | 0.7       | 0.2       | 0.3       | 0.5       | <1        | 0.2       | 0.2      | <1       | 11.5     | 1.2       | 72.4      | 35        |
| F2169     | FMD006  | 528.00   | 529.00 | 251      | 6         | 1.4       | 3483     | 0.6       | 2.1       | 1         | 0.2       | 0.3       | 0.5       | <1        | 0.1       | 0.2      | <1       | 12.6     | 0.9       | 84.5      | 38        |
| F2170     | FMD006  | 529.00   | 530.00 | 246      | 2.9       | 1.1       | 1225     | <0.5      | 1.4       | 1.1       | 0.3       | 0.3       | 0.5       | <1        | 0.1       | 0.2      | <1       | 11       | 1.1       | 70.6      | 33        |
| F2171     | FMD006  | 530.00   | 531.00 | 281      | 2.3       | 1.5       | 395      | <0.5      | 1.8       | 2.8       | 0.4       | 0.4       | 1.2       | <1        | 0.2       | 0.9      | <1       | 14.2     | 1.2       | 60.3      | 37        |
| F2172     | FMD006  | 531.00   | 532.00 | 242      | 2.6       | 1.3       | 935      | <0.5      | 2.2       | 3.4       | 0.3       | 0.4       | 1         | <1        | 0.2       | 0.6      | <1       | 12.2     | 1.3       | 71.9      | 38        |
| F2173     | FMD006  | 532.00   | 533.00 | 246      | 3.8       | 1.4       | 3955     | 0.6       | 1.7       | 0.6       | 0.2       | 0.3       | 0.5       | <1        | 0.2       | 0.2      | <1       | 11.7     | 1.2       | 69.6      | 37        |
| F2174     | FMD006  | 533.00   | 534.00 | 274      | 4         | 1.5       | 1317     | <0.5      | 2.1       | 1.2       | 0.2       | 0.3       | 0.6       | <1        | 0.2       | 0.2      | <1       | 12.8     | 1.1       | 80.3      | 41        |
| F2176     | FMD006  | 534.00   | 535.00 | 284      | 12.2      | 1.5       | 2826     | <0.5      | 1.7       | 1.8       | 0.3       | 0.4       | 0.6       | <1        | 0.2       | 0.2      | <1       | 12.8     | 1.2       | 108.1     | 40        |
| F2177     | FMD006  | 535.00   | 536.00 | 257      | 3.3       | 1.3       | 4027     | <0.5      | 1.8       | 2.1       | 0.2       | 0.3       | 0.5       | <1        | 0.2       | 0.1      | <1       | 13.4     | 1.1       | 68        | 38        |
| F2178     | FMD006  | 536.00   | 537.00 | 319      | 1.5       | 1.7       | 2262     | 0.6       | 2.2       | 2         | 0.3       | 0.3       | 0.7       | <1        | 0.2       | 0.2      | <1       | 14.8     | 1.2       | 89.9      | 46        |
| F2179     | FMD006  | 537.00   | 538.00 | 318      | 3.8       | 1.7       | 2128     | <0.5      | 2.2       | 2.3       | 0.3       | 0.4       | 0.7       | <1        | 0.3       | 0.3      | <1       | 15.3     | 1.4       | 98.9      | 51        |
| F2180     | FMD006  | 538.00   | 539.00 | 321      | 2         | 1.8       | 5094     | <0.5      | 1.9       | 4.1       | 0.3       | 0.5       | 0.8       | <1        | 0.2       | 0.2      | <1       | 14.4     | 1.3       | 150.7     | 46        |
| F2181     | FMD006  | 539.00   | 540.00 | 311      | 2.5       | 1.8       | 1954     | <0.5      | 1.9       | 1         | 0.3       | 0.5       | 0.7       | <1        | 0.2       | 0.2      | <1       | 14.5     | 1.5       | 100.7     | 46        |

24th September 2025

| Sample ID | Hole ID | From (m) | To (m) | P<br>ppm | Pb<br>ppm | Pr<br>ppm | S<br>ppm | Sb<br>ppm | Sm<br>ppm | Sn<br>ppm | Ta<br>ppm | Tb<br>ppm | Th<br>ppm | Tl<br>ppm | Tm<br>ppm | U<br>ppm | W<br>ppm | Y<br>ppm | Yb<br>ppm | Zn<br>ppm | Zr<br>ppm |
|-----------|---------|----------|--------|----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|----------|-----------|-----------|-----------|
| F2182     | FMD006  | 540.00   | 541.00 | 372      | 2.2       | 2         | 2097     | <0.5      | 2.2       | 1.8       | 0.4       | 0.4       | 1         | <1        | 0.2       | 0.3      | <1       | 14.1     | 1.4       | 58.7      | 59        |
| F2183     | FMD006  | 541.00   | 542.00 | 358      | 3.5       | 1.4       | 2754     | 0.8       | 2.1       | 0.9       | 0.3       | 0.4       | 0.8       | <1        | 0.2       | 0.3      | <1       | 15       | 1.5       | 63.1      | 54        |
| F2184     | FMD006  | 542.00   | 543.00 | 366      | 3.9       | 2.2       | 4335     | 0.7       | 2.4       | 1.9       | 0.3       | 0.5       | 0.9       | <1        | 0.3       | 0.3      | <1       | 17.6     | 1.7       | 144.2     | 55        |
| F2185     | FMD006  | 543.00   | 544.00 | 369      | 4         | 2.1       | 8963     | 0.7       | 2.6       | 8.7       | 0.4       | 0.5       | 0.9       | <1        | 0.3       | 0.4      | <1       | 17.5     | 1.4       | 91        | 54        |
| F2186     | FMD006  | 544.00   | 545.00 | 409      | 6         | 2.7       | 16198    | 1.1       | 3.5       | 19.3      | 0.5       | 0.5       | 1.2       | <1        | 0.3       | 0.4      | <1       | 17.1     | 1.4       | 86.7      | 59        |
| F2187     | FMD006  | 545.00   | 546.00 | 376      | 12.1      | 3.1       | 10554    | <0.5      | 2.9       | 6.4       | 0.3       | 0.5       | 1.5       | <1        | 0.2       | 0.3      | <1       | 17.7     | 1.6       | 88.9      | 56        |
| F2188     | FMD006  | 546.00   | 547.00 | 352      | 16.9      | 5.8       | 17019    | <0.5      | 4.2       | 6.5       | 1         | 0.6       | 9         | <1        | 0.3       | 6.7      | 2        | 20.7     | 1.7       | 660.6     | 125       |
| F2189     | FMD006  | 547.00   | 548.00 | 271      | 19.2      | 9.9       | 19687    | <0.5      | 7         | 12.9      | 1.5       | 0.8       | 16.7      | 1         | 0.5       | 13.9     | 3        | 26.4     | 2.7       | 818.9     | 187       |
| F2190     | FMD006  | 548.00   | 549.00 | 334      | 13.3      | 9.3       | 28308    | <0.5      | 6.6       | 11.1      | 1.4       | 0.8       | 17.4      | 1         | 0.3       | 11.6     | 2        | 22.7     | 2.2       | 131.1     | 137       |
| F2192     | FMD006  | 549.00   | 550.00 | 276      | 16.9      | 8.1       | 34260    | <0.5      | 5.8       | 4.3       | 1.3       | 0.8       | 16.4      | 3         | 0.4       | 10.6     | 3        | 24.2     | 2.1       | 46.1      | 138       |
| F2193     | FMD006  | 550.00   | 551.00 | 265      | 13.5      | 9.9       | 42573    | <0.5      | 5.9       | 3.4       | 1.2       | 0.8       | 18        | 2         | 0.3       | 11.1     | 3        | 22.8     | 2.1       | 27.2      | 141       |
| F2194     | FMD006  | 551.00   | 552.00 | 235      | 15.2      | 8.9       | 44420    | <0.5      | 6.7       | 3.1       | 1.3       | 0.7       | 17.7      | 2         | 0.4       | 10.9     | 3        | 24.5     | 2.3       | 27.4      | 131       |
| F2195     | FMD006  | 552.00   | 553.00 | 254      | 17.1      | 8.1       | 34260    | 0.6       | 6.3       | 7.7       | 4.2       | 0.7       | 14.5      | 2         | 0.4       | 11.1     | 4        | 23.1     | 2.6       | 45.9      | 116       |
| F2196     | FMD006  | 553.00   | 554.00 | 297      | 15.3      | 9.6       | 40520    | <0.5      | 7.3       | 3.8       | 1.3       | 0.8       | 16.6      | 1         | 0.5       | 9.9      | 3        | 26.4     | 2.3       | 27.2      | 138       |
| F2197     | FMD006  | 554.00   | 555.00 | 280      | 31.4      | 9         | 43291    | <0.5      | 6.6       | 3.1       | 1.2       | 0.7       | 15.8      | 2         | 0.4       | 8.4      | 2        | 20.3     | 1.6       | 97        | 125       |
| F2198     | FMD006  | 555.00   | 556.00 | 310      | 17.8      | 8.7       | 41957    | 0.6       | 6.5       | 3.1       | 1.2       | 0.8       | 15.8      | 2         | 0.4       | 9.7      | 3        | 23.3     | 1.9       | 28.7      | 142       |
| F2199     | FMD006  | 556.00   | 557.00 | 251      | 17.4      | 9.2       | 67921    | 0.6       | 6.1       | 3.2       | 1.4       | 0.7       | 16.7      | 2         | 0.4       | 10.4     | 4        | 23       | 2.5       | 14.5      | 155       |
| F2200     | FMD006  | 557.00   | 558.00 | 275      | 23.1      | 7.8       | 70281    | 0.8       | 5.9       | 3.6       | 1.3       | 0.6       | 14.6      | 2         | 0.3       | 10.1     | 3        | 23.5     | 2.5       | 17.4      | 144       |
| F2201     | FMD006  | 558.00   | 559.00 | 223      | 20.5      | 7.3       | 82186    | 1.2       | 5.3       | 2.5       | 1         | 0.5       | 13.2      | 1         | 0.4       | 9.1      | 2        | 21.3     | 2.3       | 23.5      | 136       |
| F2202     | FMD006  | 559.00   | 560.00 | 214      | 21.4      | 7.7       | 68331    | <0.5      | 5.8       | 3.2       | 1.1       | 0.7       | 13.5      | 1         | 0.3       | 10.4     | 3        | 21.3     | 1.8       | 23        | 148       |
| F2203     | FMD006  | 560.00   | 561.00 | 242      | 28.9      | 6.6       | 62379    | 1.1       | 5         | 2.8       | 1         | 0.6       | 12.8      | 2         | 0.4       | 10       | 3        | 23.3     | 2.5       | 18.4      | 154       |
| F2204     | FMD006  | 561.00   | 562.00 | 238      | 26.6      | 8.8       | 45959    | 0.6       | 7.5       | 3.9       | 1.3       | 0.8       | 15.5      | 2         | 0.4       | 9.6      | 2        | 25.5     | 2.6       | 30.4      | 162       |
| F2205     | FMD006  | 562.00   | 563.00 | 287      | 40.6      | 8.6       | 46472    | 1.7       | 7.4       | 3.9       | 1.3       | 0.9       | 15.6      | 1         | 0.4       | 9.3      | 3        | 26.7     | 3         | 81        | 175       |
| F2206     | FMD006  | 563.00   | 564.00 | 274      | 21.3      | 8.8       | 42162    | 0.8       | 7.3       | 8         | 1.2       | 0.8       | 15.2      | 2         | 0.4       | 10.1     | 3        | 26.8     | 2.9       | 24        | 174       |
| F2207     | FMD006  | 564.00   | 565.00 | 221      | 23.1      | 5.4       | 24613    | 0.6       | 6.4       | 24.4      | 10.6      | 1         | 11.6      | 2         | 0.4       | 10.3     | 9        | 33.1     | 3.2       | 26.7      | 85        |
| F2208     | FMD006  | 565.00   | 566.00 | 333      | 24.8      | 8.9       | 46883    | <0.5      | 7.4       | 10.8      | 2.1       | 0.9       | 15.6      | 2         | 0.4       | 9.2      | 4        | 30.9     | 2.4       | 61.4      | 183       |
| F2209     | FMD006  | 566.00   | 566.90 | 329      | 29.8      | 10.5      | 43394    | 1.4       | 9.6       | 9.1       | 2.9       | 1.2       | 18.8      | 2         | 0.7       | 9.6      | 3        | 38.5     | 3.3       | 51.2      | 233       |

24th September 2025



## JORC TABLE 1

| Section 1: Sampling Techniques and Data |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Criteria                                | JORC Code Explanation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Commentary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Sampling Technique</b>               | <p>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as downhole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report.</p> <p>In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</p> | <p>A program of reverse circulation (RC) pre-collared diamond drill (DD) holes is currently in progress.</p> <p>DD –all core was metre marked and oriented where applicable prior to logging and sampling activities. Core was cut in half with an automatic core saw. Drillhole sample intervals were assigned based upon lithological contacts, with a minimum sample length of 50cm and a maximum of 120cm sampled and submitted to a commercial assay lab for analysis.</p> <p>RC pre-collar samples were collected directly from the rig cyclone in green PVC bags. No riffle splitting of samples occurred in the Cambrian cover sequence. Composite 4m samples were collected by spear sampling but have not been submitted for analysis.</p> <p>All sampling was supervised by qualified geologists and field technicians.</p>                |
| <b>Drilling</b>                         | <p>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face- sampling bit or other type, whether core is oriented and if so, by what method, etc).</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <p>A program of reverse circulation (RC) pre-collared diamond drill (DD) holes is currently in progress. RC pre-collars were generally less than 156m deep. RC chip samples were drilled using a 133 mm (5 ¼) diameter hammer.</p> <p>Samples were collected at 1m intervals and then spear sampled to form 4m composite samples.</p> <p>Diamond drilling was conducted by AMWD utilising 1 track mounted rig and 1 truck-mounted rig. HQ3 core sample intervals were generally 1.0 m in length but varied from 0.2 to 1.2 m depending on sample boundaries as defined by the logging geologist.</p> <p>Core sampled as half core and duplicate samples as quarter core.</p>                                                                                                                                                                          |
| <b>Drill Sample Recovery</b>            | <p>Method of recording and assessing core and chip sample recoveries and results assessed.</p> <p>Measures taken to maximise sample recovery and ensure representative nature of the samples.</p> <p>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <p>Drill core:</p> <p>Sample recoveries were measured by standard industry practices for diamond drill core. Core recoveries were generally good except for the saprolite where some core loss was experienced owing to sandy and clayey core being washed out in the diamond drilling process.</p> <p>Significant sample bias is not expected with cut core.</p> <p>RC chips:</p> <p>Each 1 metre drill sample was collected and bagged off the rig, no weighing occurred. Sample recoveries were generally good except when samples became very wet and no samples were recovered. Pre-collars were stopped when excess water was encountered and /or hole deviated. No unusual measures were taken to maximise sample recovery.</p> <p>Significant sample bias is not expected with the RC chips. Some contamination may occur in wet samples.</p> |

|                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Logging</b>                                       | <p>Whether core and chip samples have been geologically and geotechnical logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</p> <p>Whether logging is qualitative or quantitative in nature. Core (or costean/Trench, channel, etc) photography.</p> <p>The total length and percentage of the relevant intersections logged.</p>                                                                                                                                                                                                                                                                    | <p>All drill samples were logged systematically for lithology, weathering, alteration, veining, structure and minor minerals. Minor minerals were estimated quantitatively. A core orientation device was employed enabling orientated structural measurements to be taken.</p> <p>A KT9 magnetic susceptibility meter was utilised to collect readings for each recovered sample metre.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Sub-Sampling Technique and Sample Preparation</b> | <p>If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</p> <p>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</p> <p>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</p> <p>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled.</p> | <p>The diamond drill samples were collected by longitudinally splitting core using a core saw. Half of the core was sent to the laboratory for assay. The sampling method is considered adequate for a diamond drilling program of this type.</p> <p>The RC samples were collected by spear sampling from large bags collected directly from the cyclone on the drill rig. Sample condition is dry to moist; however some samples are wet. The sampling method is considered adequate for an RC drilling program of this type where the cover sequence is not expected to be significantly mineralised.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Quality of Assay Data and Laboratory Tests</b>    | <p>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</p> <p>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</p> <p>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</p>                                                         | <p>Samples were assayed by North Australian Laboratories (NAL) or JINNING Testing and Inspection Laboratories.</p> <p>Samples sent to NAL were analysed using technique FA40 for gold with a detection limit of 0.01ppm Au. All Au assays above 1ppm are automatically re-assayed and reported. Base metals were analysed by NAL lab method G400I using a four acid digest and read by ICP-OES. Detection limits are shown in brackets. Au(0.01ppm), Ag(1ppm), As(10ppm), Cu(1ppm), Pb(5ppm), Zn(2ppm), Bi(10ppm), and Sb(5ppm).</p> <p>Samples sent to JINNING were analysed using method FA40A for gold with a detection limit of 0.01 ppm Au. All Au assays above 1ppm are automatically re-assayed and reported. Base metals were analysed by method MADM, MADI, and FUSNM.</p> <p>In method FUSNM, samples are fused in a furnace (~ 650 °C) with Sodium Peroxide in a nickel crucible. The melt is dissolved in dilute Hydrochloric acid and the solution analysed. This process provides complete dissolution of most minerals including silicates. Analyses are performed via ICP-MS.</p> <p>Method MADI is a mixed acid digest that involves the use of nitric, perchloric and hydrofluoric acids in the attack. Dissolution is then achieved using hydrochloric acid. The use of hydrofluoric acid ensures the breakdown of silicate minerals. Although the digest approaches total dissolution of the sample there can be undissolved material encountered. Analyses are performed via ICP-OES.</p> <p>Method MADM is a mixed acid digest that involves the use of nitric, perchloric and hydrofluoric acids in the attack. Dissolution is then achieved using hydrochloric acid. The use of hydrofluoric acid ensures the breakdown of silicate minerals. Although the digest approaches total dissolution of the sample there can be undissolved material encountered. Analyses are performed via ICP-MS.</p> <p>Field duplicates, standards and blank samples were each submitted for approximately every 30 samples on a rotating basis.</p> <p>Diamond core duplicates were obtained by cutting the half core sample into two quarter core samples. As samples are not homogenised some variation is expected.</p> |

|                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|----------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Verification of Sampling and Assaying</b>                   | The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. The verification of significant intersections by either independent or alternative company personnel. Discuss any adjustment to assay data                                                                                                                                               | No significant assays are being reported.<br>All assays received to date (for the 2025 drilling program) are reported in the tables within the Appendices of this announcement.<br>No holes have been twinned.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Location of Data points</b>                                 | Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.<br><br>Specification of the grid system used<br>Quality and adequacy of topographic control                                                                                                                                                  | Drill hole collar locations were recorded at the completion of each hole by hand-held GPS $\pm 5\text{m}$ .<br><br>Positional data was recorded in projection<br>MGA1994 Zone 52S.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Data Spacing and Distribution</b>                           | Data spacing for reporting of Exploration Results<br><br>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.<br><br>Whether sample compositing has been applied                                                                                 | The diamond drill holes were designed to test the geophysical targets or REE targets.<br><br>The drillholes have not been drilled on fence lines or regular spaced grids.<br><br>Drillhole data spacing is not considered adequate for Mineral Resource estimation as an appropriate understanding of mineralisation continuity has not yet been established.<br><br>No composite sampling has been applied to drill core.                                                                                                                                                                                                                                                                                                                                                         |
| <b>Orientation of Data in Relation to Geological Structure</b> | Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.<br><br>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.                                             | Holes were planned approximately perpendicular to defined geophysical targets<br><br>Sampling is believed to be unbiased.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Sample Security</b>                                         | The measures taken to ensure sample security                                                                                                                                                                                                                                                                                                                                                                             | Core trays and RC samples are stored on Middle Creek station while the program is in progress. Core trays are transported to Pine Creek by Desoto staff where they are cut and stored at the Bacchus Resources secure yard. Sampled cut core is bagged and put directly into sample cages that the lab collects and transports to the lab                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Section 2 Reporting of Exploration Results</b>              |                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Mineral Tenement and Land Tenure Status</b>                 | Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.<br>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. | The Pine Creek Project comprises nine contiguous exploration licences (EL31356, EL32148, EL31899, 32886, EL33188-33189, EL33225 and EL33615 (amalgamation of EL32885 and EL33450) covering an area of 1,565 km <sup>2</sup> . The licences are held by Mangusta Minerals Pty Ltd, a 100% owned Desoto subsidiary. The Spectrum Project is held by CopperOz Pty Ltd and sits within exploration license EL31475 which is wholly enclosed within DeSoto exploration license EL33615.<br><br>The Project is located approximately 150 km south of Darwin, and 8 km north of Pine Creek in the Northern Territory. Access to the Pine Creek Project is from the sealed Stuart Highway Hayes Creek via the sealed Dorat Road and Ooloo Roads and then via well maintained gravel roads. |
| <b>Exploration Done by Other Parties</b>                       | Acknowledgment and appraisal of exploration by other parties.                                                                                                                                                                                                                                                                                                                                                            | The majority of past exploration work within the Project area (including drilling, surface sampling; geophysical surveys, geological mapping) has been largely completed by Homestake Gold of Australia, North Mining, Newmont Australia, St George Mining Pty Ltd, Aztec Mining Ltd, AngloGold Australia, Davos Resources and Thundelarra Exploration<br><br>The relevant reports are available on the Northern Territory Geological Survey GEMIS open file database library. A summary of previous work completed can be found in the company prospectus at <a href="http://www.desotoresources.com">www.desotoresources.com</a>                                                                                                                                                 |

|                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | All work completed by the Company has been released to the market in previous ASX releases.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Geology</b>                                                          | Deposit type, geological setting and style of mineralisation.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | <p>The Fenton Project is located in the western and central sections of the Central Domain of the Pine Creek Orogen and comprises units of the Cosmo Supergroup which include the South Alligator Group, and Finnis River Group. The stratigraphic sequences are dominated by mudstones, siltstones, greywackes, sandstones, tuffs, and limestones. These sedimentary units, as well as basic intrusions, were folded, metamorphosed, and then subsequently intruded by the Cullen Batholith. Pegmatites occur throughout the region in close proximity to the Cullen Granites. The project area is overlain by younger Cambrian basin sedimentary sequences.</p> <p>The Fenton Project is considered prospective for orogenic Pine Creek gold mineralisation and pegmatite hosted lithium (spodumene) mineralisation. The majority of known gold deposits are hosted by the South Alligator Group and the lower parts of the Finnis River Group along anticlines, strike-slip shear zones and thrusts proximal to the Cullen Granite.</p> <p>The REE mineralisation reported here is hosted within sheared dolerite and Banded Iron Formation units with quartz-pyrite-pyrrhotite veining. The origin of the REE mineralisation is not yet understood but is assumed to be related to the intrusion of granites near the Fenton Shear Zone.</p> |
| <b>Drill Hole Information</b>                                           | <p>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</p> <ul style="list-style-type: none"> <li>• easting and northing of the drill hole collar</li> <li>• elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</li> <li>• dip and azimuth of the hole</li> <li>• down hole length and interception depth</li> <li>• hole length</li> <li>• If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</li> </ul> | Information is presented in tables and plans in the body and appendices of this release.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Data Aggregation Methods</b>                                         | <p>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</p> <p>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</p> <p>The assumptions used for any reporting of metal equivalent values should be clearly stated.</p>                                                                                                                                                                                           | No data aggregation methods have been used in results reported in this release.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Relationship Between Mineralisation Widths and Intercept Lengths</b> | <p>These relationships are particularly important in the reporting of Exploration Results</p> <p>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the downhole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</p>                                                                                                                                                                                                                                                                                                                                                                                | The overall orientation of mineralised zones is not yet known or properly understood.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Diagrams</b>                                                         | Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include but not be limited to a plan view.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | See the body of this announcement for relevant figures.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

|                                           |                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                           | of drill hole collar locations and appropriate sectional views.                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Balanced Reporting</b>                 | Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced avoiding misleading reporting of Exploration Results.                                                                                                                                                             | The company believes this announcement is a balanced report, and that all material information has been reported.                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Other Substantive Exploration Data</b> | Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. | <p>Exploration drilling for gold by previous explorers has been conducted by Homestake Gold of Australia (FEND14 and FEND 18 holes in particular), Newmont Australia (KAD0001-3) in the current area. The Company is also aware of regional scale aeromagnetic and AEM surveys, and geological mapping programmes undertaken by past explorers and has access to versions of the data that is available in reports.</p> <p>All relevant exploration undertaken by the Company has been reported in previous announcements.</p> |
| <b>Further Work</b>                       | The nature and scale of planned further work (eg tests for lateral extensions or large scale step out drilling. Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.                                                                     | Planned work includes the completion of the current drilling program followed by a review and interpretation of results.                                                                                                                                                                                                                                                                                                                                                                                                       |